

Nanostructures graphene plasmon works close to near-infrared window

Wang, Zhongli; Li, Tao; Almdal, Kristoffer; Xiao, Sanshui; Mortensen, N. Asger; Ndoni, Sokol

Publication date:
2017

Document version:
Final published version

Citation for published version (APA):
Wang, Z., Li, T., Almdal, K., Xiao, S., Mortensen, N. A., & Ndoni, S. (2017). *Nanostructures graphene plasmon works close to near-infrared window*. Abstract from Graphene 2017, Barcelona, Spain.

Go to publication entry in University of Southern Denmark's Research Portal

Terms of use

This work is brought to you by the University of Southern Denmark.
Unless otherwise specified it has been shared according to the terms for self-archiving.
If no other license is stated, these terms apply:

- You may download this work for personal use only.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying this open access version

If you believe that this document breaches copyright please contact us providing details and we will investigate your claim.
Please direct all enquiries to puresupport@bib.sdu.dk

Nanostructures graphene plasmon works close to near-infrared window

Presenting Author Zhongli Wang

Co-Authors Tao Li, Kristoffer Almdal, N. Asger Mortensen, Sanshui Xiao, Sokol Ndoni

Organization, Address, City, Country

¹ Department of Micro- and Nanotechnology, Technical University of Denmark, DK-2800 Kgs. Lyngby, Denmark.

² Center for Nanostructured Graphene (CNG), Technical University of Denmark, DK-2800 Kgs. Lyngby, Denmark.

³ Department of Photonics Engineering, Technical University of Denmark, DK-2800 Kgs. Lyngby, Denmark.

Contact@E-mail zhong@nanotech.dtu.dk
sond@nanotech.dtu.dk

[2] I. Goykhman, U. Sassi, B. Desiatov, N. Mazurski, S. Milana, D. De Fazio, A. Eiden, J. Khurgin, J. Shappir, and U. Levy, Nano Lett. 16, 3005 (2016).

Figures




Figure 1: Fabrication of graphene nanodisk arrays (GNDAs) by direct block copolymer nanolithography.

Abstract (Century Gothic 11)

Due to strong mode-confinement, long propagation-distance, and unique tunability, graphene plasmons have been widely explored in the mid-infrared and terahertz windows. However, it remains a big challenge to push graphene plasmons to shorter wavelengths in order to integrate graphene plasmon concepts with existing mature technologies in the near-infrared region. We investigate localized graphene plasmons supported by graphene nanodisks and experimentally demonstrated graphene plasmon working at $2\ \mu\text{m}$ with the aid of a fully scalable block copolymer self-assembly method. Our results show a promising way to promote graphene plasmons for both fundamental studies and potential applications in the near-infrared window.

References

[1] F. Bonaccorso, Z. Sun, T. Hasan, and A. Ferrari, Nature Photon. 4, 611 (2010).




Figure 2: (a) AFM line-scan profile of GNDAs on SiO₂/Si substrate after 8 s of oxygen plasma. Inset, corresponding AFM image; scale bars, 200 nm. (b) Raman spectra; (c) evolution of the peak intensity ratios and (d) normalized reflection spectra for the GNDAs/Silicon oxycarbide nanodisk formed after 6, 8, and 10 s of oxygen plasma.