

**Supplementary Material to Diagnosis and Incidence of Congenital Combined Pituitary Hormone Deficiency in Denmark - a national observational study**

Jakobsen, Louise Kjersgaard; Beck Jensen, Rikke; Birkebaek, Niels Holtum; Hansen, Dorte; Rønholt Christensen, Ann-Margrethe; Bjerrum, Maja Carsting; Thybo Christesen, Henrik

*DOI:*  
10.21996/y547-kp96

*Publication date:*  
2023

*Document version:*  
Final published version

*Citation for pulished version (APA):*  
Jakobsen, L. K., Beck Jensen, R., Birkebaek, N. H., Hansen, D., Rønholt Christensen, A-M., Bjerrum, M. C., & Thybo Christesen, H. (2023). Supplementary Material to Diagnosis and Incidence of Congenital Combined Pituitary Hormone Deficiency in Denmark - a national observational study. <https://doi.org/10.21996/y547-kp96>

Go to publication entry in University of Southern Denmark's Research Portal

**Terms of use**

This work is brought to you by the University of Southern Denmark.  
Unless otherwise specified it has been shared according to the terms for self-archiving.  
If no other license is stated, these terms apply:

- You may download this work for personal use only.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying this open access version

If you believe that this document breaches copyright please contact us providing details and we will investigate your claim.  
Please direct all enquiries to [puresupport@bib.sdu.dk](mailto:puresupport@bib.sdu.dk)

## Supplementary material

### Table of contents

Supplementary Table 1: Overview of the 14 patients not identified through the DNPR search.....	2
Supplementary Table 2: National incidences and incidence rates of congenital combined pituitary hormone deficiency from 1996–2020 split by age 1–8 and 9–17 years.....	2

### Supplementary Table 1: Overview of the 14 patients not identified through the DNPR search

Categories of patients not identified through the DNPR search	n
Patients who did not receive a diagnosis code until after the age of 15 years <sup>a</sup>	3
Patients only registered at a secondary hospital in the DNPR data set, although treated for cCPHD at a tertiary hospital	6
Patients not registered with a diagnosis code in the DNPR search, despite being registered with an ICD-10 diagnosis code before the age of 15 in the tertiary hospital registries	5

<sup>a</sup>The DNPR search identified all Danish patients with relevant diagnoses before age 15 years.

### Supplementary Table 2: National incidences and incidence rates of congenital combined pituitary hormone deficiency from 1996–2020 split by age 1–8 and 9–17 years

Age at cCPHD diagnosis	Period <sup>a</sup>	Number of patients	Incidence per 100,000 live births (95% CI)	Incidence rates per million live births per year (95% CI)
1–8 years	1996–2011	30	2·89 (2·02–4·14)	3·61 (2·52–5·17)
9–17 years	1996–2002	25	5·38 (3·64–7·97)	5·98 (4·04–8·85)

<sup>a</sup>To eliminate the influence of right truncation, incidences were calculated in various periods according to the included age ranges. This was done to ensure all patients reached 9/18 years' age in the observation period.