

Lars Grøntved
Institut for Biokemi og Molekylær Biologi
Funktionelle Genomiske Studier og Metabolisme
E-mail: larsgr@bmb.sdu.dk
Telefon: +4565509279



Ansættelse

Postdoc

National Institutes of Health
Bethesda, USA

1. jan. 2010 → 30. apr. 2014

Publikationer

Single cell-resolved study of advanced murine MASH reveals a homeostatic pericyte signaling module

Bendixen, S. M., Jakobsgaard, P. R., Hansen, D., Hejn, K. H., Terkelsen, M. K., Bjerre, F. A., Thulesen, A. P., Eriksen, N. G., Hallenborg, P., Geng, Y., Dam, T. V., Larsen, F. T., Wernberg, C. W., Vijayathurai, J., Scott, E. A. H., Marcher, A. B., Detlefsen, S., Grøntved, L., Dimke, H. & Berdeaux, R. & 6 flere, de Aguiar Vallim, T. Q., Olinga, P., Lauridsen, M. M., Krag, A., Blagoev, B. & Ravnskjaer, K., mar. 2024, I: *Journal of Hepatology*. 80, 3, s. 467-481

Dissecting tumor microenvironment heterogeneity in syngeneic mouse models: insights on cancer-associated fibroblast phenotypes shaped by infiltrating T cells

Carretta, M., Thorseth, M.-L., Schina, A., Agardy, D. A., Johansen, A. Z., Baker, K. J., Khan, S., Rømer, A. M. A., Fjæstad, K. Y., Linder, H., Kuczek, D. E., Donia, M., Grøntved, L. & Madsen, D. H., 8. jan. 2024, I: *Frontiers in Immunology*. 14, s. 1320614 16 s.

Use of smoc2 as a non biomarker for developing alcoholic or non-alcoholic steatohepatitis

Graversen, N. J. H. (Opfinder), Chandran, V. I. (Opfinder), Larsen, F. T. (Opfinder), Grøntved, L. (Opfinder), Ravnskjaer, K. (Opfinder), Lauridsen, M. E. M. (Opfinder), Wernberg, C. W. (Opfinder) & Krag, A. A. (Opfinder), 14. dec. 2023, IPC nr. G01N33/68, Patentnr. WO2023237529 (A1), Prioritetsdato 7. jun. 2022, Prioritetsnr. EP20220177513

Acute deletion of the glucocorticoid receptor in hepatocytes disrupts postprandial lipid metabolism in male mice

Correia, C. M., Præstholt, S. M., Havelund, J. F., Pedersen, F. B., Siersbæk, M. S., Ebbesen, M. F., Gerhart-Hines, Z., Heeren, J., Brewer, J., Larsen, S., Blagoev, B., Færgeman, N. J. & Grøntved, L., okt. 2023, I: *Endocrinology*. 164, 10, 17 s., bqad128.

Protocol for bulk and single-nuclei chromatin accessibility quantification in mouse liver tissue

Korenfeld, N., Toft, N. I., Dam, T. V., Charni-Natan, M., Grøntved, L. & Goldstein, I., 15. sep. 2023, I: *STAR Protocols*. 4, 3, 102462.

Circulating TREM2 as a noninvasive diagnostic biomarker for NASH in patients with elevated liver stiffness

Chandran, V. I., Wernberg, C. W., Lauridsen, M. M., Skytthe, M. K., Bendixen, S. M., Larsen, F. T., Hansen, C. D., Grønkjaer, L. L., Siersbæk, M. S., Caterino, T. D., Detlefsen, S., Møller, H. J., Grøntved, L., Ravnskjaer, K., Moestrup, S. K., Thiele, M. S., Krag, A. & Graversen, J. H., feb. 2023, I: *Hepatology*. 77, 2, s. 558-572

Stellate cell expression of SPARC-related modular calcium-binding protein 2 is associated with human non-alcoholic fatty liver disease severity

Larsen, F. T., Hansen, D., Terkelsen, M. K., Bendixen, S. M., Avolio, F., Wernberg, C. W., Lauridsen, M. M., Grønkjaer, L. L., Jacobsen, B. G., Klinggaard, E. G., Mandrup, S., Di Caterino, T., Siersbæk, M. S., Chandran, V. I., Graversen, J. H., Krag, A., Grøntved, L. & Ravnskjaer, K., feb. 2023, I: *JHEP Reports*. 5, 2, 100615.

TGFβ-derived immune modulatory vaccine: targeting the immunosuppressive and fibrotic tumor microenvironment in a murine model of pancreatic cancer

Perez-Penco, M., Weis-Banke, S. E., Schina, A., Siersbæk, M., Hübbe, M. L., Jørgensen, M. A., Lecoq, I., Lara De La Torre, L., Bendtsen, S. K., Martinenaite, E., Holmström, M. O., Madsen, D. H., Donia, M., Ødum, N., Grøntved, L. & Andersen, M. H., 6. dec. 2022, I: Journal for immunotherapy of cancer. 10, 12, e005491.

Arginase-2-specific cytotoxic T cells specifically recognize functional regulatory T cells

Weis-Banke, S. E., Lisle, T. L., Perez-Penco, M., Schina, A., Hübbe, M. L., Siersbæk, M., Holmström, M. O., Jørgensen, M. A., Marie Svane, I., Met, Ö., Ødum, N., Madsen, D. H., Donia, M., Grøntved, L. & Andersen, M. H., okt. 2022, I: Journal for immunotherapy of cancer. 10, 10, e005326.

Plasma TREM2, a novel non-invasive biomarker for diagnosis of NASH in NAFLD patients with elevated liver stiffness

Wernberg, C. W., Chandran, V. I., Lauridsen, M., Larsen, F., Skytthe, M. K., Hansen, C. D., Siersbæk, M., Caterino, T. D., Detlefsen, S., Palarasah, Y., Ravnskjaer, K., Groentved, L., Moestrup, S. K., Thiele, M., Graversen, J. & Krag, A., jul. 2022, I: Journal of Hepatology. 77, S1, s. S434

Cell-Type Resolved Insights into the Cis-Regulatory Genome of NAFLD

Dam, T. V., Toft, N. I. & Grøntved, L., 1. mar. 2022, I: Cells. 11, 5, 870.

Off-target lipid metabolism disruption by the mouse constitutive androstane receptor ligand TCPOBOP in humanized mice

Skoda, J., Dohnalova, K., Chalupsky, K., Stahl, A., Templin, M., Maixnerova, J., Micuda, S., Grøntved, L., Braeuning, A. & Pavek, P., mar. 2022, I: Biochemical Pharmacology. 197, 11 s., 114905.

Blockade of beta-adrenergic receptors reduces cancer growth and enhances the response to anti-CTLA4 therapy by modulating the tumor microenvironment

Fjæstad, K. Y., Rømer, A. M. A., Goitea, V., Johansen, A. Z., Thorseth, M. L., Carretta, M., Engelholm, L. H., Grøntved, L., Junker, N. & Madsen, D. H., feb. 2022, I: Oncogene. 41, 9, s. 1364-1375

Use of spar-related modular calcium binding protein 2 as a non-invasive biomarker

Graversen, J. H. (Opfinder), Chandran, V. I. (Opfinder), Larsen, F. T. (Opfinder), Grøntved, L. (Opfinder), Ravnskjær, K. (Opfinder), Lauridsen, M. (Opfinder), Wernberg, C. (Opfinder) & Krag, A. (Opfinder), 2022, Patentnr. EP22177513.3

Impaired glucocorticoid receptor expression in liver disrupts feeding-induced gene expression, glucose uptake, and glycogen storage

Præsthholm, S. M., Correia, C. M., Goitea, V. E., Siersbæk, M. S., Jørgensen, M., Havelund, J. F., Pedersen, T. Å., Færgeman, N. J. & Grøntved, L., 2. nov. 2021, I: Cell Reports. 37, 5, 109938.

Propranolol reduces sarcoma growth and enhances the response to anti-CTLA4 therapy by modulating the tumor microenvironment

Fjæstad, K. Y., Rømer, A. M. A., Goitea, V., Johansen, A. Z., Thorseth, M.-L., Carretta, M., Engelholm, L. H., Grøntved, L., Junker, N. & Madsen, D. H., 12. mar. 2021, 37 s. bioRxiv.

C57BL/6J substrain differences in response to high-fat diet intervention

Siersbæk, M. S., Ditzel, N., Hejbøl, E. K., Præsthholm, S. M., Markussen, L. K., Avolio, F., Li, L., Lehtonen, L., Hansen, A. K., Schrøder, H. D., Krych, L., Mandrup, S., Langhorn, L., Bollen, P. & Grøntved, L., 1. dec. 2020, I: Scientific Reports. 10, 15 s., 14052.

Multifaceted Control of GR Signaling and Its Impact on Hepatic Transcriptional Networks and Metabolism

Præsthholm, S. M., Correia, C. M. & Grøntved, L., 8. okt. 2020, I: Frontiers in Endocrinology. 11, 17 s., 572981.

Collagen Density Modulates the Immunosuppressive Functions of Macrophages

Larsen, A. M. H., Kuczek, D. E., Kalvisa, A., Siersbæk, M. S., Thorseth, M. L., Johansen, A. Z., Carretta, M., Grøntved, L., Vang, O. & Madsen, D. H., 1. sep. 2020, I: Journal of immunology (Baltimore, Md. : 1950). 205, 5, s. 1461-1472

Remote ischemic conditioning in active ulcerative colitis: An explorative randomized clinical trial

Godskesen, L. E., Lassen, T. R., Jespersen, N. R., Siersbæk, M., Yan, Y., Nielsen, M. M., Tjønnfjord, S. K., Grøntved, L., Madsen, G., Kjems, J., Bøtker, H. E., Schmidt, M. R., Krag, A. & Kjeldsen, J., 12. jun. 2020, I: *Scientific Reports*. 10, 15 s., 9537.

Multiple mechanisms regulate H3 acetylation of enhancers in response to thyroid hormone

Præsthholm, S. M., Siersbæk, M. S., Nielsen, R., Zhu, X., Hollenberg, A. N., Cheng, S.-Y. & Grøntved, L., 2020, I: *PLOS Genetics*. 16, 5, 26 s., e1008770.

Editorial: Regulating Liver Transcriptional Networks by Endocrine, Extracellular, and Intrinsic Cues

Grøntved, L. & Goldstein, I., 13. dec. 2019, I: *Frontiers in Endocrinology*. 10, 3 s., 878.

Meta-analysis of Chromatin Programming by Steroid Receptors

Paakinaho, V., Swinstead, E. E., Presman, D. M., Grøntved, L. & Hager, G. L., 24. sep. 2019, I: *Cell Reports*. 28, 13, s. 3523-3534 15 s.

Collagen density regulates the activity of tumor-infiltrating T cells

Kuczek, D. E., Larsen, A. M. H., Thorseth, M.-L., Carretta, M., Kalvisa, A., Siersbæk, M. S., Simões, A. M. C., Roslind, A., Engelholm, L. H., Noessner, E., Donia, M., Svane, I. M., Straten, P. T., Grøntved, L. & Madsen, D. H., 12. mar. 2019, I: *Journal for ImmunoTherapy of Cancer*. 7, 1, 15 s., 68.

Insulin signaling and reduced glucocorticoid receptor activity attenuate postprandial gene expression in liver

Kalvisa, A., Siersbæk, M. S., Præsthholm, S. M., Christensen, L. J. L., Nielsen, R., Stohr, O., Vettorazzi, S., Tuckermann, J., White, M., Mandrup, S. & Grøntved, L., 10. dec. 2018, I: *PLOS Biology*. 16, 12, s. 1-32 e2006249.

Insulin signaling in combination with reduced glucocorticoid activity attenuate post-prandial gene expression in liver

Siersbæk, M., Kalvisa, A., Præsthholm, S. M., Christensen, L. J. L., Nielsen, R., Stohr, O., Vettorazzi, S., Tuckermann, J., White, M., Mandrup, S. & Grøntved, L., 11. sep. 2018.

Tumor-Associated Macrophages Derived from Circulating Inflammatory Monocytes Degrade Collagen through Cellular Uptake

Madsen, D. H., Jørgensen, H. J., Siersbæk, M. S., Kuczek, D. E., Grey Cloud, L., Liu, S., Behrendt, N., Grøntved, L., Weigert, R. & Bugge, T. H., 26. dec. 2017, I: *Cell Reports*. 21, 13, s. 3662-3671

High fat diet-induced changes of mouse hepatic transcription and enhancer activity can be reversed by subsequent weight loss

Siersbæk, M., Varticovski, L., Yang, S., Baek, S., Nielsen, R., Mandrup, S., Hager, G., H. Chung, J. & Grøntved, L., 10. jan. 2017, I: *Scientific Reports*. 7, 13 s., 40220.

Genome-wide identification of basic helix-loop-helix and NF-1 motifs underlying GR binding sites in male rat hippocampus

Pooley, J. R., Flynn, B. P., Grøntved, L., Baek, S., Guertin, M. J., Kershaw, Y. M., Birnie, M. T., Pellatt, A., Rivers, C. A., Schiltz, R. L., Hager, G. L., Lightman, S. L. & Conway-Campbell, B. L., 2017, I: *Endocrinology*. 158, 5, s. 1486-1501

Noncanonical thyroid hormone signaling mediates cardiometabolic effects in vivo

Hönes, G. S., Rakov, H., Logan, J., Liao, X. H., Werbenko, E., Pollard, A. S., Præsthholm, S. M., Siersbæk, M. S., Rijntjes, E., Gassen, J., Latteyer, S., Engels, K., Strucksberg, K. H., Kleinbongard, P., Zwanziger, D., Rozman, J., Gailus-Durner, V., Fuchs, H., De Angelis, M. H. & Klein-Hitpass, L. & 8 flere, Köhrle, J., Armstrong, D. L., Grøntved, L., Bassett, J. H. D., Williams, G. R., Refetoff, S., Führer, D. & Moeller, L. C., 2017, I: *PNAS*. 114, 52, s. E11323-E11332

HIGH FAT DIET-INDUCED CHANGES OF MOUSE HEPATIC TRANSCRIPTION AND ENHANCER ACTIVITY ARE REVERSED BY SUBSEQUENT WEIGHT LOSS.

Siersbæk, M., Varticovski, L., Yang, S., Baek, S., Nielsen, R., Mandrup, S., Hager, G., H. Chung, J. & Grøntved, L., 25. aug. 2016.

MDM2 facilitates adipocyte differentiation through CRTC-mediated activation of STAT3

Hallenborg, P., Siersbæk, M., Barrio-Hernandez, I., Nielsen, R., Kristiansen, K., Mandrup, S., Grøntved, L. & Blagoev, B., 1. jul. 2016, I: *Cell Death & Disease*. 7, 6, s. e2289

Steroid receptors reprogram FoxA1 occupancy through dynamic chromatin transitions

Swinstead, E. E., Miranda, T. B., Paakinaho, V., Baek, S., Goldstein, I., Hawkins, M., Karpova, T. S., Ball, D., Mazza, D., Lavis, L. D., Grimm, J. B., Morisaki, T., Grøntved, L., Presman, D. M. & Hager, G. L., 21. apr. 2016, I: *Cell*. 165, 3, s. 593-605

Structural Modeling of GR Interactions with the SWI/SNF Chromatin Remodeling Complex and C/EBP

Muratcioglu, S., Presman, D. M., Pooley, J. R., Grøntved, L., Hager, G. L., Nussinov, R., Keskin, O. & Gursoy, A., 15. sep. 2015, I: *Biophysical Journal*. 109, 6, s. 1227-1239 13 s.

Transcriptional activation by the thyroid hormone receptor through ligand-dependent receptor recruitment and chromatin remodelling

Grøntved, L., Waterfall, J. J., Kim, D. W., Baek, S., Sung, M.-H., Zhao, L., Park, J. W., Nielsen, R., Walker, R. L., Zhu, Y. J., Meltzer, P. S., Hager, G. L. & Cheng, S.-Y., 2015, I: *Nature Communications*. 6, 7048.

Live cell imaging unveils multiple domain requirements for in vivo dimerization of the glucocorticoid receptor

Presman, D. M., Ogara, M. F., Stortz, M., Alvarez, L. D., Pooley, J. R., Schiltz, R. L., Grøntved, L., Johnson, T. A., Mittelstadt, P. R., Ashwell, J. D., Ganesan, S., Burton, G., Levi, V., Hager, G. L. & Pecci, A., mar. 2014, I: *PLOS Biology*. 12, 3, s. e1001813

Interactome maps of mouse gene regulatory domains reveal basic principles of transcriptional regulation

Kieffer-Kwon, K.-R., Tang, Z., Mathe, E., Qian, J., Sung, M.-H., Li, G., Resch, W., Baek, S., Pruett, N., Grøntved, L., Vian, L., Nelson, S., Zare, H., Hakim, O., Reyon, D., Yamane, A., Nakahashi, H., Kovalchuk, A. L., Zou, J. & Joung, J. K. & 6 flere, Sartorelli, V., Wei, C.-L., Ruan, X., Hager, G. L., Ruan, Y. & Casellas, R., 19. dec. 2013, I: *Cell*. 155, 7, s. 1507-1520

Reprogramming the chromatin landscape: interplay of the estrogen and glucocorticoid receptors at the genomic level

Miranda, T. B., Voss, T. C., Sung, M.-H., Baek, S., John, S., Hawkins, M., Grøntved, L., Schiltz, R. L. & Hager, G. L., 15. aug. 2013, I: *Cancer Research*. 73, 16, s. 5130-5139

C/EBP maintains chromatin accessibility in liver and facilitates glucocorticoid receptor recruitment to steroid response elements

Grøntved, L., John, S., Baek, S., Liu, Y., Buckley, J. R., Vinson, C., Aguilera, G. & Hager, G. L., 2013, I: *The EMBO Journal*. 32, 11, s. 1568-1583

eRNAs promote transcription by establishing chromatin accessibility at defined genomic loci

Mousavi, K., Zare, H., Dell'orso, S., Grøntved, L., Gutierrez-Cruz, G., Derfoul, A., Hager, G. L. & Sartorelli, V., 2013, I: *Molecular Cell*. 51, 5, s. 606-617

Impact of chromatin structure on PR signaling: transition from local to global analysis

Grøntved, L. & Hager, G. L., 2012, I: *Molecular and Cellular Endocrinology*. 357, 1-2, s. 30-36

Rapid genome-scale mapping of chromatin accessibility in tissue

Grøntved, L., Bandle, R., John, S., Baek, S., Chung, H.-J., Liu, Y., Aguilera, G., Oberholtzer, C., Hager, G. L. & Levens, D., 2012, I: *Epigenetics & Chromatin*. 5, 10, 12 s.

The Transcription Factor Encyclopedia

Yusuf, D., Butland, S. L., Swanson, M. I., Bolotin, E., Ticoll, A., Cheung, W. A., Zhang, X. Y., Dickman, C. T., Fulton, D. L., Lim, J. S., Schnabl, J. M., Ramos, O. H., Vasseur-Cognet, M., de Leeuw, C. N., Simpson, E. M., Ryffel, G. U., Lam, E.W.-F., Kist, R., Wilson, M. S. & Marco-Ferreres, R. & 94 flere, Brosens, J. J., Beccari, L. L., Bovolenta, P., Benayoun, B. A., Monteiro, L. J., Schwenen, H. D., Grøntved, L., Wederell, E., Mandrup, S., Veitia, R. A., Chakravarthy, H., Hoodless, P. A., Mancarelli, M., Torbett, B. E., Banham, A. H., Reddy, S. P., Cullum, R. L., Liedtke, M., Tschan, M. P., Vaz, M., Rizzino, A., Zannini, M., Fietze, S., Farnham, P. J., Eijkelenboom, A., Brown, P. J., Laperriere, D., Leprince, D., de Cristofaro, T., Prince, K. L., Putker, M., Del Peso, L., Camenisch, G., Wenger, R. H., Mikula, M., Rozendaal, M., Mader, S., Ostrowski, J., Rhodes, S. J., Van Rechem, C., Boulay, G., Olechnowicz, S. W., Breslin, M. B., Lan, M. S., Nanan, K. K., Wegner, M.,

Hou, J., Mullen, R. D., Colvin, S. C., Noy, P. J., Webb, C. F., Witek, M. E., Ferrell, S., Daniel, J. M., Park, J., Waldman, S. A., Peet, D. J., Taggart, M., Jayaraman, P.-S., Karrich, J. J., Blom, B., Vesuna, F., O'Geen, H., Sun, Y., Gronostajski, R. M., Woodcroft, M. W., Hough, M. R., Chen, E., Europe-Finner, N., Karolczak-Bayatti, M., Bailey, J., Hankinson, O., Raman, V., Lebrun, D. P., Biswal, S., Harvey, C. J., Debruyne, J. P., Hogenesch, J. B., Hevner, R. F., Heligon, C., Luo, X. M., Blank, M. C., Millen, K. J., Sharlin, D. S., Forrest, D., Dahlman-Wright, K., Zhao, C., Mishima, Y., Sinha, S., Chakrabarti, R., Portales-Casamar, E., Sladek, F. M., Bradley, P. H. & Wasserman, W. W., 2012, I: *Genome Biology*. 13, 3, s. R24

MED14 tethers mediator to the N-terminal domain of peroxisome proliferator-activated receptor gamma and is required for full transcriptional activity and adipogenesis

Grøntved, L., Madsen, M. S., Boergesen, M., Roeder, R. G. & Mandrup, S., 1. maj 2010, I: *Molecular and Cellular Biology*. 30, 9, s. 2155-69 15 s.

The PPAR{gamma}2 A/B-domain plays a gene-specific role in transactivation and cofactor recruitment

Bugge, A. S., Grøntved, L., Aagaard, M. M., Borup, R. & Mandrup, S., 1. jun. 2009, I: *Molecular Endocrinology*. 23, 6, s. 794-808 14 s.

MED14 tethers the Mediator to the N-terminal domain of PPARγ and is required for full transcriptional activity and adipogenesis

Grøntved, L., 2009.

Co-factors necessary for PPAR mediated transactivation of endogenous target genes

Grøntved, L., Nielsen, R., Stunnenberg, H. & Mandrup, S., 2008.

Extensive mapping of PPAR binding to genomic DNA

Nielsen, R., Pedersen, T. Å., Trindade, L., van Driel, M., Grøntved, L., Brozek, J. J., Staels, B., Hum, D., Stunnenberg, H. & Mandrup, S., 2008.

MED1 independent activation of endogenous target genes by PPARα

Grøntved, L., Bugge, A. K., Roeder, R. G. & Mandrup, S., 2008.

Molecular Mechanisms of PPAR Subtype Specific Activation of Target Genes

Grøntved, L., 2008, Syddansk Universitet. Det Naturvidenskabelige Fakultet.

PPARγ2s A/B-domæne spiller en genspecifik rolle i transaktivering og co-faktor rekruttering

Bugge, A. S., Grøntved, L., M. Aagaard, M., Borup, R. & Mandrup, S., 2008.

The adipogenic acetyltransferase Tip60 targets activation function 1 of peroxisome proliferator-activated receptor gamma

van Beekum, O., Brenkman, A. B., Grøntved, L., Hamers, N., van den Broek, N. J. F., Berger, R., Mandrup, S. & Kalkhoven, E., 2008, I: *Endocrinology*. 149, 4, s. 1840-1849 9 s.

Molecular mechanisms of PPAR subtype specific transactivation of target genes as investigated by ChIP and adenoviral vectors

Nielsen, R., Grøntved, L., Bugge, A. K., Stunnenberg, H. & Mandrup, S., 2006.

Peroxisome proliferator-activated receptor subtype- and cell-type-specific activation of genomic target genes upon adenoviral transgene delivery

Nielsen, R., Grøntved, L., Stunnenberg, H. G. & Mandrup, S., 2006, I: *Molecular and Cellular Biology*. 26, 15, s. 5698-5714 16 s.

PPAR A/B domains in ligand-dependent and independent transactivation of genomic target genes.

Bugge, A. K., Grøntved, L., Nielsen, R., Larsen, M. M. K. & Mandrup, S., 2006.

PPAR subtype and cell type specific activation of genomic target genes upon adenoviral transgene delivery

Nielsen, R., Grøntved, L., Stunnenberg, H. & Mandrup, S., 2006.

The gene encoding the Acyl-CoA-binding protein is activated by peroxisome proliferator-activated receptor gamma through an intronic response element functionally conserved between humans and rodents.

Helledie, T., Grøntved, L., Jensen, S. S., Kiilerich, P., Rietveld, L., Albrektsen, T., Boysen, M. S., Nøhr, J., Larsen, L. K., Fleckner, J., Stunnenberg, H. G., Kristiansen, K. & Mandrup, S., 2002, I: *Journal of Biological Chemistry*. 277, 30, s. 26821-30