

Personale data

Henrik Bjarke Vægter

Department of Clinical Research

KI, OUH, Research unit of Anaesthesiology and Intensive Care (Odense)

Email: Henrik.Bjarke.Vaegter@rsyd.dk



Research output

Der findes ingen simple forklaringer på kroniske smertetilstande

Bruun-Plesner, K., Hartvigsen, J., Blichfeldt-Eckhardt, M. R., Graven-Nielsen, T. & Vægter, H. B., Jan 2023, In: Ugeskrift for Læger. 185, 1

The Effect of Virtual Reality on Cold Pain Sensitivity in Patients with Fibromyalgia and Pain-Free Individuals: A Randomized Crossover Study

Christensen, S. W. M., Almsborg M, H., Vain M, T. S. & Vaegter, H. B., 28. Nov 2022, (E-pub ahead of print) In: Games for Health.

Occupational therapy lifestyle intervention added to multidisciplinary treatment for adults living with chronic pain: A feasibility study

Nielsen, S. S., Skou, S. T., Enemark Larsen, A., Polianskis, R., Pawlak, WZ., Vægter, H. B., Søndergaard, J. & Christensen, J. R., 17. Sep 2022, In: BMJ Open. 12, 9, 25 p., e060920.

Hypoalgesia after exercises with painful vs. non-painful muscles in healthy subjects - a randomized cross-over study

Hansen, S., Petersen, K. K., Sloth, E., Manum, L. A., McDonald, A. K., Andersen, P. G. & Vaegter, H. B., 26. Jul 2022, In: Scandinavian Journal of Pain. 22, 3, p. 614-621

Ergoterapi i den tværfaglige behandling af kroniske smerter- erfaringer fra en pilotafprøvning [Occupational therapy in multidisciplinary chronic pain treatment - experiences from a feasibility study]

Nielsen, S. S., Skou, S. T., Larsen, A. E., Vægter, H. B., Polianskis, R., Simoný, C., Søndergaard, J. & Christensen, J. R., Jun 2022.

The Association of Probable PTSD at Baseline and Pain-related Outcomes after Chronic Pain Rehabilitation: A Comparison of DSM-5 and ICD-11 Criteria for PTSD

Andersen, T. E., Hansen, M., Ravn, S. L. & Vægter, H. B., Mar 2022, In: European Journal of Pain. 26, 3, p. 709-718

Less is more: Reliability and measurement error for three versions of the Tampa Scale of Kinesiophobia (TSK-11, TSK-13, and TSK-17) in patients with high-impact chronic pain

Eiger, B., Errebo, M., Straszek, C. L. & Vaegter, H. B., 22. Feb 2022, (E-pub ahead of print) In: Scandinavian Journal of Pain.

Chronic Pain – Theory, Prevention and Management

Andersen, T. E., Vægter, H. B., Linton, S. J., Hendricks, O. & Roessler, K. K., 1. Feb 2022, *Textbook of Applied Medical Psychology: A Multidisciplinary Approach*. Pedersen, S. S., Roessler, K. K., Elmoose Andersen, T., Johnsen, A. T. & Pouwer, F. (eds.). Odense: Syddansk Universitetsforlag, p. 181-231

Obstructive sleep apnea is common in patients with high-impact chronic pain - an exploratory study from an interdisciplinary pain center

Larsen, D. B., Bendix, L., Abeler, K., Petersen, K. K., Sprehn, M., Bruun, K. D., Blichfeldt-Eckhardt, M. R. & Vaegter, H. B., 27. Jan 2022, In: Scandinavian Journal of Pain. 22, 1, p. 106-117

Pain and executive function: No association between remote exercise-induced hypoalgesia and cognitive inhibition in pain-free participants

Gajsar, H., Meyer, M., Hasenbring, M. I. & Vaegter, H. B., 27. Jan 2022, In: Scandinavian Journal of Pain. 22, 1, p. 173-185

Performance of the 2016 diagnostic criteria for fibromyalgia in a tertiary care pain rehabilitation setting: A diagnostic accuracy study

Bruun-Plesner, K., Jensen, H. I., Blichfeldt-Eckhardt, M. R., Vægter, H. B., Toft, P., Amris, K. & Kvorning, N., 27. Jan 2022, In: Scandinavian Journal of Pain. 22, 1, p. 67-76

Low-dose naltrexone for the treatment of fibromyalgia: protocol for a double-blind, randomized, placebo-controlled trial

Bruun, K. D., Amris, K., Vaegter, H. B., Blichfeldt-Eckhardt, M. R., Holsgaard-Larsen, A., Christensen, R. & Toft, P., 15. Nov 2021, In: Trials. 22, 13 p., 804.

Should Exercises be Painful or not? Effects on Clinical and Experimental Pain in Individuals with Shoulder Pain

Balasz-Bernat, M., Lluch, E., Vaegter, H. B. & Dueñas, L., Oct 2021, In: Journal of Pain. 22, 10, p. 1246-1255

Feasibility evaluation of a lifestyle-oriented occupational therapy intervention for patients with chronic non-malignant pain

Nielsen, S. S., Skou, S. T., Larsen, A. E., Polianskis, R., Pawlak, WZ., Vægter, H. B., Simoný, C., Søndergaard, J. & Christensen, J. R., 15. Sep 2021.

A Cognitive Functional Therapy+ Pathway Versus an Interdisciplinary Pain Management Pathway for Patients With Severe Chronic Low Back Pain (CONFETTI Trial): Protocol for a Pragmatic Randomized Controlled Trial

Vægter, H. B., Johansen, J. V., Sopina, L., Smith, A., Kent, P., Fuglsang, K. S., Pedersen, J. F., Schutze, R., O'Sullivan, P., Handberg, G., Fatoye, F., Ussing, K., Stegemejer, I. & Thorlund, J. B., Sep 2021, In: Physical Therapy. 101, 9, 12 p., pzb132.

Sleep disturbance in patients attending specialized chronic pain clinics in Denmark: a longitudinal study examining the relationship between sleep and pain outcomes

Vægter, H. B., Høybye, M. T., Bergen, F. H. & Parsons, C. E., 27. Jul 2021, In: Scandinavian Journal of Pain. 21, 3, p. 539-547

The effect of pre-analytical handling on the stability of fractalkine, monocyte chemoattractant protein 1 (MCP1), interleukin 6 and interleukin 8 in samples of human cerebrospinal fluid

Mortensen, W. C. P., Bendix, L., Jensen, H. I., Varnum, C., Rasmussen, L. E., Lauridsen, J. T., Borbye-Lorenzen, N., Skogstrand, K., Toft, P., Vaegter, H. B. & Blichfeldt-Eckhardt, M. R., Jul 2021, In: Journal of Immunological Methods. 494, 113057.

Impaired Exercise-induced Hypoalgesia in Individuals Reporting an Increase in Low Back Pain During Acute Exercise

Vægter, H. B., Petersen, K. K., Sjødsholm, L. V., Schou, P., Andersen, M. B. & Graven-Nielsen, T., May 2021, In: European Journal of Pain. 25, 5, p. 1053-1063

Effectiveness of Pain Neurophysiology Education on Musculoskeletal Pain: A Systematic Review and Meta-Analysis

Bülow, K., Lindberg, K., Vaegter, H. B. & Juhl, C. B., 20. Apr 2021, In: Pain Medicine. 22, 4, p. 891-904

Pre-treatment pain sensitivity is associated with outcome following exercise therapy in patients with knee osteoarthritis - an observational study

Hansen, S., Bjarke Vaegter, H., Høgh, M., Skou, S. T., Arendt-Nielsen, L. & Petersen, K. K., 1. Apr 2021, In: Osteoarthritis and Cartilage. 29, Suppl. 1, p. S367

Patterns of Approach to Activity in 851 Patients with Severe Chronic Pain: Translation and Preliminary Validation of the 9-item Avoidance-Endurance Fast-Screen (AEFS) into Danish

Titze, C., Hasenbring, M. I., Kristensen, L., Bendix, L. & Vaegter, H. B., 1. Mar 2021, In: The Clinical Journal of Pain. 37, 3, p. 226-236

Cryoneurolysis for the management of chronic pain in patients with knee osteoarthritis; a double-blinded randomized controlled sham trial

Nygaard, N-P. B., Koch-Jensen, C., Vægter, H. B., Wedderkopp, N., Blichfeldt-Eckhardt, M. & Gram, B., 26. Feb 2021, In: BMC Musculoskeletal Disorders. 22, 10 p., 228.

Validation of the Danish International Trauma Questionnaire for posttraumatic stress disorder in chronic pain patients using clinician-rated diagnostic interviews

Hansen, M., Vægter, H. B., Cloitre, M. & Andersen, T. E., 24. Feb 2021, In: European Journal of Psychotraumatology. 12, 1, 14 p., 1880747.

Pain perception and processing in individuals with posttraumatic stress disorder: a systematic review with meta-analysis

Tesarz, J., Baumeister, D., Andersen, T. E. & Vaegter, H. B., 26. Jan 2021, In: Pain Reports. 5, 5, p. e849

The predictive value of quantitative sensory testing: a systematic review on chronic postoperative pain and the analgesic effect of pharmacological therapies in patients with chronic pain

Petersen, K. K., Vaegter, H. B., Stubhaug, A., Wolff, A., Scammell, B. E., Arendt-Nielsen, L. & Larsen, D. B., Jan 2021, In: Pain. 162, 1, p. 31-44

Socio-Demographics, Pain Characteristics, Quality of Life and Treatment Values Before and After Specialized Interdisciplinary Pain Treatment: Results from the Danish Clinical Pain Registry (PainData)

Vaegter, H. B., Christoffersen, L. O., Enggaard, T. P., Holdgaard, D. E. M., Lefevre, T. N., Eltved, R., Reisenhus, C. H., Licht, T. W., Laustsen, M. M., Hansson, S. H., Jensen, P. F., Larsen, T. R. F., Alpiger, S., Mogensen, B. G. & Høybye, M. T., 2021, In: Journal of Pain Research. 14, p. 1215-1230

Power of Words: Influence of Preexercise Information on Hypoalgesia after Exercise-Randomized Controlled Trial

Vaegter, H. B., Thinggaard, P., Madsen, C. H., Hasenbring, M. & Thorlund, J. B., Nov 2020, In: Medicine and Science in Sports and Exercise. 52, 11, p. 2373-2379

Preliminary validity and test-retest reliability of two depression questionnaires compared with a diagnostic interview in 99 patients with chronic pain seeking specialist pain treatment

Kha, T. V., Stenager, E., Hoang, H., Bruun-Plesner, K., Fuglsang, K. S., Søggaard la Cour, B., Handberg, G. & Vaegter, H. B., 25. Oct 2020, In: Scandinavian Journal of Pain. 20, 4, p. 717-726

Exercise-induced hypoalgesia after acute and regular exercise: experimental and clinical manifestations and possible mechanisms in individuals with and without pain

Vaegter, H. B. & Jones, M. D., 17. Oct 2020, In: Pain Reports. 5, 5, 22 p., e823.

Low-Dose Naltrexone for the Treatment of Fibromyalgia: Investigation of Dose-Response Relationships

Bruun-Plesner, K., Blichfeldt-Eckhardt, M. R., Vaegter, H. B., Lauridsen, J. T., Amris, K. & Toft, P., 1. Oct 2020, In: Pain Medicine. 21, 10, p. 2253-2261

Author Response to Cibulka

Palsson, T. S., Gibson, W., Darlow, B., Bunzli, S., Lehman, G., Rabey, M., Moloney, N., Vaegter, H. B., Bagg, M. K. & Travers, M., 23. Jun 2020, In: Physical Therapy. 100, 6, p. 1044-1045

Testosterone replacement therapy of opioid-induced male hypogonadism improved body composition but not pain perception: a double-blind, randomized, and placebo-controlled trial

Glintborg, D., Vægter, H. B., Christensen, L. L., Bendix, E., Graven-Nielsen, T., Andersen, P. G. & Andersen, M., Jun 2020, In: European Journal of Endocrinology. 182, 6, p. 539-548

Cognitive Inhibition Correlates with Exercise-Induced Hypoalgesia After Aerobic Bicycling in Pain-Free Participants

Gajsar, H., Titze, C., Konietzny, K., Meyer, M., Vaegter, H. B. & Hasenbring, M. I., 29. Apr 2020, In: Journal of Pain Research. 13, p. 847-858

Multiple physical symptoms and individual characteristics - A cross-sectional study of the general population

Rasmussen, S., Jensen, C. T., Rosendal, M., Vægter, H. B., Søndergaard, J. & Jarbøl, D. E., Apr 2020, In: Journal of Psychosomatic Research. 131, 109941.

Alterations in pro-nociceptive and anti-nociceptive mechanisms in patients with low back pain: a systematic review with meta-analysis

McPhee, M. E., Vaegter, H. B. & Graven-Nielsen, T., Mar 2020, In: Pain. 161, 3, p. 464-475

Endogenous Modulation of Pain: The Role of Exercise, Stress and Cognitions in Humans

Vaegter, H. B., Fehrmann, E., Gajsar, H. & Kreddig, N., Mar 2020, In: The Clinical Journal of Pain. 36, 3, p. 150-161

Improvements in clinical pain and experimental pain sensitivity after cognitive functional therapy in patients with severe persistent low back pain

Vægter, H. B., Ussing, K., Johansen, J. V., Stegemejer, I., Palsson, T. S., O'Sullivan, P. & Kent, P., 20. Feb 2020, In: Pain Reports. 5, 1, p. e802

Pre-treatment Exercise-induced Hypoalgesia is Associated with Change in Pain and Function after Standardized Exercise Therapy in Painful Knee Osteoarthritis

Hansen, S., Vaegter, H. B. & Petersen, K. K., Jan 2020, In: The Clinical Journal of Pain. 36, 1, p. 16-24

Changing the Narrative in Diagnosis and Management of Pain in the Sacroiliac Joint Area

Palsson, T. S., Gibson, W., Darlow, B., Bunzli, S., Lehman, G., Rabey, M., Moloney, N., Vaegter, H. B., Bagg, M. K. & Travers, M., 25. Nov 2019, In: Physical Therapy. 99, 11, p. 1511-1519

Assessing Endogenous Pain Inhibition: Test-Retest Reliability of Exercise-Induced Hypoalgesia in Local and Remote Body Parts After Aerobic Cycling

Gomolka, S., Vaegter, H. B., Nijs, J., Meeus, M., Gajsar, H., Hasenbring, M. I. & Titze, C., Nov 2019, In: Pain Medicine. 20, 11, p. 2272-2282

Walking increases pain tolerance in humans an experimental cross-over study

Hviid, J-C. T., Thorlund, J. B. & Vaegter, H. B., 25. Oct 2019, In: Scandinavian Journal of Pain. 19, 4, p. 813-822

Hypoalgesia after bicycling at lactate threshold is reliable between sessions

Vaegter, H. B., Bjerregaard, L. K., Redin, M-M., Rasmussen, S. H. & Graven-Nielsen, T., 30. Jan 2019, In: European Journal of Applied Physiology. 119, 1, p. 91-102

Systemic Exercise-Induced Hypoalgesia Following Isometric Exercise Reduces Conditioned Pain Modulation

Alsouhibani, A., Vaegter, H. B. & Hoeger Bement, M., 1. Jan 2019, In: Pain Medicine. 20, 1, p. 180-190

Cause-specific mortality of patients with severe chronic pain referred to a multidisciplinary pain clinic: a cohort register-linkage study

Vaegter, H. B., Støten, M., Silseth, S. L., Erlangsen, A., Handberg, G., Søndergaard, S. & Stenager, E., Jan 2019, In: Scandinavian Journal of Pain. 19, 1, p. 93-99

Exercise-Induced Hypoalgesia After Isometric Wall Squat Exercise: A Test-Retest Reliability Study

Vaegter, H. B., Lyng, K. D., Yttereng, F. W., Christensen, M. H., Sørensen, M. B. & Graven-Nielsen, T., Jan 2019, In: Pain Medicine. 20, 1, p. 129-137

Fysioterapi 1: Almene rehabiliteringsprincipper

Rittig-Rasmussen, B. & Vægter, H. B., 2019, *Smertter: Baggrund, evidens og behandling*. Werner, M. U., Finnerup, N. B. & Arendt-Nielsen, L. (eds.). 4. ed. FADL's Forlag, p. 620-631

There is inter-individual variability in which symptoms are relieved in patients with fibromyalgia treated with low dose naltrexone (LDN)

Plesner, K. B., Amris, K., Toft, P., Vaegter, H. B. & Blichfeldt-Eckhardt, M. R., 2019, In: Clinical and Experimental Rheumatology. 37, Suppl. 116, p. S139 1 p.

Test-Retest Reliability of Exercise-Induced Hypoalgesia After Aerobic Exercise

Vaegter, H. B., Dørge, D. B., Schmidt, K. S., Jensen, A. H. & Graven-Nielsen, T., 1. Nov 2018, In: Pain Medicine. 19, 11, p. 2212–2222

Assessment of CPM reliability: quantification of the within-subject reliability of 10 different protocols

Vaegter, H. B., Petersen, K. K., Mørch, C. D., Imai, Y. & Arendt-Nielsen, L., 25. Oct 2018, In: Scandinavian Journal of Pain. 18, 4, p. 729–737

Pain-Related Acceptance as a Mediator in the Fear Avoidance Model of Chronic Pain: A Preliminary Study

Ravn, S. L., Vang, M. L., Vægter, H. B. & Andersen, T. E., 1. Sep 2018, In: Pain Medicine. 19, 9, p. 1764–1771

Validation of the PTSD-8 scale in chronic pain patients

Andersen, T. E., Hansen, M., Ravn, S. L., Seehus, R., Nielsen, M. & Vægter, H. B., 1. Jul 2018, In: Pain Medicine. 19, 7, p. 1365–1372

Symptoms of Fibromyalgia According to the 2016 Revised Fibromyalgia Criteria in Chronic Pain Patients Referred to Multidisciplinary Pain Rehabilitation: Influence on Clinical and Experimental Pain Sensitivity

Plesner, K. B. & Vaegter, H. B., Jul 2018, In: Journal of Pain. 19, 7, p. 777–786

Kinesiophobia is associated with pain intensity but not pain sensitivity before and after exercise: an explorative analysis

Vægter, H. B., Madsen, A. B., Handberg, G. & Graven-Nielsen, T., Jun 2018, In: Physiotherapy. 104, 2, p. 187–193

Exercise does not produce hypoalgesia when performed immediately after a painful stimulus

Gajsar, H., Nahrwold, K., Titze, C., Hasenbring, M. I. & Vaegter, H. B., 25. Apr 2018, In: Scandinavian Journal of Pain. 18, 2, p. 311–320

Increased Pain Sensitivity in Accident-related Chronic Pain Patients with Comorbid Posttraumatic Stress

Vaegter, H. B., Andersen, T. E., Harvold, M., Andersen, P. G. & Graven-Nielsen, T., Apr 2018, In: Clinical Journal of Pain. 34, 4, p. 313–321

The role of posttraumatic stress symptoms on chronic pain outcomes in chronic pain patients referred to rehabilitation

Ravn, S. L., Vægter, H. B., Cardel, T. & Andersen, T. E., 8. Mar 2018, In: Journal of Pain Research. 11, p. 527–536

Brief Psychological Screening Questions Can be Useful for Ruling Out Psychological Conditions in Patients with Chronic Pain

Vægter, H. B., Handberg, G. & Kent, P., Feb 2018, In: Clinical Journal of Pain. 34, 2, p. 113–121

Ten-year prevalence of mental disorders in patients presenting with chronic pain in secondary care: A register linkage cohort study

Søndergård, S., Vaegter, H. B., Erlangsen, A. & Stenager, E., Feb 2018, In: European Journal of Pain. 22, 2, p. 346–354

Attentional Avoidance is Associated with Increased Pain Sensitivity in Patients with Chronic Posttraumatic Pain and Comorbid Posttraumatic Stress

Harvold, M., MacLeod, C. & Vaegter, H. B., Jan 2018, In: Clinical Journal of Pain. 34, 1, p. 22–29

Screening for Posttraumatic stress disorder in patients with chronic pain

Hansen, M., Hyland, P., Vægter, H. B., Hørbye, M., Larsen, S. & Andersen, T. E., Sep 2017. 1 p.

Facilitated Pronociceptive Pain Mechanisms in Radiating Back Pain Compared With Localized Back Pain

Vaegter, H. B., Palsson, T. S. & Graven-Nielsen, T., Aug 2017, In: The Journal of Pain. 18, 8, p. 973–983

Preoperative Hypoalgesia After Cold Pressor Test and Aerobic Exercise is Associated With Pain Relief 6 Months After Total Knee Replacement

Vaegter, H. B., Handberg, G., Emmeluth, C. & Graven-Nielsen, T., Jun 2017, In: Clinical Journal of Pain. 33, 6, p. 475–484

An updated view on the reliability of different protocols for the assessment of conditioned pain modulation

Petersen, K. K., Vægter, H. B. & Arendt-Nielsen, L., 1. May 2017, In: Pain. 158, 5, p. 988 1 p.

Brief psychological screening questions can be useful for ruling out psychological conditions in patients with chronic pain

Vægter, H. B., Palsson, T. S. & Graven-Nielsen, T., May 2017.

Facilitated pro-nociceptive pain mechanisms in cervicobrachialgia and sciatica compared with localized neck and low back pain patients

Vægter, H. B., Palsson, T. S. & Graven-Nielsen, T., May 2017, In: Journal of Pain. 18, 4, suppl., p. S65-S66

Exercising non-painful muscles can induce hypoalgesia in individuals with chronic pain: editorial comment

Vaegter, H. B., Apr 2017, In: Scandinavian Journal of Pain. 15, p. 60–61 2 p.

Are preoperative experimental pain assessments correlated with clinical pain outcomes after surgery? A systematic review

Sangesland, A., Støren, C. & Vaegter, H. B., 2017, In: Scandinavian Journal of Pain. 15, p. 44-52

Does size really matter? A multisite study assessing the latent structure of the proposed ICD-11 and DSM-5 diagnostic criteria for PTSD

Hansen, M., Hyland, P., Karstoft, K-I., Vaegter, H. B., Bramsen, R. H., Nielsen, A. B. S., Armour, C., Andersen, S. B., Høybye, M. T., Larsen, S. K. & Andersen, T. E., 2017, In: European Journal of Psychotraumatology. 8, sup7, 12 p., 1398002.

Does Size really matter? A multisite study of competing diagnostic criteria

Hansen, M., Hyland, P., Karstoft, K-I., Bramsen, R. H., Vægter, H. B., Armour, C., Sternhagen, A., Andersen, S. B., Larsen, S., Hørbye, M. & Andersen, T. E., 2017. 1 p.

Exercise increases pressure pain tolerance but not pressure and heat pain thresholds in healthy young men

Vaegter, H. B., Hoeger Bement, M., Madsen, A. B., Fridriksson, J., Dasa, M. & Graven-Nielsen, T., 2017, In: European Journal of Pain. 21, 1, p. 73–81

Ikkekirurgisk behandling af lumbal spinalstenose

Bruun Plesner, K., Blichfeldt-Eckhardt, M. R., Bendix, L., Vægter, H. B. & Handberg, G., 2017, In: Ugeskrift for Laeger. 179, 1, p. 86-87

Isometric Back Exercise Has Different Effect on Pressure Pain Thresholds in Healthy Men and Women

Gajsar, H., Titze, C., Hasenbring, M. I. & Vaegter, H. B., 2017, In: Pain Medicine. 18, 5, p. 917-923

PainData: A Clinical Pain Registry in Denmark

Vægter, H. B. & Handberg, G., 2017. 1 p.

PainData: A clinical pain registry in Denmark

Vægter, H. B., Høybye, M. T., Larsen, S., Hansen, O. B., Pedersen, C. B., Jensen, P. F. & Handberg, G., 2017, In: Scandinavian Journal of Pain. 16, p. 185

Prevalence of depression and anxiety in patients with chronic non-malignant pain - a Danish register-linkage cohort study

Søndergaard, S., Vægter, H. B., Erlangsen, A. & Stenager, E., 2017.

Smerte

Graven-Nielsen, T., Høgh, M. & Vægter, H. B., 2017, *Basisbog i Fysioterapi*. Bjørnlund, I. B., Sjöberg, N. E. & Lund, H. (eds.). 2. ed. København: Munksgaard , p. 71-85

Prevalence of mental disorders in patients with chronic pain: A register-based study

Søndergaard, S., Vægter, H. B., Erlangsen, A. & Stenager, E., Dec 2016.

Pain modulatory phenotypes differentiate subgroups with different clinical and experimental pain sensitivity

Vægter, H. B. & Graven-Nielsen, T., Jul 2016, In: Pain. 157, 7, p. 1480–1488

Acetaminophen for Chronic Pain: A Systematic Review on Efficacy

Ennis, Z. N., Dideriksen, D., Vaegter, H. B., Handberg, G. & Pottegård, A., Mar 2016, In: Basic & Clinical Pharmacology & Toxicology. 118, 3, p. 184-189

Prognostic factors for disability and sick leave in patients with subacute non-malignant pain: a systematic review of cohort studies

Valentin, G. H., Pilegaard, M. S., Vaegter, H. B., Rosendal, M., Ørtenblad, L., Væggemose, U. & Christensen, R., 1. Jan 2016, In: BMJ Open. 6, 1, 13 p., e007616.

Hypoalgesia After Exercise and the Cold Pressor Test is Reduced in Chronic Musculoskeletal Pain Patients With High Pain Sensitivity

Vægter, H. B., Handberg, G. & Graven-Nielsen, T., Jan 2016, In: Clinical Journal of Pain. 32, 1, p. 58-69

A 13-Weeks Mindfulness Based Pain Management Program Improves Psychological Distress in Patients with Chronic Pain Compared with Waiting List Controls

Andersen, T. E. & Vægter, H. B., 2016, In: Clinical Practice and Epidemiology in Mental Health. 12, p. 49-58

Assessment of musculoskeletal pain sensitivity and temporal summation by cuff pressure algometry: A reliability study

Graven-Nielsen, T., Vaegter, H. B., Finocchietti, S., Handberg, G. & Arendt-Nielsen, L., Nov 2015, In: Pain. 156, 11, p. 2193-2202

Lavdosisnaltrexon til smertebehandling

Plesner, K. B., Vægter, H. B. & Handberg, G., 9. Oct 2015, In: Ugeskrift for Laeger. 177, 43, p. 2-5 4 p.

Isometric exercises reduce temporal summation of pressure pain in humans

Vægter, H. B., Handberg, G. & Graven-Nielsen, T., Aug 2015, In: European Journal of Pain. 19, 7, p. 973-983

Aerobic exercise and cold pressor test induce hypoalgesia in active and inactive men and women

Vægter, H. B., Handberg, G., Jørgensen, M. N., Kinly, A. & Graven-Nielsen, T., 1. May 2015, In: Pain Medicine. 16, 5, p. 923-933

Hypoalgesia Induced by Exercise and Cold Pressor Test in Patients with Chronic Musculoskeletal Pain

Vægter, H. B., Oct 2014.

Prevalence of Neuropathic Pain According to the IASP Grading System in Patients with Chronic Non-Malignant Pain

Vægter, H. B., Andersen, P. G., Madsen, M. F., Handberg, G. & Enggaard, T. P., Jan 2014, In: Pain Medicine. 15, 1, p. 120-127

Similarities between exercise-induced hypoalgesia and conditioned pain modulation in humans

Vægter, H. B., Handberg, G. & Graven-Nielsen, T., Jan 2014, In: Pain. 155, 1, p. 158–167

A 13-weeks mindfulness based cognitive pain management programme improves depression and pain catastrophizing in patients with chronic pain

Vægter, H. B., 2014.

Temporal and Spatial Manifestations of Exercise-Induced Hypoalgesia and Conditioned Pain Modulation

Vægter, H. B., 2014, Aalborg: Aalborg Universitetsforlag. 71 p.

Exercise-induced hypoalgesia and conditioned pain modulation is not related to status of physical activity in humans.

Vægter, H. B., 2013.

Fysioterapi til patienter med smerter

Vægter, H. B., 2013, *Smerter – Baggrund, Evidens, Behandling*. Staehelin Jensen, T., Dahl, J. B. & Arendt-Nielsen, L. (eds.). 3. ed. København: FADL's Forlag, p. 85-95

The interaction of musculoskeletal pain and physical activity: human studies

Vægter, H. B., 2013, *Handbook of Physical Activity and Mental Health*. Ekkekakis, P. (ed.). Routledge, p. 359-371 (Routledge International Handbooks).

Different Manifestations of Exercise-Induced Analgesia and Conditioned Pain Modulation in Humans

Vægter, H. B., 2012.

Exercise and conditioned pain modulation have different effects on cuff pressure pain tolerance in humans

Vægter, H. B., 2012.

Health care providers communicate less well with patients with chronic low back pain—a study of encounters at a back pain clinic in Denmark.

Gulbrandsen, P., Vægter, H. B., Benth, J. S. & Lærum, E., 2010, In: *Pain*. 150, 3, p. 458-461