

Carsten Uhd Nielsen
Department of Physics, Chemistry and Pharmacy
Chemistry and Pharmacy
Email: cun@sdu.dk
Phone: +4565509427



Employment

Department of Physics, Chemistry and Pharmacy

Odense M

1. Jul 2023 → present

Professor

Chemistry and Pharmacy

1. Jul 2023 → present

Previous positions:

2009-2015: Associate Professor, Drug Transporters in ADME, Department of Pharmaceutics and Analytical Chemistry, the Faculty of Pharmaceutical Sciences (PHARMA), University of Copenhagen, 2-Universitetsparken, DK-2100 Copenhagen (1/10-2009 – 1/4-2015, 50% from 1/4-2015 – 31/6-2015).

2007-2009: Part-time Associate Professor, Molecular Biopharmaceutics, Department of Pharmaceutics and Analytical Chemistry, Department of Pharmaceutical Sciences, University of Copenhagen, and part-time Research Scientist, Bioneer-FARMA, Bioneer, Hørsholm. (1/10-2007 -30/9-2009)

2004 -2007: Associate Professor, Molecular Biopharmaceutics, Department of Pharmaceutics (from August 2005 Department of Pharmaceutics and Analytical Chemistry), The Danish University of Pharmaceutical Sciences, Copenhagen, Denmark (1/6 2004 – 30/9-2007)

2001-2004: Assistant Professor, Department of Pharmaceutics, The Royal Danish School of Pharmacy, Copenhagen, Denmark (1/10 2001- 30/5 2004).

2001: Research Assistant, Department of Pharmaceutics, The Royal Danish School of Pharmacy, Copenhagen, Denmark (1/7-30/9 2001).

1998-2001: Ph.D.-Student, Department of Pharmaceutics, The Royal Danish School of Pharmacy, Copenhagen, Denmark (1/7-1998 – 30/6-2001).

1998: Pharmacist, Quality Assurance and Quality Control Department, Nycomed Denmark, Nycomed Amersham (1/2-30/6 1998).

Management, committees, appointments and boards:

2021-: Vice-Chairman of the censor corps for Pharmaceutical educations in Denmark.

2017–2020: Head of “Pharmaceutics and Biopharmaceutics” section at Department of Physics, Chemistry and Pharmacy, Faculty of Science, University of Southern Denmark.

2018 - Member of the Danish Natural Sciences Academy, Dansk Naturvidenskabelig Akademi (DNA).

2017-2021: Ministerial approved as external examiner for the pharmaceutical educations in Denmark. (in Danish: beskikket censor i censorkorpset for de farmaceutiske uddannelser i Danmark) 1st September 2017 – 31st August 2021.

2017–present: Medlem af faggruppe 35 for den bibliometriske forskningsindikator (BFI) - Farmaceutisk videnskab under Styrelsen for Forskning og Uddannelse for perioden fra den 1. januar 2017 til og med den 31. December 2021. 1/1-2017 - now.

2016 -: Course director for “Drug Transporters in ADME (FA806)” elective Master level course. Principal initiator and coordinator on developing the course under the Master of Pharmacy program, SDU.

2016-: Course director and developer for “Drug formulation and production C (FA504) incl. practical exercises (5 ECTS)” SDU.

2013-2017: Ministerial approved as external examiner for the pharmaceutical educations in Denmark. (in Danish: beskikket censor i censorkorpset for de farmaceutiske uddannelser i Danmark) 1st September 2013 – 31st August 2017.

2007- 2010: Member of the Ph.D. scholarship granting committee at PHARMA, University of Copenhagen.

2007- 2010: Member of the Ph.D. study board at PHARMA, University of Copenhagen.

2007 -2008: Course director for “Drug discovery and development”. Principal initiator and coordinator on developing the course under the Master of Science in pharmaceutical science program, PHARMA, University of Copenhagen.

2005 - 2008: Program director for the Master of Science in pharmaceutical science education at DUPS later PHARMA at University of Copenhagen.

2004 - 2015: Course director for "Drug formulation/biopharmaceutics - practical Course" Farma, Later University of Copenhagen.
2006 -2007: Member of the working group for developing a joint ULLA M.Sc. Degree.
2005-2007: Member of the pharmaceutical education committee at The Danish Pharmacists association
2004 -2005: Member of the planning committee for developing and implementing the bachelor degree in Pharmaceutics at FARMA.
Assessment Committees for Academic Positions: 14 positions

Education:

2001:Ph.D.-Degree (20/8-2001) awarded from the Royal Danish School of Pharmacy, Copenhagen, Denmark.
1999/2000:Ph.D.-student in Professor Wolfgang Sadée's laboratory, Department of Biopharmaceutical Sciences, School of Pharmacy at University of California, San Francisco (6 months). In the Sadée lab I worked on identification of new POT transporters using PCR, cloning techniques and bioinformatics.
1998-2001:Ph.D. student at Center for Drug Design and Transport, Department of Pharmaceutics, The Royal Danish School of Pharmacy, Copenhagen, Denmark. At CD2T I worked on developing a prodrug approach for increasing intestinal transport of low permeable compounds via the intestinal di/tri-peptide transporter (hPEPT1).
1997:Master of Science (Pharm.) (17/9-1997) from the Royal Danish School of Pharmacy, Copenhagen, Denmark.
License to practice at a European Pharmacy
1997:Visiting scientist in Dr. Philip L. Smith's Drug Delivery Department at SmithKline Beecham Pharmaceuticals in Philadelphia, PA, USA (6 months). Here I worked on in Vitro Ussing chamber methods (Rabbit and Rat small and large intestinal segments) to study intestinal efflux transporters such as p-glycoprotein.
1996:Internship at Næstved Svane Pharmacy (6 months).
1992:Enrolled at The Royal Danish School of Pharmacy, Copenhagen, Denmark.
1992:Upper secondary leaving exam from Vesthimmerlands Gymnasium (Chemistry, Biology and Mathematics), Aars, Denmark.

Courses

1996
May Accounting and Economy Niels Brock Business College, Copenhagen, Denmark
1997
April Radiation safety course SmithKline Beecham internal course, Collegeville, PA, USA
May Guidelines for working with laboratory animals SmithKline Beecham internal course Collegeville, PA, USA
1998
June Goal Directed Project Management (GDPM), by Bjørn Reidar Solstad, Nycomed Oslo
Nycomed Amersham internal Course,
Hobro, Denmark
October Biological membranes: Drug transport and drug targets Ph.D. Course, The Royal Danish School of Pharmacy, Copenhagen, Denmark
1999
January Teaching and learning Ph.D. Course, Gilleleje, Denmark.
May Drug delivery Ph.D. Course, The Royal Danish School of Pharmacy, Copenhagen, Denmark
June/July ULLA Summerschool ULLA – Copenhagen, Denmark
2000
March Radiation safety course University of California, San Francisco, CA, USA
June Clinical evaluation of drug products Ph.D. Course, The Royal Danish School of Pharmacy, Copenhagen, Denmark
2001
March Drug design and discovery Ph.D. Course, The Royal Danish School of Pharmacy, Copenhagen, Denmark
2002
January Confocal Laser Scanning Microscopy
Internal course at the Royal Danish School of Pharmacy, Copenhagen, Denmark
September Transporters 2002 International meeting, Seon, Germany
2003
Autumn 2002 - spring 2003 Higher education teaching and teaching practice (Adjunktpædagogikum) University of Copenhagen
2005
Spring Management of complex projects (Ledelse og styring af komplekse projekter) Copenhagen Business School
Autumn Environmental Health, general course University of Roskilde
2008
Autumn Course for main supervisors of ph.d. students: Supervising ph.d. students. PUMA, University of Copenhagen
2012
Autumn Certified to teach English-medium courses University of Copenhagen
2015
Spring Project management for Scientist I University of Copenhagen
Autumn Project management for Scientist II University of Copenhagen
2016

SpringLaboratory Animal Science, part 1 (EU function AD course)University of Southern Denmark
2017
SpringLaboratory Animal Science EU function BUniversity of Southern Denmark

Research outputs

Digestion of surfactants does not affect their ability to inhibit P-gp-mediated transport in vitro

Rasmussen, A. J., Pedersen, M., Griffin, B. T., Holm, R. & Nielsen, C. U., 10. May 2024, In: International Journal of Pharmaceutics. 656, p. 124120 11 p.

Co-release of paclitaxel and enecequidar from amorphous solid dispersions increase oral paclitaxel bioavailability in rats

Petersen, E. F., Larsen, B. S., Nielsen, R. B., Pijpers, I., Versweyveld, D., Holm, R., Tho, I., Snoeys, J. & Nielsen, C. U., 10. Apr 2024, In: International Journal of Pharmaceutics. 654, p. 123965 12 p.

Hit-to-Lead Identification and Validation of a Triaromatic Pleuromutilin Antibiotic Candidate

Heidtmann, C. V., Fejer, A. R., Stærk, K., Pedersen, M., Asmussen, M. G., Hertz, F. B., Prabhala, B. K., Frimodt-Møller, N., Klitgaard, J. K., Andersen, T. E., Nielsen, C. U. & Nielsen, P., 14. Mar 2024, In: Journal of Medicinal Chemistry. 67, 5, p. 3692-3710

Exploring Amino Acid Transporters as Therapeutic Targets for Cancer: An Examination of Inhibitor Structures, Selectivity Issues, and Discovery Approaches

Jakobsen, S. & Nielsen, C. U., Feb 2024, In: Pharmaceutics. 16, 2, 34 p., 197.

Investigations of potential non-amino acid SNAT2 inhibitors.

Jakobsen, S., Petersen, E. F. & Nielsen, C. U., 4. Jan 2024, In: Frontiers in Pharmacology. 14, 7 p., 1302445.

Structure-based discovery of novel P-glycoprotein inhibitors targeting the nucleotide binding domains

Moesgaard, L., Pedersen, M. L., Uhd Nielsen, C. & Kongsted, J., Dec 2023, In: Scientific Reports. 13, 1, 11 p., 21217.

Probing the Substrate Binding Site of SNAT2 With Amino Acid Analogues: A Structure-Activity Relationship Study

Jakobsen, S., Pedersen, M. & Nielsen, C. U., 27. Sept 2023.

Increased bioavailability of a P-gp substrate: Co-release of etoposide and zosuquidar from amorphous solid dispersions

Nielsen, R. B., Larsen, B. S., Holm, R., Pijpers, I., Snoeys, J., Nielsen, U. G., Tho, I. & Nielsen, C. U., 25. Jun 2023, In: International Journal of Pharmaceutics. 642, p. 123094 11 p.

Combinational inhibition of P-Glycoprotein-mediated etoposide transport by zosuquidar and polysorbate 20

Nielsen, R. B., Holm, R., Pijpers, I., Snoeys, J., Nielsen, U. G. & Nielsen, C. U., Jan 2023, In: Pharmaceutics. 15, 1, 283.

Phloretin inhibits glucose transport and reduces inflammation in human retinal pigment epithelial cells

Hytti, M., Ruuth, J., Kanerva, I., Bhattarai, N., Pedersen, M. L., Nielsen, C. U. & Kauppinen, A., Jan 2023, In: Molecular and Cellular Biochemistry. 478, p. 215-227

Recent Advances in Photothermal Therapies Against Cancer and the Role of Membrane Transporter Modulators on the Efficacy of This Approach

Al-Ali, A. A. A., Al Ward, N., Obeid, M. A., Nielsen, C. U., Mulheran, P. A. & Qaraghuli, M. M. A., 2023, In: Technology in Cancer Research and Treatment. 22, p. 1-14 14 p.

In vitro and ex vivo evaluation of bi-layered effervescent microenvironmental pH modifying buccal films with saquinavir

He, S., Nielsen, C. U., Mu, H. & Jacobsen, J., Dec 2022, In: Journal of Drug Delivery Science and Technology. 78

SNAT2 is responsible for hyperosmotic induced sarcosine and glycine uptake in human prostate PC-3 cells

Nielsen, C. U., Krog, N. F., Sjekirica, I., Nielsen, S. S. & Pedersen, M. L., Dec 2022, In: Pflügers Archiv - European Journal of Physiology. 474, 12, p. 1249-1262

P-glycoprotein-mediated transport in a mucus-supplemented Caco-2 cell model in the presence of different surfactants
Jakobsen, S., Gaenaelle Gé, L., Pedersen, M., Griffin, B. T., Holm, R. & Uhd Nielsen, C., 25. Aug 2022, In: International Journal of Pharmaceutics. 624, 121885.

Mechanism behind polysorbates' inhibitory effect on P-glycoprotein

Moesgaard, L., Reinholdt, P., Nielsen, C. U. & Kongsted, J., 4. Jul 2022, In: Molecular Pharmaceutics. 19, 7, p. 2248-2253

Molecular networks and macromolecular molar mass distributions for preliminary characterization of danish craft beers

Nielsen, M. M. K., Hughes, S. S., Kuntsche, J., Malmendal, A., Jenssen, H., Nielsen, C. U. & Prabhala, B. K., Jun 2022, In: Beverages. 8, 2, 35.

BeerMIMS: Exploring the use of membrane-inlet mass spectrometry (MIMS) coupled to KNIME for the characterization of danish beers

Hughes, S. S., Hughes, M. M. K., Jonsbo, R. V., Nielsen, C. U., Lauritsen, F. R. & Prabhala, B. K., Dec 2021, In: European Journal of Mass Spectrometry. 27, 6, p. 266-271

Oral etoposide and zosuquidar bioavailability in rats: Effect of co-administration and in vitro-in vivo correlation of P-glycoprotein inhibition

Nielsen, R. B., Holm, R., Pijpers, I., Snoeys, J., Nielsen, U. G. & Nielsen, C. U., Dec 2021, In: International journal of pharmaceutics: X. 3, 10 p., 100089.

Corrigendum to 'Is Oral Absorption of Vigabatrin Carrier-mediated?' [European Journal of Pharmaceutical Sciences 69 (2015) 10-18]

Nøhr, M. K., Juul, R. V., Thale, Z. I., Holm, R., Kreilgaard, M. & Nielsen, C. U., 1. Oct 2021, In: European Journal of Pharmaceutical Sciences. 165, p. 105927

Exploration of in vitro drug release testing methods for saquinavir microenvironmental pH modifying buccal films

He, S., Jacobsen, J., Nielsen, C. U., Genina, N., Østergaard, J. & Mu, H., Aug 2021, In: European Journal of Pharmaceutical Sciences. 163, 10 p., 105867.

Inhibitory effects of 17- α -ethinyl-estradiol and 17- β -estradiol on transport via the intestinal proton-coupled amino acid transporter (PAT1) investigated *In vitro* and *in vivo*

Nielsen, C. U., Pedersen, M., Müller, S., Kæstel, T., Bjerg, M., Ulaganathan, N., Nielsen, S., Lundgaard Carlsen, K., Nøhr, M. K. & Holm, R., Jan 2021, In: Journal of Pharmaceutical Sciences. 110, 1, p. 354-364

Discovery of a Potent Adenine-Benzyltriazolo-Pleuromutilin Conjugate with Pronounced Antibacterial Activity against MRSA

Heidtmann, C. V., Voukia, F., Hansen, L. N., Sørensen, S. H., Urlund, B., Nielsen, S., Pedersen, M., Kelawi, N., Andersen, B. N., Pedersen, M., Reinholdt, P., Kongsted, J., Nielsen, C. U., Klitgaard, J. K. & Nielsen, P., 24. Dec 2020, In: Journal of Medicinal Chemistry. 63, 24, p. 15693-15708

Microenvironmental pH modifying films for buccal delivery of saquinavir: effects of organic acids on pH and drug release in vitro

He, S., Østergaard, J., Ashna, M., Uhd Nielsen, C., Jacobsen, J. & Mu, H., 30. Jul 2020, In: International Journal of Pharmaceutics. 585, 10 p., 119567.

High-dose etoposide formulations do not saturate intestinal P-glycoprotein: Development, stability, and pharmacokinetics in Sprague-Dawley rats

Al-Ali, A. A. A., Sandra, L., Versweyveld, D., Pijpers, I., Dillen, L., Vermeulen, A., Snoeys, J., Holm, R. & Nielsen, C. U., 15. Jun 2020, In: International Journal of Pharmaceutics. 583, 10 p., 119399.

Acamprosate Is a Substrate of the Human Organic Anion Transporter (OAT) 1 without OAT3 Inhibitory Properties: Implications for Renal Acamprosate Secretion and Drug-Drug Interactions

Antonescu, I. E., Karlgren, M., Pedersen, M. L., Simoff, I., Bergström, C. A. S., Neuhoﬀ, S., Artursson, P., Steffansen, B. & Nielsen, C. U., Apr 2020, In: Pharmaceutics. 12, 4, 24 p., 390.

Zosuquidar alters etoposide permeability across Caco-2 cell monolayers by P-glycoprotein inhibition in a concentration-dependent manner

Nielsen, R. B., Nielsen, U. G., Holm, R. & Nielsen, C. U., 7. Jan 2020.

Evaluation of P-glycoprotein efflux activity and cellular toxicity in MDCKII MDR1 cells in a one-pot assay

Al-Ali, A. A. A., Pedersen, M. L. & Nielsen, C. U., 2020.

Transcriptome analysis identifies activated signaling pathways and regulated ABC transporters and solute carriers after hyperosmotic stress in renal MDCK I cells

Rasmussen, R. N., Vielsted Christensen, K., Holm, R. & Nielsen, C. U., Dec 2019, In: Genomics. 111, 6, p. 1557-1565

Montmorillonite-surfactant hybrid particles for modulating intestinal P-glycoprotein-mediated transport

Nielsen, R. B., Kahnt, A., Dillen, L., Wuyts, K., Snoeys, J., Nielsen, U. G., Holm, R. & Nielsen, C. U., 25. Nov 2019, In: International Journal of Pharmaceutics. 571, 118696.

The permeation of acamprosate is predominantly caused by paracellular diffusion across Caco-2 cell monolayers: A Paracellular Modeling Approach

Antonescu, I. E., Rasmussen, K. F., Neuhoff, S., Frette, X., Karlgren, M., Bergström, C. A. S., Nielsen, C. U. & Steffansen, B., 4. Nov 2019, In: Molecular Pharmaceutics. 16, 11, p. 4636-4650

Nonionic surfactants modulate the transport activity of ATP-binding cassette (ABC) transporters and solute carriers (SLC): Relevance to oral drug absorption

Al-Ali, A. A. A., Nielsen, R. B., Steffansen, B., Holm, R. & Nielsen, C. U., 20. Jul 2019, In: International Journal of Pharmaceutics. 566, p. 410-433

MRP2-mediated transport of etoposide in MDCKII MRP2 cells is unaffected by commonly used non-ionic surfactants

Nielsen, S., Westerhoff, A. M., Gé, L. G., Carlsen, K. L., Pedersen, M. D. L. & Nielsen, C. U., 30. Jun 2019, In: International Journal of Pharmaceutics. 565, p. 306-315

Nfat5 is involved in the hyperosmotic regulation of Tmem184b: a putative modulator of ibuprofen transport in renal MDCK I cells

Rasmussen, R. N., Vielsted Christensen, K., Holm, R. & Nielsen, C. U., 1. Jun 2019, In: FEBS Open Bio. 9, 6, p. 1071-1081

Acamprosate is an inhibitor of the renal organic anion transporter (OAT) 1

Antonescu, I-E., Karlgren, M., Pedersen, M., Simoff, I., Bergström, C., Neuhoff, S., Artursson, P., Steffansen, B. & Nielsen, C. U., 14. Jan 2019.

Montmorillonite-surfactant hybrid particles for modulation of intestinal P-glycoprotein mediated transport

Nielsen, R. B., Kahnt, A., Dillen, L., Wuyts, K., Snoeys, J., Nielsen, U. G., Holm, R. & Nielsen, C. U., 14. Jan 2019, p. 53. 1 p.

Amino acid transport in prostate PC-3 cells

Nielsen, S. S., Pedersen, M. & Nielsen, C. U., 13. Jan 2019.

Etoposide transport in MDCKII-MRP2 cells is unaffected by P-gp expression and commonly used pharmaceutical excipients

Nielsen, S., Westerhoff, A. M., Gé, L. G., Lundgaard Carlsen, K., Pedersen, M. & Nielsen, C. U., 13. Jan 2019.

Nonionic surfactants increase digoxin absorption in Caco-2 and MDCKII MDR1 cells: Impact on P-glycoprotein inhibition, barrier function, and repeated cellular exposure

Al-Ali, A. A. A., Steffansen, B., Holm, R. & Nielsen, C. U., 15. Nov 2018, In: International Journal of Pharmaceutics. 551, 1-2, p. 270-280

How is sarcosine transported into prostate PC-3 cells?

Strandgaard, S. K., Pedersen, M. L. & Nielsen, C. U., 23. Aug 2018.

Hyperosmolality regulates mRNA expression of membrane transporters in renal MDCK I cells

Rasmussen, R. N., Christensen, K. V., Holm, R. & Nielsen, C. U., 30. Jan 2018.

Acamprosate permeability across Caco-2 cell monolayer is predominantly paracellular

Antonescu, I-E., Neuhoff, S., Fretté, X., Nielsen, C. U. & Steffansen, B., 29. Jan 2018, p. 25. 1 p.

Nonionic surfactants alter calcein-AM efflux in MDCKII MDR1 cells

Al-Ali, A. A. A., Holm, R., Steffansen, B. & Nielsen, C. U., 29. Jan 2018.

Polysorbate 20 alters the oral bioavailability of etoposide in wild type and mdr1a deficient Sprague-Dawley rats

Al-Ali, A. A. A., Quach, J. R. C., Bundgaard, C., Steffansen, B., Holm, R. & Nielsen, C. U., 2018, In: International Journal of Pharmaceutics. 543, 1-2, p. 352-360

Oral and intravenous pharmacokinetics of taurine in sprague-dawley rats: the influence of dose and the possible involvement of the proton-coupled amino acid transporter, PAT1, in oral taurine absorption

Nielsen, C. U., Bjerg, M., Ulaganathan, N. & Holm, R., Oct 2017, In: Physiological Reports. 5, 19, p. 14 e13467.

SGLT1-mediated transport in Caco-2 cells is highly dependent on cell bank origin

Steffansen, B., Pedersen, M., Laghmoch, A. M. & Nielsen, C. U., Sept 2017, In: Journal of Pharmaceutical Sciences. 106, 9, p. 2664-2670

Glutamate Transporters in the Blood-Brain Barrier

Helms, H. C. C., Nielsen, C. U., Waagepetersen, H. S. & Brodin, B., 23. Jul 2017, *Glial Amino Acid Transporters*. Ortega, A. & Schousboe, A. (eds.). 1 ed. Springer, p. 297-314 (Advances in Neurobiology; No. 1, Vol. 16).

Characterization of the L-glutamate clearance pathways across the blood-brain barrier and the effect of astrocytes in an in vitro blood-brain barrier model

Helms, H. CC., Aldana, B. I., Groth, S., Jensen, M. M., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 2017, In: Journal of Cerebral Blood Flow and Metabolism. 37, 12, p. 3744-3758

Transport and metabolism of l-glutamate in brain capillary endothelial cells and astrocytes

Helms, H. C., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 2017, In: Fluids and Barriers of the CNS. 14, Suppl. 2, 1 p., A21.

Polysorbate 20 increases oral absorption of digoxin in wild-type Sprague Dawley rats, but not in mdr1a(-/-) Sprague Dawley rats

Nielsen, C. U., Abdulhussein, A. A., Colak, D. & Holm, R., 20. Nov 2016, In: International Journal of Pharmaceutics. 513, 1-2, p. 78-87

Tween 20 increases intestinal transport of doxorubicin in vitro but not in vivo

Al-Sharaf, A., Holm, R. & Nielsen, C. U., 10. Feb 2016, In: International Journal of Pharmaceutics. 498, 1-2, p. 66-69

Interaction of GABA-mimetics with the taurine transporter (TauT, Slc6a6) in hyperosmotic treated caco-2, LLC-PK1 and rat renal SKPT cells

Rasmussen, R. N., Lagunas, C., Plum, J. M., Holm, R. & Nielsen, C. U., 20. Jan 2016, In: European Journal of Pharmaceutical Sciences. 82, p. 138-146

17-β-estradiol and ethinyl-estradiol inhibit PAT1-mediated taurine transport in Caco-2 cells, but doesn't alter the pharmacokinetic profile in vivo

Bjerg, M., Ulaganathan, N., Holm, R. & Nielsen, C. U., 2016.

Application of Cell Culture and Tissue Models for Assessing Drug Transport

Nielsen, C. U. & Brodin, B., 2016, *Analytical Techniques in the Pharmaceutical Sciences*. Müllertz, A., Perrie, Y. & Rades, T. (eds.). New York: Springer, p. 791-822 (Advances in Delivery Science and Technology).

A Transporter of Ibuprofen is Upregulated in MDCK I cells under Hyperosmotic Culture Conditions

Nielsen, C. U., Rasmussen, R. N., Mo, J., Noori, B., Lagunas, C., Holm, R. & Nøhr, M. K., 2016, In: *Molecular Pharmaceutics*. 13, 9, p. 3119-3129

Hyperosmolality regulates transporters in renal MDCK I cells

Rasmussen, R. N., Vielsted Christensen, K., Holm, R. & Nielsen, C. U., 2016.

Ibuprofen transport in renal cell cultures: Characterization of an ibuprofen transporter upregulated by hyperosmolality

Rasmussen, R. N., Holm, R., Vielsted Christensen, K. & Nielsen, C. U., 2016, In: *MedChemComm*. 7, 10, p. 1916-1924

PAT1 contributes to the absorption of taurine in vivo

Ulaganathan, N., Bjerg, M., Holm, R. & Nielsen, C. U., 2016.

Tween 20 increase absorptive digoxin transport in MDCKII-MDR1 cells

Abdulhussein, A. A., H. Ali, F., El Khatib, M., Holm, R., Steffansen, B. & Nielsen, C. U., 2016.

Is oral absorption of vigabatrin carrier-mediated?

Nøhr, M. K., Juul, R. V., Thale, Z. I., Holm, R., Kreilgaard, M. & Nielsen, C. U., 10. Mar 2015, In: *European Journal of Pharmaceutical Sciences*. 69, p. 10-18

Estradiol and ethinyl-estradiol decrease proline uptake and transport in intestinal Caco-2 cells

Nielsen, C. U., Kaestel, T., Mueller, S. & Nohr, M. K., 2015, In: *Amino Acids*. 47, 8, p. 1617 1 p.

In vivo and In vitro Evaluations of Intestinal Gabapentin Absorption: Effect of Dose and Inhibitors on Carrier-Mediated Transport

Larsen, M. S., Frølund, S., Nøhr, M. K., Nielsen, C. U., Garmer, M., Kreilgaard, M. & Holm, R., 2015, In: *Pharmaceutical Research*. 32, 3, p. 898-909

The anti-epileptic drug substance vigabatrin inhibits transport via the taurine transporter (TauT, SLC6A6) in SKPT cells

Rasmussen, R., Lagunas, C. & Nielsen, C. U., 2015, In: *Amino Acids*. 47, 8, p. 1618-1619 1 p.

Efflux transporter expression in a tight in vitro model of the blood brain barrier

Helms, H. C. C., Hersom, M. N. S., Kuhlmann, L. B., Badolo, L., Nielsen, C. U. & Brodin, B., 10. Dec 2014. 1 p.

Transport pathways mediating blood-to-brain L-glutamate efflux

Helms, H. C. C., Nielsen, C. U., Waagepetersen, H. S. & Brodin, B., 10. Dec 2014. 1 p.

Glutamate Efflux at the Blood-Brain Barrier: Cellular Mechanisms and Potential Clinical Relevance

Cederberg-Helms, H. C., Uhd-Nielsen, C. & Brodin, B., 15. Nov 2014, In: *Archives of Medical Research*. 45, 8, p. 639-645 7 p.

A Tight Blood-Brain Barrier Model Displays Brain-to-Blood Efflux of Substrates for the ABC-Transporters, P-gp, BCRP and MRP-1

Helms, H. C. C., Hersom, M. N. S., Kuhlmann, L. B., Badolo, L., Nielsen, C. U. & Brodin, B., 11. Sept 2014. 1 p.

IN VITRO MEMBRANE PERMEATION STUDIES AND IN VIVO ANTINOCICEPTION OF GLYCOSYLATED Dmt1-DALDA ANALOGUES

Betti, C., Novoa, A., Tömböly, C., Nielsen, C. U., Helms, H. C. C., Lesniak, A., Klecskowska, P., Chung, N. N., Chung, N. N., Lipkowski, A. W., Brodin, B., Tourwé, D., Schiller, P. W. & Ballet, S., 31. Aug 2014. 1 p.

Pharmacokinetic aspects of the anti-epileptic drug substance vigabatrin: focus on transporter interactions
Nøhr, M. K., Frølund, S., Holm, R. & Nielsen, C. U., Aug 2014, In: Therapeutic Delivery. 5, 8, p. 927-942

The anti-epileptic drug substance vigabatrin inhibits taurine transport in intestinal and renal cell culture models
Plum, J., Nøhr, M. K., Hansen, S. H., Holm, R. & Nielsen, C. U., 22. Jul 2014, In: International Journal of Pharmaceutics. 473, 1-2, p. 395-397

An Electrically Tight In Vitro Blood-Brain Barrier Model Displays Net Brain-to-Blood Efflux of Substrates for the ABC Transporters, P-gp, Bcrp and Mrp-1
Helms, H. C., Hersom, M., Kuhlmann, L. B., Badolo, L., Nielsen, C. U. & Brodin, B., 17. Jun 2014, In: The AAPS Journal. 16, 5, p. 1046-1055 10 p.

In Vitro Membrane Permeation Studies and in Vivo Antinociception of Glycosylated Dmt¹-DALDA Analogues
Ballet, S., Betti, C., Novoa, A., Tömböly, C., Nielsen, C. U., Helms, H. C., Lesniak, A., Kleczkowska, P., Chung, N. N., Lipkowski, A. W., Brodin, B., Tourwé, D. & Schiller, P. W., 10. Apr 2014, In: ACS Medicinal Chemistry Letters. 5, 4, p. 352-357

Design of prodrugs targeting the intestinal di/tri-peptide transporter hPEPT1 (SLC15A1)
Omkvist, D. H., Nielsen, C. U., Steffansen, B., Larsen, S. B., Olsen, L., Jørgensen, F. S. & Brodin, B., 4. Apr 2014. 1 p.

Intestinal absorption of the antiepileptic drug substance vigabatrin is altered by infant formula in vitro and in vivo
Nøhr, M. K., Thale, Z. I., Brodin, B., Hansen, S. H., Holm, R. & Nielsen, C. U., Apr 2014, In: Pharmacology Research & Perspectives. 2, 2, e00036.

Intestinal absorption of the antiepileptic drug substance vigabatrin in Göttingen mini-pigs is unaffected by co-administration of amino acids
Nøhr, M. K., Holm, R., Thale, Z. I. & Nielsen, C. U., 5. Mar 2014, In: International Journal of Pharmaceutics. 466, 1-2, p. 18-20

The absorptive flux of the anti-epileptic drug substance vigabatrin is carrier-mediated across Caco-2 cell monolayers
Nøhr, M. K., Hansen, S. H., Brodin, B., Holm, R. & Nielsen, C. U., 23. Jan 2014, In: European Journal of Pharmaceutical Sciences. 51, 1, p. 1-10

PAT1 (SLC36A1) shows nuclear localization and affects growth of smooth muscle cells from rats
Jensen, A., Figueiredo-Larsen, E. M., Holm, R., Broberg, M. L., Brodin, B. & Nielsen, C. U., Jan 2014, In: American Journal of Physiology: Endocrinology and Metabolism. 306, 1, p. E65-E74

IN VITRO MEMBRANE PERMEATION STUDIES AND IN VIVO ANTINOCICEPTION OF GLYCOSYLATED Dmt1-DALDA ANALOGUES

Betti, C., Novoa, A., Tömböly, C., Nielsen, C. U., Helms, H. C. C., Lesniak, A., Kleczkowska, P., Chung, N. N., Chung, N. N. & Lipkowski, A. W., 2014.

Sertraline inhibits the transport of PAT1 substrates in vivo and in vitro
Nielsen, C. U., Frølund, S. B., Abdulhadi, S., Sari, H., Langthaler, L., Nøhr, M. K., Kall, M. A., Brodin, B. & Holm, R., Nov 2013, In: British Journal of Pharmacology. 170, 5, p. 1041-1052

Basolateral glycylsarcosine (Gly-Sar) transport in Caco-2 cell monolayers is pH dependent
Berthelsen, R., Nielsen, C. U. & Brodin, B., Jul 2013, In: Journal of Pharmacy and Pharmacology. 65, 7, p. 970-979 10 p.

Vigabatrin absorption is mediated via the proton-coupled amino acid transporter PAT1 – in vitro and in vivo
Nøhr, M. K., Juul, R. V., Hansen, S. H., Brodin, B., Holm, R., Kreilgaard, M. & Nielsen, C. U., 24. Jun 2013.

PAT1-inhibitors reduce oral absorption rate of vigabatrin in rats: pharmacokinetic model supports the role of proton-coupled amino acid transporter (PAT1) in vigabatrin absorption
Juul, R. V., Nøhr, M. K., Nielsen, C. U., Holm, R. & Kreilgaard, M., 12. Jun 2013.

Excitatory amino acid transporter-1 (EAAT1) is the main transporter responsible for abluminal uptake of L-glutamate in bovine brain endothelial cells

Helms, H. C. C., Groth, S., Mikél, M., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 27. May 2013.

Cellmodel af blodhjernebarrieren kan mindske brugen af forsøgsdyr

Brodin, B., Helms, H. C. C., Hersom, M. N. S., Nielsen, C. U. & Waagepetersen, H. S., 2013, In: Lægemedelforskning. 2013, p. 47-49 3 p.

Current status of rational design of prodrugs targeting the intestinal di/tri-peptide transporter hPEPT1 (SLC15A1)
Saaby, L., Nielsen, C. U., Steffansen, B., Larsen, SB. & Brodin, B., 2013, In: Journal of Drug Delivery Science and Technology. 23, 4, p. 307-314

Membrane Transporters in ADME

Steffansen, B., Nielsen, C. U. & Brodin, B., 2013, *Transporters in Drug Development: Discovery, Optimization, Clinical Study and Regulation*. Sugiyama, Y. & Steffansen, B. (eds.). Springer Science+Business Media, p. 1-22 (AAPS Advances in the Pharmaceutical Sciences Series, Vol. 7).

Potential involvement of the proton-coupled amino acid transporter PAT1 (SLC36A1) in the delivery of pharmaceutical agents

Frølund, S. B., Nøhr, M. K., Holm, R., Brodin, B. & Nielsen, C. U., 2013, In: Journal of Drug Delivery Science and Technology. 23, 4, p. 293-306

Identification and Characterization of a Novel Nontranslated Sequence Variant of the Human Intestinal Di-/Tripeptide Transporter, hPEPT1

Søndergaard, H. B., Nielsen, C. U. & Brodin, B., 31. Dec 2012, In: International Journal of Peptides. 2012, 2012, 7 p., 743472.

The proton-coupled amino acid transporter hPAT1 is the main transporter involved in vigabatrin uptake in intestinal Caco-2 cells

Nøhr, M. K., Hansen, S. H., Brodin, B., Holm, R. & Nielsen, C. U., 30. Nov 2012.

In vitro evidence for the brain glutamate efflux hypothesis: brain endothelial cells co-cultured with astrocytes display a polarized brain-to-blood transport of glutamate

Helms, H. C. C., Madelung, R., Groth, S., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 13. Sept 2012. 1 p.

Carrier-mediated γ -aminobutyric acid transport across the basolateral membrane of human intestinal Caco-2 cell monolayers

Nielsen, C. U., Carstensen, M. & Brodin, B., 2012, In: European Journal of Pharmaceutics and Biopharmaceutics. 81, 2, p. 458-462

Function and expression of the proton-coupled amino acid transporter Slc36a1 along the rat gastrointestinal tract: Implications for intestinal absorption of gaboxadol

Broberg, M. L., Holm, R. K., Tønsberg, H., Frølund, S. B., Ewon, K. B., Nielsen, A. L., Brodin, B., Jensen, A., Kall, M. A., Nielsen, C. U. & Christensen, K. V., 2012, In: British Journal of Pharmacology. 167, 3, p. 654-665

Glutamate efflux from brain to blood - Studies in an in vitro blood-brain barrier model

Helms, H. C. C., Madelung, R., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 2012.

Intestinal drug transport via the proton-coupled amino acid transporter PAT1 (SLC36A1) is inhibited by Gly-X(aa) dipeptides

Frølund, S., Langthaler, L., Kall, M. A., Holm, R. & Nielsen, C. U., 2012, In: Molecular Pharmaceutics. 9, 9, p. 2761-2769

In vitro evidence for the brain glutamate efflux hypothesis: brain endothelial cells cocultured with astrocytes display a polarized brain-to-blood transport of glutamate

Helms, H. C., Madelung, R., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 2012, In: *Glia*. 60, 6, p. 882-893

In-vitro models of the blood brain barrier

Brodin, B., Helms, H. C. C., Groth, S., Waagepetersen, H. S. & Nielsen, C. U., 2012. 1 p.

Kostens sammensætning kan påvirke optagelsen af lægemiddelstoffer

Nielsen, C. U., Frølund, S. B., Nøhr, M. K., Brodin, B. & Holm, R., 2012, In: *Lægemiddelforskning*. 2012, p. 31-33

Rectal absorption of vigabatrin, a substrate of the proton coupled amino acid transporter (PAT1, Slc36ai) in rats

Holm, R., Kall, M. A., Frølund, S. B., Nielsen, A. L., Jensen, A., Broberg, M. L. & Nielsen, C. U., 2012, In: *Pharmaceutical Research*. 29, p. 1134-1142

The tandem chain extension aldol reaction used for synthesis of ketomethylene tripeptidomimetics targeting hPEPT1

Thorn, K., Nielsen, C. U., Jacobsen, P., Steffansen, B., Zercher, C. K. & Begtrup, M., Aug 2011, In: *Bioorganic & Medicinal Chemistry Letters*. 21, 15, p. 4597-4601

Affinity and translocation relationships via hPEPT1 of H-X_{aa}-Ser-OH dipeptides: evaluation of H-Phe-Ser-OH as a pro-moiety for ibuprofen and benzoic acid prodrugs

Omkvist, D. H., Trangbæk, D. J., Mildon, J., Paine, J. S., Larsen, B. B., Begtrup, M. & Nielsen, C. U., 2011, In: *European Journal of Pharmaceutics and Biopharmaceutics*. 77, 2, p. 327-331

Calu-3 cells grown under AIC and LCC conditions: implications for dipeptide uptake and transepithelial transport of substances

Stentebjerg-Andersen, A., Nøtlevesen, I. V., Larsen, B. B. & Nielsen, C. U., 2011, In: *European Journal of Pharmaceutics and Biopharmaceutics*. 78, 1, p. 19-26

Gaboxadol has affinity for the proton-coupled amino acid transporter 1, SLC36A1(hPAT1)-A modelling approach to determine IC₅₀ values of the three ionic species of gaboxadol

Frølund, S. B., Rapin, N. P. J-P. & Nielsen, C. U., 2011, In: *European Journal of Pharmaceutical Sciences*. 42, 3, p. 192-198

Stoftransport af lægemiddelstoffer gennem vævsbarrierer.

Nielsen, C. U. & Brodin, B., 2011, *Bioteknologi – en temabog*. Systime, p. 145

Transport af lægemiddelstoffer gennem vævsbarrierer

Nielsen, C. U. & Brodin, B., 2011, *Bioteknologi - en temabog*. Gasbjerg, P. K., Jensen, G. S. & Sørensen, A. B. (eds.). Århus: Systime, p. 145-157 12 p.

Paracellular tightness and claudin-5 expression is increased in the BCEC/Astrocyte blood-brain barrier model by increasing media buffer capacity during growth

Helms, H. C., Waagepetersen, H. S., Nielsen, C. U. & Larsen, B. B., Dec 2010, In: *The AAPS Journal*. 12, 4, p. 759-770

A Quantitative Structure–Activity Relationship for Translocation of Tripeptides via the Human Proton-Coupled Peptide Transporter, hPEPT1 (SLC15A1)

Omkvist, D. H., Larsen, S. B., Nielsen, C. U., Steffansen, B., Olsen, L., Jørgensen, F. S. & Brodin, B., Sept 2010, In: *The AAPS Journal*. 12, p. 385-396

Gly-Sar is a substrate for the human proton-coupled amino acid transporter, hPAT1 (SLC36A1)

Frølund, S. B., Holm, R., Brodin, B. & Nielsen, C. U., Mar 2010.

Ibuprofen is an inhibitor of hPEPT1: Implications for drug-drug interactions at the level of drug absorption
Omkvist, D. H., Brodin, B. & Nielsen, C. U., Mar 2010. 1 p.

mRNA expression and transport function of the proton-coupled amino acid transporter , PAT1, along the rat intestine
Broberg, M. L., Brandt Larsen, K., Holm, R., Brodin, B. & Nielsen, C. U., Mar 2010. 1 p.

5-Hydroxy-L-tryptohan alters gaboxadol pharmacokinetics in rats: involvement of PAT1 and rOat1 in gaboxadol absorption and elimination
Broberg, M. L., Holm, R., Jensen, K. G., Sveigaard, C., Larsen, B. B. & Nielsen, C. U., 2010, In: European Journal of Pharmaceutical Sciences. 39, 1-3, p. 68-75

Absorptive transporters

Nielsen, C. U., Steffansen, B. & Brodin, B., 2010, *Molecular Biopharmaceutics: Aspects of drug characterisation, drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Nielsen, C. U. (eds.). 1. ed. Pharmaceutical Press, p. 193-211 (ULLA Pharmacy Series).

Acid/base properties, solubility and distribution of drug candidates

Steffansen, B., Nielsen, C. U. & Brodin, B., 2010, *Molecular Biopharmaceutics: Aspects of drug characterisation drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Nielsen, C. U. (eds.). Pharmaceutical Press, p. 7-33 (ULLA Pharmacy Series).

Carrier-mediated transport kinetics

Nielsen, C. U., Steffansen, B. & Brodin, B., 2010, *Molecular Biopharmaceutics: Aspects of drug characterisation, drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Nielsen, C. U. (eds.). Pharmaceutical Press, p. 153-173 (ULLA Pharmacy Series).

Claudin-5 mRNA expression and transendothelial electrical resistance (TEER) correlate in the BCEC/astrocyte blood-brain barrier model

Helms, H. C. C., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 2010. 1 p.

d-Aminolevulinic acid is a substrate for the amino acid transporter SLC36A1 (hPAT1)

Frølund, S., Marquez, O. C., Larsen, M., Brodin, B. & Nielsen, C. U., 2010, In: British Journal of Pharmacology. 159, 6, p. 1339-1353

Efflux transporters

Nielsen, C. U., Brodin, B. & Steffansen, B., 2010, *Molecular Biopharmaceutics: Aspects of characterisation, drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Nielsen, C. U. (eds.). 1. ed. Pharmaceutical Press, p. 213-222 (ULLA Pharmacy Series).

GABA transport across the basolateral membrane of intestinal cells

Nielsen, C. U., Carstensen, M. & Larsen, B. B., 2010. 1 p.

Gly-sar is a substrate for the human proton coupled amino acid transporter 1, hPAT1 (SLC36A1)

Frølund, S. B., Holm, R., Larsen, B. B. & Nielsen, C. U., 2010.

Hjemens forsvarsmur kortlagt og kopieret

Helms, H. C., Waagepetersen, H. S., Nielsen, C. U. & Larsen, B. B., 2010, In: Lægemedelforskning. 2010, p. 22-24

Ibuprofen is an inhibitor of hPEPT1: Implications for drug-drug interactions at the level of drug absorption

Omkvist, D. H., Larsen, B. B. & Nielsen, C. U., 2010.

Ibuprofen is a non-competitive inhibitor of the peptide transporter hPEPT1 (SLC15A1): possible interactions between hPEPT1 substrates and ibuprofen

Omkvist, D. H., Larsen, B. B. & Nielsen, C. U., 2010, In: British Journal of Pharmacology. 161, 8, p. 1793-1805

Introduction

Steffansen, B., Nielsen, C. U. & Larsen, B. B., 2010, *Molecular biopharmaceutics: Aspects of drug characterisation, drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Uhd Nielsen, C. (eds.). London: Pharmaceutical Press, p. 1-4 4 p.

Introduction

Steffansen, B., Nielsen, C. U. & Brodin, B., 2010, *Molecular Biopharmaceutics: Aspects of drug characterisation, drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Nielsen, C. U. (eds.). 1. ed. Pharmaceutical Press, p. 1-4 (ULLA Pharmacy Series).

In vitro models for investigating the function of proton-coupled amino acid transporter 1 (PAT1, SLC36A19)

Jensen, A., Brodin, B. & Nielsen, C. U., 2010. 1 p.

Kinetics of decomposition in aqueous solution

Steffansen, B., Nielsen, C. U. & Brodin, B., 2010, *Molecular Biopharmaceutics: Aspects of drug characterisation, drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Nielsen, C. U. (eds.). 1. ed. Pharmaceutical Press, p. 51-69 (ULLA Pharmacy Series).

Mechanisms of decomposition of drug candidates

Steffansen, B., Nielsen, C. U. & Brodin, B., 2010, *Molecular Biopharmaceutics: Aspects of drug characterisation, drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Nielsen, C. U. (eds.). 1. ed. Pharmaceutical Press, p. 35-49 (ULLA Pharmacy Series).

mRNA expression and transport function of the proton-coupled amino acid transporter, PAT1, along the rat intestine

Broberg, M. L., Larsen, K. B., Holm, R., Larsen, B. B. & Nielsen, C. U., 2010.

Passive diffusion of drug substances: the concepts of flux and permeability

Brodin, B., Steffansen, B. & Nielsen, C. U., 2010, *Molecular Biopharmaceutics: Aspects of Drug Characterisation, Drug Delivery and Dosage Form Evaluation*. Steffansen, B., Brodin, B. & Uhd Nielsen, C. (eds.). Pharmaceutical Press, p. 135-152 (ULLA Pharmacy Series).

Structure and function of absorption barriers

Larsen, B. B., Steffansen, B. & Nielsen, C. U., 2010, *Molecular Biopharmaceutics: Aspects of drug characterization drug delivery and dosage form evaluation*. Steffansen, B., Brodin, B. & Uhd Nielsen, C. (eds.). 1. ed. Pharmaceutical Press, 978-0-85369, p. 115-131 (ULLA Pharmacy Series).

The expression of Claudin-5 correlates with transendothelial electrical resistance (TEER) in BCEC/rat astrocyte blood-brain barrier models

Helms, H. C. C., Waagepetersen, H. S., Nielsen, C. U. & Brodin, B., 2010.

The proton-coupled amino acid transporter, SLC36A1 (hPAT1), transports Gly-Gly, Gly-Sar and other Gly-Gly mimetics
Frølund, S., Holm, R., Brodin, B. & Nielsen, C. U., 2010, In: *British Journal of Pharmacology*. 161, 3, p. 589-600

Transportes in gastrointestinal tract

Anderle, P. & Nielsen, C. U., 2010, *Drug bioavailability: estimation of solubility, permeability, absorption and bioavailability*. Waterbeemd, H. V. D. & Testa, B. (eds.). 2nd ed ed. Weinheim: Wiley-VCH, p. 223-261

Characterization of in-vitro blood-brain barrier models

Helms, H. C. C., Eriksson, A. H., Nielsen, C. U., Waagepetersen, H. S., Walls, A. B. & Brodin, B., Aug 2009. 1 p.

Transport of Gaboxadol via hPAT1 and rOAT1 in the absence and presence of 5-HTP

Broberg, M. L., Holm, R., Brodin, B., Jensen, K. G. & Nielsen, C. U., 29. Jul 2009. 1 p.

In vitro blood-brain barrier models

Helms, H. C. C., Eriksson, A. H., Nielsen, C. U., Waagepetersen, H. S. & Brodin, B., 18. Jul 2009.

Modified absorption formulation of gaboxadol

Larsen, M., Nielsen, C. U., Larsen, B. B. & Holm, R., 4. Jun 2009, IPC No. C07D 498/ 02 A I, Patent No. US2009143335, Priority date 17. Oct 2008, Priority No. US20080253879

Peptide transporters in drug delivery; The human peptide transporter 1 (hPEPT1) translocates differently charged peptides in an electrogenic manner, indicating a varying proton coupling ration

Omkvist, D. H., Nielsen, C. U., Steffansen, B. & Brodin, B., May 2009. 1 p.

Discovery of ligands for the human intestinal di-/tripeptide transporter (hPEPT1) using of QSAR-assisted virtual screening strategy

Larsen, S. B., Omkvist, D. H., Larsen, B. B., Nielsen, C. U., Steffansen, B. D., Olsen, L. & Jørgensen, F. S., 2009, In: ChemMedChem. 4, 9, p. 1439-1445

Gaboxadol bliver absorberet via en aminosyretransportør

Broberg, M. L., Holm, R., Jensen, K. G., Larsen, B. B. & Nielsen, C. U., 2009, In: Lægemedelforskning. p. 22-24

Intestinal gaboxadol absorption via PAT1 (SLC36A1): modified absorption *in vivo* following co-administration of L-tryptophan

Larsen, M., Larsen, R., Jensen, K. G., Larsen, B. B. & Nielsen, C. U., 2009, In: British Journal of Pharmacology. 157, p. 1380-1389

Transporters in the gastrointestinal tract

Anderle, P. & Nielsen, C. U., 2009, *Drug Bioavailability: : Estimation of Solubility, Permeability, Absorption and Bioavailability*. 2. ed. Wiley-VCH, 56 p. (Methods and Principles in Medicinal Chemistry, Vol. 40).

Basolateral peptid e transport in the human intestinal cell line Caco-2 is proton-coupled

Nielsen, M. J., Nielsen, C. U. & Brodin, B., 2008. 1 p.

Cloning of the pig PEPT2 (pPEPT2) and characterization of the effects of epidermal growth factor (EGF) on pPEPT2-mediated peptide uptake in the renal porcine cell line LLC-PK1

Søndergaard, H. B., Bravo, S. A., Nielsen, C. U., Frøkjær, S. & Larsen, B. B., 2008, In: European Journal of Pharmaceutical Sciences. 33, 4-5, p. 332-342

Dipeptide derivatives of AZT: Synthesis, chemical stability, activation in human plasma, hPEPT1 affinity, and antiviral activity

Santos, C., Morais, J., Gouveia, L., de Clercq, E., Pannecouque, C., Nielsen, C. U., Steffansen, B. D., Moreira, R. & Gomes, P., 2008, In: ChemMedChem. 3, 6, p. 970-978

hPEPT1 is responsible for uptake and transport of Gly-Sar in the human bronchial airway epithelial cell-line Calu-3

Søndergaard, H. B., Larsen, B. B. & Nielsen, C. U., 2008, In: Pflügers Archiv - European Journal of Physiology. 456, 3, p. 611-622

Transport of amino acids and GABA analogues via the human proton-coupled amino acid transporter, hPAT1:

Characterization of conditions for affinity and transport experiments in Caco-2 cells.

Larsen, M., Larsen, B. B., Frølund, B. & Nielsen, C. U., 2008, In: European Journal of Pharmaceutical Sciences. 35, 1-2, p. 86-95

Basolateral peptide transport in intestinal cells is pH dependent

Juul Nielsen, M., Nielsen, C. U. & Brodin, B., 2007. 1 p.

Design, synthesis, and evaluation of tripeptidic promoieties targeting the intestinal peptide transporter hPEPT1
Thorn, K., Andersen, R., Christensen, J., Jacobsen, P., Nielsen, C. U., Steffansen, B. D. & Begtrup, M., 2007, In: ChemMedChem. 2, 4, p. 479-487

Molekylær biofarmaci - når medicinen skyder genvej!

Gram, L. K., Omkvist, D. H., Larsen, M., Nielsen, C. U., Larsen, B. B. & Steffansen, I-B. D., 2007, In: Lægemedelforskning. p. 16-17

Optimization of a cell-based fluorescent probe assay for measuring substrate translocation via the proton-coupled intestinal di/tri-peptide transporter hPEPT1

Omkvist, D. H., Nielsen, C. U., Steffansen, B. & Brodin, B., 2007. 1 p.

Peptide Transporters in Drug Delivery

Brodin, B., Steffansen, B. & Nielsen, C. U., 2007. 1 p.

Proton-coupled basolateral dipeptide transport in a human intestinal cell line, Caco-2

Brodin, B., Nielsen, M. J. & Nielsen, C. U., 2007. 1 p.

The human proton-coupled amino acid transporter (hPAT1) is a transport system for GABA-like drugs

Broberg, M. L., Frølund, B., Brodin, B. & Nielsen, C. U., 2007. 1 p.

Transportpeptider: nøglen til forbedret optagelse af lægemiddelstoffer

Thorn, K., Nielsen, C. U. & Begtrup, M., 2007, In: Lægemedelforskning. p. 18-19

Genetic variants of the human dipeptide transporter PEPT1

Anderle, P., Nielsen, C. U., Pinsonneault, J., Krog, P. L., Brodin, B. & Sadée, W., 1. Feb 2006, In: Journal of Pharmacology and Experimental Therapeutics. 316, 2, p. 636-646 11 p.

Carbonic anhydrase inhibitors. Transepithelial transport of novel anticancer sulfonamide inhibitors of the cancer-associated isozyme CA IX is dependent on the p.gp efflux transporter

Vullo, D., Steffansen, B. D., Brodin, B., Supuran, C. T., Scozzafava, A. & Nielsen, C. U., 2006, In: Bioorganic & Medicinal Chemistry Letters. 14, 7, p. 2418-2427

Carrier-mediated dipeptide transport in a human lung epithelial cell line, Calu-3

Nielsen, C. U., Søndergaard, H. B. & Brodin, B., 2006. 1 p.

Development of a QSAR model for binding of tripeptides and tripeptidomimetics to the human intestinal di-/tripeptide transporter hPEPT1

Andersen, R., Jørgensen, F. S., Olsen, L., Våbenø, J., Thorn, K., Nielsen, C. U. & Steffansen, B. D., 2006, In: Pharmaceutical Research. 23, 3, p. 483-92 10 p.

Insulin increases peptide transport capacity in the proximal tubule kidney cell line SKPT0193-CI.2.

Rquez, B., Nielsen, C. U. & Brodin, B., 2006. 1 p.

In vitro evaluation of N-methyl amide tripeptidomimetics as substrates for the human intestinal di-/tri-peptide transporter hPEPT1

Andersen, R., Nielsen, C. U., Begtrup, M., Jørgensen, F. S., Brodin, B., Frokjaer, S. & Steffansen, B. D., 2006, In: European Journal of Pharmaceutical Sciences. 28, 4, p. 325-35 11 p.

Proton dependent transport of amino acids in Caco-2 cells

Broberg, M. L., Brodin, B. & Nielsen, C. U., 2006. 1 p.

Characterization of rPEPT2-mediated Gly-Sar transport parameters in the rat kidney proximal tubule cell line SKPT-0193 cl.2 cultured in basic growth media

Bravo, S. A., Nielsen, C. U., Frokjaer, S. & Brodin, B., 2005, In: *Molecular Pharmaceutics*. 2, 2, p. 98-108 11 p.

Conformational restrictions in ligand binding to the human intestinal di-/tripeptide transporter: implications for design of hPEPT1 targeted prodrugs

Våbenø, J., Nielsen, C. U., Steffansen, B. D., Lejon, T., Sylte, I., Jørgensen, F. S. & Luthman, K., 2005, In: *Bioorganic & Medicinal Chemistry*. 13, 6, p. 1977-88 12 p.

Delivery aspects of small peptides and substrates for peptide transporters

Steffansen, B. D., Nielsen, C. U. & Frøkjær, S., 2005, In: *European Journal of Pharmaceutics and Biopharmaceutics*. 60, 4, p. 241-245 4 p.

Forudsigelser med hjælp fra det virtuelle rum

Andersen, R., Steffansen, B., Jørgensen, F. S. & Nielsen, C. U., 2005, In: *Lægemiddelforskning*. p. 24-25

Recent advances in therapeutic applications of human transporters

Nielsen, C. U., Våbenø, J., Andersen, R., Brodin, B. & Steffansen, B., 2005, In: *Expert Opinion on Therapeutic Patents*. 15, 2, p. 153-166 13 p.

The F28Y substitution in the human intestinal di/tri-peptide transporter hPEPT1, causes altered pH-dependency of Gly-Sar transport

Nielsen, C. U., Krog, P., Anderlee, P., Sadeé, W. & Brodin, B., 2005.

Genetic variants of the human H⁺/dipeptide transporter PEPT2: Analysis of haplotype functions

Pinsonneault, J., Nielsen, C. U. & Sadée, W., 1. Dec 2004, In: *Journal of Pharmacology and Experimental Therapeutics*. 311, 3, p. 1088-1096 9 p.

Dipeptidomimetic ketomethylene isosteres as pro-moieties for drug transport via the human intestinal di-/tripeptide transporter hPEPT1: design, synthesis, stability, and biological investigations

Våbenø, J., Nielsen, C. U., Ingebrigtsen, T., Lejon, T., Steffansen, B. & Luthman, K., 9. Sept 2004, In: *Journal of Medicinal Chemistry*. 47, 19, p. 4755-4765

Phe-Gly dipeptidomimetics designed for the di-/tripeptide transporters PEPT1 and PEPT2: synthesis and biological investigations

Våbenø, J., Lejon, T., Nielsen, C. U., Steffansen, B., Chen, W., Ouyang, H., Borchardt, R. T. & Luthman, K., 12. Feb 2004, In: *Journal of Medicinal Chemistry*. 47, 4, p. 1060-1069 9 p.

In-depth evaluation of Gly-Sar transport parameters as a function of culture time in the Caco-2 cell model

Bravo, S. A., Nielsen, C. U., Amstrup, J., Frokjaer, S. & Brodin, B., 1. Jan 2004, In: *European Journal of Pharmaceutical Sciences*. 21, 1, p. 77-86 10 p.

Dipeptide ketomethylene isosteres as pro-moieties for drug transport via human intestinal di/tripeptide transport hPEPT1. Design, synthesis, stability and biological investigations

Våbenø, J., Nielsen, C. U., Ingebrigtsen, T., Leon, T., Steffansen, B. & Luthman, K., 2004, In: *J. Med. Chem.* 47, p. 4755-4765 10 p.

Epidermal growth factor decreases PEPT2 transport capacity and expression in the rat kidney proximal tubule cell line SKPT0193 cl.2

Bravo, S. A., Nielsen, C. U., Amstrup, J., Frokjaer, S. & Brodin, B., 2004, In: *American Journal of Physiology: Renal Physiology*. 286, 2, p. 385-393

Intestinal solute carriers: an overview of trends and strategies for improving oral drug absorption

Steffansen, B. D., Nielsen, C. U., Brodin, B., Eriksson, A. H., Andersen, R. & Frokjaer, S., 2004, In: *European Journal of Pharmaceutical Sciences*. 21, 1, p. 3-16 14 p.

Erratum: Prodrugs of purine and pyrimidine analogues for the intestinal di/tri-peptide transporter PepT1: Affinity for hPepT1 in Caco-2 cells, drug release in aqueous media and in vitro metabolism (Journal of Controlled Release (2003) 86 (279-292) PII: S0168365902004133)

Thomsen, A. E., Friedrichsen, G. M., Sørensen, A. H., Andersen, R., Nielsen, C. U., Brodin, B., Begtrup, M., Frokjaer, S. & Steffansen, B., 7. Mar 2003, In: Journal of Controlled Release. 88, 2

Di/tri-peptide transporters as drug delivery targets: regulation of transport under physiological and patho-physiological conditions

Nielsen, C. U. & Brodin, B., 2003, In: Current Drug Targets. 4, 5, p. 373-88 16 p.

Epidermal growth factor and insulin short-term increase hPEPT1-mediated glycylsarcosine uptake in Caco-2 cells

Brodin, B., Amstrup, J., Nielsen, C. U., Steffansen, B. D. & Frøkjær, S., 2003, In: Acta Physiologica Scandinavica. 178, 2, p. 139-148

Prodrugs of purine and pyrimidine analogues for the intestinal di/tri-peptide transporter PepT1: affinity for hPepT1 in Caco-2 cells, drug release in aqueous media and in vitro metabolism

Thomsen, A. E., Friedrichsen, G. M., Sørensen, A. H., Andersen, R., Nielsen, C. U., Brodin, B., Begtrup, M., Frokjaer, S. & Steffansen, B. D., 2003, In: Journal of Controlled Release. 86, 2-3, p. 279-92 14 p.

Human peptide transporters: Therapeutic applications

Nielsen, C. U., Brodin, B., Jørgensen, F. S., Frokjaer, S. & Steffansen, B., 1. Sept 2002, In: Expert Opinion on Therapeutic Patents. 12, 9, p. 1329-1350 22 p.

Transport of peptidomimetic drugs by the intestinal Di/tri-peptide transporter, PepT1

Brodin, B., Nielsen, C. U., Steffansen, B. & Frøkjær, S., Jun 2002, In: Basic & Clinical Pharmacology & Toxicology. 90, 6, p. 285-296

Transport characteristics of L-carnosine and the anticancer derivative 4-toluenesulfonylureido-carnosine in a human epithelial cell line

Nielsen, C. U., Supuran, C. T., Scozzafava, A., Frokjaer, S., Steffansen, B. D. & Brodin, B., 2002, In: Pharmaceutical Research. 19, 9, p. 1337-44 8 p.

Model prodrugs designed for the intestinal peptide transporter: A synthetic approach for coupling of hydroxy-containing compounds to dipeptides

Friedrichsen, G. M., Nielsen, C. U., Steffansen, B. & Begtrup, M., Aug 2001, In: European Journal of Pharmaceutical Sciences. 14, p. 13-19

Dipeptide model prodrugs for the intestinal oligopeptide transporter. Affinity for and transport via hPepT1 in the human intestinal Caco-2 cell line

Nielsen, C. U., Andersen, R., Brodin, B., Frokjaer, S., Taub, M. E. & Steffansen, B. D., 2001, In: Journal of Controlled Release. 76, 1-2, p. 129-38 10 p.

Epidermal growth factor inhibits glycylsarcosine transport and hPepT1 expression in a human intestinal cell line

Nielsen, C. U., Amstrup, J., Steffansen, B. D., Frokjaer, S. & Brodin, B., 2001, In: American Journal of Physiology: Gastrointestinal and Liver Physiology. 281, 1, p. G191-9

Model prodrugs for the intestinal oligopeptide transporter: model drug release in aqueous solution and in various biological media

Nielsen, C. U., Andersen, R., Brodin, B., Frokjaer, S. & Steffansen, B. D., 2001, In: Journal of Controlled Release. 73, 1, p. 21-30 10 p.

Human proton/oligopeptide transporter (POT) genes: identification of putative human genes using bioinformatics.

Botka, C. W., Wittig, T. W., Graul, R. C., Nielsen, C. U., Higaka, K., Amidon, G. L. & Sadée, W., 1. Dec 2000, In: AAPS PharmSci. 2, 2

Press/Media

Årets bedste farmaci-speciale

Nielsen, C. U.

03/08/2018

1 Media contribution

"De andre nominerede er meget dygtige, så det var vildt at vinde"

Nielsen, C. U.

19/09/2018

1 Media contribution

Et særdeles konkurrencepræget videnskabeligt miljø

Nielsen, C. U.

22/09/2021

1 Media contribution

Hun skal tale på TEDxOdense: - Min computer er på stoffer

Nielsen, C. U.

13/04/2018

1 Media contribution

- Min computer er på stoffer

Nielsen, C. U.

13/04/2018

1 Media contribution

- Min computer er på stoffer

Nielsen, C. U.

13/04/2018

1 Media contribution

Projects

Carlsbergfondet - Profiling of drug candidates and materials in biological systems

Nielsen, C. U. (Project participant)

01/01/2021 → 31/12/2025

Nordic POP – Patient oriented projects

Rantanen, J. T. (Head coordinator), Brandl, M. (PI), Bauer-Brandl, A. (Co-PI), Nielsen, C. U. (Co-PI) & Stein, P. (Co-PI)

01/01/2018 → 31/12/2025

Uddannelses- og forskningsministeriet - FTP - FP1 - Rational search for inhibitors of Amino Acid Transporter: Implications for targeting transporters as prostate cancer treatment

Nielsen, C. U. (Project participant)

01/07/2022 → 31/07/2025