



University of Southern Denmark

Draft Genome Sequence of "Terrisporobacter othiniensis" Isolated from a Blood Culture from a Human Patient

Lund, Lars Christian ; Sydenham, Thomas Vognbjerg; Høgh, Silje Vermedal; Skov, Marianne; Kemp, Michael; Justesen, Ulrik Stenz

Published in:
Genome Announcements

DOI:
[10.1128/genomeA.00042-15](https://doi.org/10.1128/genomeA.00042-15)

Publication date:
2015

Document version
Final published version

Citation for pulished version (APA):

Lund, L. C., Sydenham, T. V., Høgh, S. V., Skov, M., Kemp, M., & Justesen, U. S. (2015). Draft Genome Sequence of "Terrisporobacter othiniensis" Isolated from a Blood Culture from a Human Patient. *Genome Announcements*, 3(2). <https://doi.org/10.1128/genomeA.00042-15>

Terms of use

This work is brought to you by the University of Southern Denmark through the SDU Research Portal. Unless otherwise specified it has been shared according to the terms for self-archiving. If no other license is stated, these terms apply:

- You may download this work for personal use only.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying this open access version

If you believe that this document breaches copyright please contact us providing details and we will investigate your claim. Please direct all enquiries to puresupport@bib.sdu.dk

Draft Genome Sequence of “*Terrisporobacter othiniensis*” Isolated from a Blood Culture from a Human Patient

Lars Christian Lund, Thomas Vognbjerg Sydenham, Silje Vermedal Høgh, Marianne Skov, Michael Kemp, Ulrik Stenz Justesen

Department of Clinical Microbiology, Odense University Hospital, Odense, Denmark

“*Terrisporobacter othiniensis*” (proposed species) was isolated from a blood culture. Genomic DNA was sequenced using a MiSeq benchtop sequencer (Illumina) and assembled using the SPAdes genome assembler. This resulted in a draft genome sequence comprising 3,980,019 bp in 167 contigs containing 3,449 coding sequences, 7 rRNAs, and 58 tRNAs.

Received 14 January 2015 Accepted 26 January 2015 Published 5 March 2015

Citation Lund LC, Sydenham TV, Høgh SV, Skov M, Kemp M, Justesen US. 2015. Draft genome sequence of “*Terrisporobacter othiniensis*” isolated from a blood culture from a human patient. *Genome Announc* 3(2):e00042-15. doi:10.1128/genomeA.00042-15.

Copyright © 2015 Lund et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 3.0 Unported license](https://creativecommons.org/licenses/by/3.0/).

Address correspondence to Ulrik Stenz Justesen, ulrik.stenzjustesen@rsyd.dk.

Reclassification of the species *Clostridium glycolicum* and *Clostridium mayombeii* led to the creation of the new genus *Terrisporobacter* (1). Here, we present the addition of a possible novel species to this genus, referred to as *othiniensis* (Latin for the city Odense, where it was first isolated). “*Terrisporobacter othiniensis*” (proposed species) was isolated from a human blood culture as the causative agent in a case of sepsis. It is therefore assumed that this species might have pathogenic potential. It is a Gram-positive, rod-shaped, anaerobic bacterium which could not be identified with classical phenotypic methods or the Biotyper (Bruker) or Vitek M.S. (bioMérieux) MALDI-TOF mass spectrometry platforms. Partial 16S rRNA gene sequencing (452 bp) revealed its closest relative to be *Terrisporobacter mayombeii* (98.67% identity with the type strain DSM 6539), which was isolated from the gut of the African soil-feeding termite *Cubitermes speciosus* (2), as a part of the termite’s microbiota. The other known member of the *Terrisporobacter* genus, *T. glycolicum*, is a soil bacterium (3).

The genomic DNA of “*T. othiniensis*” was purified according to the protocol using the DNeasy blood and tissue (Qiagen). Paired-end libraries with a calculated average insert size of 350 bp were generated using the Nextera DNA sample preparation kit (Illumina) according to the manufacturer’s protocol. DNA was sequenced on a MiSeq benchtop sequencer (Illumina) with 150 bp reads and a theoretical coverage of 30×. Any adapter contamination was removed using the sequencer’s built-in read trimming tool. Overlapping reads were merged into long reads using PEAR version 0.9.5 (4) and assembled using SPAdes version 3.1.1 (5) with the “--careful” option and the default *k* values.

The final assembly consisted of 167 contigs comprising 3,980,019 bp with an N_{50} of 55,536 bp and a GC content of 28.53%. Annotation was carried out using two tools: the RAST server (6) and NCBI’s PGAP annotation pipeline (7). RAST annotation resulted in 3,892 coding sequences, while PGAP identified 3,449 coding sequences and 58 tRNAs. rRNA sequences were predicted using the RNAmmer server (8). One 16S, one 23S, and eight 5S rRNA encoding genes were identified. None of the 59 clostridial virulence genes supported by experimental evi-

dence, listed in the PATRIC (9) database, were present in the genome.

Nucleotide sequence accession numbers. This whole-genome shotgun project has been deposited in DDBJ/ENA/GenBank under the accession number [JWHR000000000](https://www.ncbi.nlm.nih.gov/nuccore/JWHR000000000). The version described in this paper is the first version, JWHR01000000.

ACKNOWLEDGMENT

This study was supported by the Research Foundation of Funen County Medical Services.

REFERENCES

- Gerritsen J, Fuentes S, Grievink W, van Niftrik L, Tindall BJ, Timmerman HM, Rijkers GT, Smidt H. 2014. Characterization of *Romboutsia ilealis* gen. nov., sp. nov., isolated from the gastro-intestinal tract of a rat, and proposal for the reclassification of five closely related members of the genus *Clostridium* into the genera *Romboutsia* gen. nov., *Intestinibacter* gen. nov., *Terrisporobacter* gen. nov. and *Asaccharospora* gen. nov. *Int J Syst Evol Microbiol* 64:1600–1616. <http://dx.doi.org/10.1099/ijs.0.059543-0>.
- Kane MD, Brauman A, Breznak JA. 1991. *Clostridium mayombeii* sp. nov., an H₂/CO₂ acetogenic bacterium from the gut of the African soil-feeding termite, *Cubitermes speciosus*. *Arch Microbiol* 156:99–104. <http://dx.doi.org/10.1007/BF00290980>.
- Gaston LW, Stadtman ER. 1963. Fermentation of ethylene glycol by *Clostridium glycolicum*, sp n. *J Bacteriol* 85:356–362.
- Zhang J, Kobert K, Flouri T, Stamatakis A. 2014. PEAR: a fast and accurate Illumina paired-end reAd mergeR. *Bioinformatics* 30:614–620. <http://dx.doi.org/10.1093/bioinformatics/btt593>.
- Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Pribelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *J Comput Biol* 19:455–477. <http://dx.doi.org/10.1089/cmb.2012.0021>.
- Aziz RK, Bartels D, Best AA, DeJongh M, Disz T, Edwards RA, Formsma K, Gerdes S, Glass EM, Kubal M, Meyer F, Olsen GJ, Olson R, Osterman AL, Overbeek RA, McNeil LK, Paarmann D, Paczian T, Parrello B, Pusch GD, Reich C, Stevens R, Vassieva O, Vonstein V, Wilke A, Zagnitko O. 2008. The RAST server: Rapid Annotations using Subsystems Technology. *BMC Genomics* 9:75. <http://dx.doi.org/10.1186/1471-2164-9-75>.
- Tatusova T, DiCuccio M, Badretdin A, Chetvernin V, Ciufu S, Li W. 2013. Prokaryotic genome annotation pipeline. *In* Beck J, Benson D, Coleman J, Hoepfner M, Johnson M, Maglott M, Mizrahi I, Morris R, Ostell J,

- Pruitt K, Rubinstein W, Sayers E, Sirotkin K, Tatusova T (ed), The NCBI handbook, 2nd ed. NCBI, Bethesda, MD. <http://www.ncbi.nlm.nih.gov/books/NBK143764/>.
8. Lagesen K, Hallin P, Rødland EA, Staerfeldt H-H, Rognes T, Ussery DW. 2007. RNAmmer: consistent and rapid annotation of ribosomal RNA genes. *Nucleic Acids Res* 35:3100–3108. <http://dx.doi.org/10.1093/nar/gkm160>.
 9. Wattam AR, Abraham D, Dalay O, Disz TL, Driscoll T, Gabbard JL, Gillespie JJ, Gough R, Hix D, Kenyon R, Machi D, Mao C, Nordberg EK, Olson R, Overbeek R, Pusch GD, Shukla M, Schulman J, Stevens RL, Sullivan DE, Vonstein V, Warren A, Will R, Wilson MJC, Yoo HS, Zhang C, Zhang Y, Sobral BW. 2014. PATRIC, the bacterial bioinformatics database and analysis resource. *Nucleic Acids Res* 42:D581–D591. <http://dx.doi.org/10.1093/nar/gkt1099>.