

Eugenol allergy mimicking burning mouth syndrome

Bui, Teresa N.P.T.; Mose, Kristian F.; Andersen, Flemming

Published in:
Contact Dermatitis

DOI:
10.1111/cod.13103

Publication date:
2019

Document version:
Accepted manuscript

Citation for published version (APA):
Bui, T. N. P. T., Mose, K. F., & Andersen, F. (2019). Eugenol allergy mimicking burning mouth syndrome. *Contact Dermatitis*, 80(1), 54-55. <https://doi.org/10.1111/cod.13103>

Go to publication entry in University of Southern Denmark's Research Portal

Terms of use

This work is brought to you by the University of Southern Denmark.
Unless otherwise specified it has been shared according to the terms for self-archiving.
If no other license is stated, these terms apply:

- You may download this work for personal use only.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying this open access version

If you believe that this document breaches copyright please contact us providing details and we will investigate your claim.
Please direct all enquiries to puresupport@bib.sdu.dk



bui teresa (Orcid ID: 0000-0002-0579-6760)

Eugenol allergy mimicking burning mouth syndrome

Teresa N. P. T. Bui¹, Kristian F. Mose¹, Flemming Andersen^{1,2}

1. Department of Dermatology and Allergy Centre, Odense University Hospital, University of Southern Denmark, Odense C, Denmark
2. Dermatological Investigations Scandinavia, University of Southern Denmark, Odense C, Denmark

Conflict of interests: None declared

Correspondence

Teresa N P T Bui
Department of Dermatology and Allergy Centre
Odense University Hospital
Kløvervænget 15, Entrance 142
DK-5000 Odense C
Denmark
Email: Teresa.Nu.Phuong.Trinh.Bui@rsyd.dk
Telephone number: +45 6541 2705

Keywords: burning mouth syndrome; allergic contact dermatitis; case report; lingua plicata; eugenol; cinnamon; mouthwash

Running head: Eugenol-induced burning mouth syndrome

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the Version of Record. Please cite this article as doi: [10.1111/cod.13103](https://doi.org/10.1111/cod.13103)

We report a patient with burning mouth syndrome caused by allergic contact dermatitis due to eugenol (found in condiments and dental mouth wash) and aggravated by lingua plicata.

Case report

A 68-year-old woman was referred to the Department of Dermatology because of lingua plicata and burning mouth syndrome for two years. Six months prior to the onset of her symptoms she had a new metallic prosthesis in the upper jaw. The patient was screened for deficiency conditions, auto-immune disease and infections such as by *Candida spp.* and *Herpes simplex virus*, without any abnormal finding.

As contact dermatitis due to dental materials or oral hygiene products was initially suspected, patch testing was performed using the European baseline series (including cobalt chloride), supplemented with a dental series, the mouthwash used by the patient "as is", and constituents of the products she had been using including sodium benzoate (in the toothpaste) and eugenol (in the mouthwash). Testing was performed with the TRUE test panel 1-3 (SmartPractice Mekos, Hillerød, Denmark), supplemented with the additional allergens in Finn Chambers on Scanpor tape (SmartPractice, Phoenix, Arizona) using 2 day exposure. Readings were performed on day (D) 3 and D7, according to published guidelines (1). The patient only reacted to the mouthwash and eugenol 2% pet. with + reactions (but interestingly not to fragrance mix I), suggesting contact allergy to eugenol. This was in consistence with the original suspicion. When discussing the tests results with the patient, addressing potential exposures to eugenol besides in her mouthwash, the patient reported that every morning she ate yogurt sprinkled with cinnamon and that she chewed cloves (*Syzygium aromaticum*) to freshen her breath during the day.

Discussion

Lingua plicata, also known as fissured tongue, is a benign idiopathic condition, which may increase the sensitivity to oral irritants and probably allergens (2). Eugenol is found in spices such as cinnamon and cloves (3), and is commonly used in dentistry as an analgesic and antimicrobial agent (4). Eugenol is also a commonly used fragrance component (5). In this case eugenol was found both in the patient's mouthwash and quite surprisingly additionally constituted a daily part of the patient's diet. Burning sensations orally as well as contact allergy due to eugenol is well known (6-8). In the present case, the bulk of eugenol exposure was from eating cinnamon every morning and chewing cloves during the day, as the mouthwash was not used on a daily basis. The patient was told to avoid all identified exposures. At follow-up after 8 weeks the burning sensation was significantly reduced, while the lingua plicata remained.

Burning mouth syndrome is still poorly understood diagnosis of exclusion (9); in this case the patient actually suffered from contact allergy to eugenol in the spices the patient ingested in vast amounts.

References

1. Johansen JD, Aalto-Korte K, Agner T, et al. European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice. *Contact dermatitis*. 2015;73:195-221.
2. Reamy BV, Derby R, Bunt CW. Common tongue conditions in primary care. *American family physician*. 2010;81:627-34
3. Budri PE, Silva NC, Bonsaglia EC, et al. Effect of essential oils of *Syzygium aromaticum* and *Cinnamomum zeylanicum* and their major components on biofilm production in *Staphylococcus aureus* strains isolated from milk of cows with mastitis. *Journal of dairy science*. 2015;98:899-904.
4. Jesudasan JS, Wahab PU, Sekhar MR. Effectiveness of 0.2% chlorhexidine gel and a eugenol-based paste on postoperative alveolar osteitis in patients having third molars extracted: a randomised controlled clinical trial. *Br J Oral Maxillofac Surg*. 2015;53:826-30.
5. Wieck S, Olsson O, Kummerer K, Klaschka U. Fragrance allergens in household detergents. *Regulatory toxicology and pharmacology : RTP*. 2018.
6. Klein AH, Carstens MI, Carstens E. Eugenol and carvacrol induce temporally desensitizing patterns of oral irritation and enhance innocuous warmth and noxious heat sensation on the tongue. *Pain*. 2013;154:2078-87.
7. Schnuch A, Uter W, Geier J, Lessmann H, Frosch PJ. Sensitization to 26 fragrances to be labelled according to current European regulation. Results of the IVDK and review of the literature. *Contact Dermatitis*. 2007;57:1-10.
8. Behzad M, Michl C, Arweiler N, Pfützner W. Lichenoid contact reaction to eugenol presenting as oral lichen planus. *Allergo J Int*. 2014;23:242-245.
9. Ritchie A, Kramer JM. Recent Advances in the Etiology and Treatment of Burning Mouth Syndrome. *J Dent Res*. 2018 Jun 1:22034518782462.