

Frans Pouwer
INSIDE
Institut for Psykologi
Steno Diabetes Center Odense
Postadresse:
Campusvej 55
5230
Odense M
Danmark
E-mail: fpouwer@health.sdu.dk
Telefon: 65504892



Ansættelse

Professor

INSIDE
Syddansk Universitet
23. nov. 2016 → present

Professor

Institut for Psykologi
Syddansk Universitet
Odense M
1. jan. 2017 → present

Professor

Steno Diabetes Center Odense
Syddansk Universitet
1. sep. 2018 → 30. sep. 2024

Publikationer

Psychological Correlates of Disordered Eating in Youth with Type 1 Diabetes: Results from Diabetes MILES Youth - Australia

Araia, E., King, R. M., Pouwer, F., Speight, J. & Hendrieckx, C., 5. mar. 2020, I : Pediatric Diabetes.

Prevalence of insomnia (symptoms) in T2D and association with metabolic parameters and glycemc control: meta-analysis

Koopman, A. D. M., Beulens, J. W., Dijkstra, T., Pouwer, F., Bremmer, M. A., van Straten, A. & Rutters, F., 1. mar. 2020, I : The Journal of clinical endocrinology and metabolism. 105, 3, dgz065.

How 25 years of psychosocial research has contributed to a better understanding of the links between depression and diabetes

Pouwer, F., Schram, M. T., Iversen, M. M., Nouwen, A. & Holt, R. I. G., mar. 2020, I : Diabetic Medicine. 37, 3, s. 383-392

How psychosocial and behavioural research has shaped our understanding of diabetes

Nouwen, A., Speight, J., Pouwer, F. & Holt, R. I. G., mar. 2020, I : Diabetic Medicine. 37, 3, s. 377-379

Psychosocial research in the diabetic foot: Are we making progress?

Vileikyte, L., Pouwer, F. & Gonzalez, J. S., mar. 2020, I : Diabetes/Metabolism Research and Reviews. 36, Suppl 1, 5 s., e3257.

Reducing the burden of hypoglycaemia in people with diabetes through increased understanding: design of the Hypoglycaemia Redefining Solutions for Better Lives (Hypo-RESOLVE) project

Hypo-RESOLVE Consortium, 22. jan. 2020, I : Diabetic Medicine.

'I wish my health professionals understood that it's not just all about your HbA1c !'. Qualitative responses from the second Diabetes MILES - Australia (MILES-2) study

Litterbach, E., Holmes-Truscott, E., Pouwer, F., Speight, J. & Hendrieckx, C., 4. dec. 2019, I : Diabetic Medicine Online.

Longitudinal associations between depression and diabetes complications: a systematic review and meta-analysis

European Depression in Diabetes (EDID) Research Consortium, dec. 2019, I : Diabetic Medicine. 36, 12, s. 1562-1572

Back to the future: 25 years of 'Guidelines for encouraging psychological well-being' among people affected by diabetes

Speight, J., Hendrieckx, C., Pouwer, F., Skinner, T. C. & Snoek, F. J., 29. okt. 2019, I : Diabetic Medicine.

Study protocol of Diabetes LEAP: a longitudinal study examining emotional problems in adolescents with type 1 diabetes and their parents/caregivers

Nefs, G., Nguyen, L., Winterdijk, P., Hartman, E., Sas, T., Nuboer, R., De Kruijff, I., Bakker-van Waarde, W., Aanstoot, H.-J. & Pouwer, F., 24. okt. 2019, I : BMC Pediatrics. 19, 8 s., 377.

Anxiety is common and costly in T2DM - why psychology matters

Pouwer, F. & Nefs, G., okt. 2019, I : Nature Reviews. Endocrinology. 15, 10, s. 567-568

Comorbid elevated symptoms of anxiety and depression in adults with type 1 or type 2 diabetes: Results from the International Diabetes MILES Study

Nefs, G., Hendrieckx, C., Reddy, P., Browne, J. L., Bot, M., Dixon, J., Kyrios, M., Speight, J. & Pouwer, F., aug. 2019, I : Journal of Diabetes and its Complications. 33, 8, s. 523-529

Psychosocial health care needs of people with type 2 diabetes in primary care: views of patients and health care providers

Stoop, C., Pouwer, F., Pop, V., Den Oudsten, B. & Nefs, G., aug. 2019, I : Journal of Advanced Nursing. 75, 8, s. 1702-1712

Prevalence and correlates of diabetes distress, perceived stress and depressive symptoms among adults with early-onset Type 2 diabetes: cross-sectional survey results from the Danish DD2 study

Bo, A., Pouwer, F., Juul, L., Nicolaisen, S. K. & Maindal, H. T., 23. jul. 2019, I : Diabetic Medicine.

Is Self-Compassion Related to Behavioural, Clinical and Emotional Outcomes in Adults with Diabetes? Results from the Second Diabetes MILES—Australia (MILES-2) Study

Ventura, A. D., Nefs, G., Browne, J. L., Friis, A. M., Pouwer, F. & Speight, J., 15. jul. 2019, I : Mindfulness. 10, 7, s. 1222-1231

Comment on the consensus report on the management of hyperglycaemia in Type 2 diabetes by the American Diabetes Association and the European Association for the Study of Diabetes

Skinner, T., Byrne, M., Dickinson, J. K., Fisher, L., Funnell, M., Guzman, S., Hendrieckx, C., Hermanns, N., Kanc, K., Lloyd, C., Mocan, A., Nouwen, A., Pouwer, F., Saleh-Stattin, N., Snoek, F., Speight, J., Sturt, J., Vallis, M., Wagner, J., Willaing, I. & 2 flere, Young-Hyman, D. & Zoffmann, V., jul. 2019, I : Diabetic Medicine. 36, 7, s. 911-912

What Do Adults with Type 2 Diabetes Want from the "perfect" App? Results from the Second Diabetes MILES: Australia (MILES-2) Study

Baptista, S., Trawley, S., Pouwer, F., Oldenburg, B., Wadley, G. & Speight, J., jul. 2019, I : Diabetes Technology & Therapeutics. 21, 7, s. 393-399 7 s.

Psychiatric disorders as risk factors for the development of type 2 diabetes mellitus: an umbrella review protocol

Lindekilde, N., Nefs, G., Henriksen, J. E., Lasgaard, M., Schram, M., Rubin, K., Rutters, F., Kivimaki, M. & Pouwer, F., 30. maj 2019, I : BMJ Open. 9, 5, 5 s., e024981.

Sustainable improvement of HbA1c and satisfaction with diabetes care after adding telemedicine in patients on adaptable insulin regimens: Results of the TeleDiabetes randomized controlled trial

Buysse, H., Coremans, P., Pouwer, F. & Ruige, J., 3. maj 2019, I : Health Informatics Journal. s. 1460458219844369

Prospective memory slips are associated with forgetting to take glucose-lowering therapies among adults with diabetes: results from the second Diabetes MILES – Australia (MILES-2) survey

Trawley, S., Baptista, S., Pouwer, F. & Speight, J., 1. maj 2019, I : Diabetic Medicine. 36, 5, s. 569-577

Modeling Interactions Between Latent Variables in Research on Type D Personality: A Monte Carlo Simulation and Clinical Study of Depression and Anxiety

Lodder, P., Denollet, J., Emons, W. H. M., Nefs, G., Pouwer, F., Speight, J. & Wicherts, J. M., 13. apr. 2019, I : Multivariate Behavioral Research. 54, 5, s. 637-665

Assessing the perceived impact of diabetes on quality of life: psychometric validation of the DAWN2 Impact of Diabetes Profile in the second Diabetes MILES - Australia (MILES-2) survey

Holmes-Truscott, E., Skovlund, S. E., Hendrieckx, C., Pouwer, F., Peyrot, M. & Speight, J., 1. apr. 2019, I : Diabetes Research and Clinical Practice. 150, s. 253-263

Type D personality and social relations in adults with diabetes: results from diabetes MILES–The Netherlands

Spek, V., Nefs, G., Mommersteeg, P. M. C., Speight, J., Pouwer, F. & Denollet, J., 2. dec. 2018, I : Psychology and Health. 33, 12, s. 1456-1471

DO PSYCHIATRIC DISORDERS INCREASE THE RISK OF DEVELOPING TYPE 2 DIABETES MELLITUS? -A PROTOCOL OF A MATCHED REGISTER-BASED COHORT STUDY

Lindekilde, N., Henriksen, J. E., Lasgaard, M., Rubin, K. H. & Pouwer, F., nov. 2018.

More work is needed to better understand diabetes distress as a predictor of all-cause mortality in type 2 diabetes

Lindekilde, N. & Pouwer, F., okt. 2018, I : Diabetologia. 61, 10, s. 2247–2248

The associations between diabetes distress and self-efficacy, medication adherence, self-care activities and disease control depend on the way diabetes distress is measured: comparing the DDS-17, DDS-2 and the PAID-5

Chew, B-H., Vos, R. C., Pouwer, F. & Rutten, G. E. H. M., aug. 2018, I : Diabetes Research and Clinical Practice. 142, s. 74-84

Diabetes distress is more strongly associated with HbA1c than depressive symptoms in adolescents with type 1 diabetes: Results from Diabetes MILES Youth-Australia

Hagger, V., Hendrieckx, C., Cameron, F., Pouwer, F., Skinner, T. C. & Speight, J., jun. 2018, I : Pediatric Diabetes. 19, 4, s. 840-847

Diabetes stigma is associated with negative treatment appraisals among adults with insulin-treated Type 2 diabetes: Results from the second Diabetes MILES - Australia (MILES-2) survey

Holmes-Truscott, E., Browne, J. L., Ventura, A. D., Pouwer, F. & Speight, J., maj 2018, I : Diabetic Medicine. 35, 5, s. 658-662

Mindfulness and fear of hypoglycaemia in parents of children with Type 1 diabetes: Results from Diabetes MILES Youth - The Netherlands

Aalders, J., Hartman, E., Nefs, G., Nieuwesteeg, A., Hendrieckx, C., Aanstoot, H. J., Winterdijk, P., van Mil, E., Speight, J. & Pouwer, F., maj 2018, I : Diabetic Medicine. 35, 5, s. 650-657

What is the best measure for assessing diabetes distress? A comparison of the Problem Areas in Diabetes and Diabetes Distress Scale: results from Diabetes MILES–Australia

Fenwick, E. K., Rees, G., Holmes-Truscott, E., Browne, J. L., Pouwer, F. & Speight, J., apr. 2018, I : Journal of Health Psychology. 23, 5, s. 667-680

The relationship between social support, diabetes distress and blood glucose levels in people with diabetes: Diabetes MILES Australia

Chan, C., Smith, K. J., Cockshaw, W., Truscott-Holmes, E., Ventura, A., Browne, J., Pouwer, F. & Speight, J., 1. mar. 2018, I : Diabetic Medicine. 35, Suppl. 1, s. 16 1 s.

Comment on Young-Hyman et al. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care* 2016;39:2126–2140

Snoek, F. J., Hermanns, N., de Wit, M., Huber, J., Sturt, J., Pouwer, F., Lloyd, C. E., Willaing, I., Nouwen, A. & Psychosocial Aspects of Diabetes Study Group of the European Association for the Study of Diabetes, mar. 2018, I : *Diabetes Care*. 41, 3, s. e31-e32

Non-linear relationships between fear of hypoglycemia and actual risk for severe hypoglycemia in parents of adolescents with type 1 diabetes: Clinical implications

Gonder-Frederick, L., Hendrickx, C., Pouwer, F. & Speight, J., 1. feb. 2018, I : *Diabetes Technology & Therapeutics*. 20, Suppl. 1, s. A16-A17 ATTD8-0373.

The role of hypoglycemia in the burden of living with diabetes among adults with diabetes and family members: results from the DAWN2 study in The Netherlands

Nefs, G. & Pouwer, F., 18. jan. 2018, I : *B M C Public Health*. 18, 1, 8 s., 156.

Emotional Well-Being Factors Associated with Sexual Dysfunction in Adults with Type 1 or Type 2 Diabetes: Results from Diabetes MILES—Australia

Ventura, A. D., Browne, J. L., Pouwer, F., Speight, J. & Byrne, M., 2018, I : *International Journal of Sexual Health*. 30, 3, s. 237-249

Identification of barriers to insulin therapy and approaches to overcoming them

Russell-Jones, D., Pouwer, F. & Khunti, K., 2018, I : *Diabetes, Obesity and Metabolism*. 20, 3, s. 488–496

Advanced Glycation End Product (AGE) Accumulation in the Skin is Associated with Depression: The Maastricht Study

van Dooren, F. E. P., Pouwer, F., Schalkwijk, C. G., Sep, S. J. S., Stehouwer, C. D. A., Henry, R. M. A., Dagnelie, P. C., Schaper, N. C., van der Kallen, C. J. H., Koster, A., Denollet, J., Verhey, F. R. J. & Schram, M. T., jan. 2017, I : *Depression and Anxiety*. 34, 1, s. 59-67 9 s.

Depression: a common and burdensome complication of diabetes that warrants the continued attention of clinicians, researchers and healthcare policy makers

Pouwer, F., jan. 2017, I : *Diabetologia*. 60, 1, s. 30-34 5 s.

Assessing Psychological Insulin Resistance in Type 2 Diabetes: a Critical Comparison of Measures

Holmes-Truscott, E., Pouwer, F. & Speight, J., 2017, I : *Current Diabetes Reports*. 17, 7, 13 s., 46.

Association of Microvascular Dysfunction With Late-Life Depression: A Systematic Review and Meta-analysis

van Agtmaal, M. J. M., Houben, A. J. H. M., Pouwer, F., Stehouwer, C. D. A. & Schram, M. T., 2017, I : *JAMA Psychiatry*. 74, 4, s. 729-739

Associations Between Physical Activity and Depressive Symptoms by Weight Status Among Adults With Type 2 Diabetes: Results from Diabetes MILES - Australia

Craike, M. J., Mosely, K., Browne, J. L., Pouwer, F. & Speight, J., 2017, I : *Journal of Physical Activity & Health*. 14, 3, s. 195-202

Cohort profiles of the cross-sectional and prospective participant groups in the second Diabetes MILES-Australia (MILES-2) study

Browne, J. L., Holmes-Truscott, E., Ventura, A. D., Hendrickx, C., Pouwer, F. & Speight, J., 2017, I : *BMJ Open*. 7, 2, 16 s., e012926.

Comment on Butwicka et al. Psychiatric Disorders and Health-Related Quality of Life in Children With Type 1 Diabetes Mellitus

Nguyen, L., Nefs, G. & Pouwer, F., 2017, I : *Psychosomatics*. 58, 2, s. 214-215

Comment on Young-Hyman et al. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care* 2016;39:2126-2140

Mezuk, B. & Pouwer, F., 2017, I : *Diabetes Care*. 40, 9, s. e127-e128

Cut points for identifying clinically significant diabetes distress in adolescents with type 1 diabetes using the PAID-T: Results from diabetes MILES youth-Australia

Hagger, V., Hendrieckx, C., Cameron, F., Pouwer, F., Skinner, T. C. & Speight, J., 2017, I : *Diabetes Care*. 40, 11, s. 1462-1468

Depressive Symptoms Are Negatively Associated with Glucose Testing and Eating Meals on Time among Individuals with Diabetes in Zambia

Hapunda, G., Abubakar, A., Pouwer, F. & van de Vijver, F., 2017, I : *Diabetes & Metabolism Journal*. 41, 6, s. 440-448

Diabetes Complications and Depressive Symptoms: Prospective results from the Montreal Diabetes Health and Well-Being Study

Deschênes, S. S., Burns, R. J., Pouwer, F. & Schmitz, N., 2017, I : *Psychosomatic Medicine*. 79, 5, s. 603-612

Diabetes mellitus

Tabák, A. G., Mezuk, B. & Pouwer, F., 2017, *The Routledge International Handbook of Psychosocial Epidemiology*. 1. udg. Routledge, s. 215-246

Fatigue in type 1 diabetes: an understudied problem

Pouwer, F., 2017, I : *The Lancet Diabetes & Endocrinology*. 5, 6, s. 409-410

Gender differences in disordered eating behaviors and body dissatisfaction among adolescents with type 1 diabetes: Results from diabetes MILES youth-Australia

Araia, E., Hendrieckx, C., Skinner, T., Pouwer, F., Speight, J. & King, R. M., 2017, I : *International Journal of Eating Disorders*. 50, 10, s. 1183-1193

Low vitamin D levels are not a contributing factor to higher prevalence of depressive symptoms in people with Type 2 diabetes mellitus: the Hoorn study

Westra, S., Simsek, S., Rutters, F., Krul-Poel, Y. H. M., Stehouwer, C. D. A., Dekker, J. M. & Pouwer, F., 2017, I : *Diabetic Medicine*. 34, 4, s. 577-581

Paediatric parenting stress in fathers and mothers of young children with Type 1 diabetes: a longitudinal study

Nieuwesteeg, A., Hartman, E., Emons, W., van Bakel, H., Aanstoot, H-J., van Mil, E. & Pouwer, F., 2017, I : *Diabetic Medicine*. 34, 6, s. 821-827

Psychological Factors and Diabetes Mellitus

Pouwer, F. & Speight, J., 2017, *Textbook of Diabetes*. Holt, R., Cockram, C., Flyvbjerg, A. & Goldstein, B. (red.). 5. udg. Wiley-Blackwell, s. 821-839

Screening for and subsequent participation in a trial for depression and anxiety in people with type 2 diabetes treated in primary care: Who do we reach?

Stoop, C. H., Nefs, G., Pop, V. J. & Pouwer, F., 2017, I : *Primary Care Diabetes*. 11, 3, s. 273-280

Severe hypoglycemia, impaired awareness of hypoglycemia, and self-monitoring in adults with type 1 diabetes: Results from Diabetes MILES-Australia

Hendrieckx, C., Hagger, V., Jenkins, A., Skinner, T. C., Pouwer, F. & Speight, J., 2017, I : *Journal of Diabetes and its Complications*. 31, 3, s. 577-582

Strengths, Risk Factors, and Resilient Outcomes in Adolescents With Type 1 Diabetes: Results From Diabetes MILES Youth-Australia

Hilliard, M. E., Hagger, V., Hendrieckx, C., Anderson, B. J., Trawley, S., Jack, M. M., Pouwer, F., Skinner, T. & Speight, J., 2017, I : *Diabetes Care*. 40, 7, s. 849-855

The Use of Mobile Applications Among Adults with Type 1 and Type 2 Diabetes: Results from the Second MILES-Australia (MILES-2) Study

Trawley, S., Baptista, S., Browne, J. L., Pouwer, F. & Speight, J., 2017, I : Diabetes Technology & Therapeutics. 19, 12, s. 730-738

Validation of the WHO-5 as a first-step screening instrument for depression in adults with diabetes: Results from Diabetes MILES - Australia

Halliday, J. A., Hendrieckx, C., Busija, L., Browne, J. L., Nefs, G., Pouwer, F. & Speight, J., 2017, I : Diabetes Research and Clinical Practice. 132, s. 27-35

Does Mindfulness-Based Cognitive Therapy benefit all people with diabetes and comorbid emotional complaints equally? Moderators in the DiaMind trial

Nyklíček, I., VAN Son, J., Pop, V. J. M., Denollet, J. & Pouwer, F., dec. 2016, I : Journal of Psychosomatic Research. 91, December, s. 40-47 8 s.

Review of research grant allocation to psychosocial studies in diabetes research

Jones, A., Vallis, M., Cooke, D. & Pouwer, F., dec. 2016, I : Diabetic Medicine. 33, 12, s. 1673-1676 4 s.

The Use of Mobile Applications Among Adolescents with Type 1 Diabetes: Results from Diabetes MILES Youth-Australia

Trawley, S., Browne, J. L., Hagger, V. L., Hendrieckx, C., Holmes-Truscott, E., Pouwer, F., Skinner, T. C. & Speight, J., dec. 2016, I : Diabetes Technology & Therapeutics. 18, 12, s. 813-819 7 s.

Effect of vitamin D supplementation on health status in non-vitamin D deficient people with type 2 diabetes mellitus

Westra, S., Krul-Poel, Y. H. M., van Wijland, H. J., Ter Wee, M. M., Stam, F., Lips, P., Pouwer, F. & Simsek, S., nov. 2016, I : Endocrine Connections. 5, 6, s. 61-69 9 s.

Suicidal ideation reported by adults with Type 1 or Type 2 diabetes: results from Diabetes MILES-Australia

Handley, T. E., Ventura, A. D., Browne, J. L., Rich, J. N., Attia, J. R., Reddy, S. P., Pouwer, F. & Speight, J., nov. 2016, I : Diabetic Medicine. 33, 11, s. 1582-1589 8 s.

The Association of Mindful Parenting with Glycemic Control and Quality of Life in Adolescents with Type 1 Diabetes: Results from Diabetes MILES-The Netherlands

Serkel-Schrama, I. J. P., de Vries, J., Nieuwesteeg, A. M., Pouwer, F., Nyklíček, I., Speight, J., de Bruin, E. I., Bögels, S. M. & Hartman, E. E., 20. sep. 2016, I : Mindfulness. 7, 5, s. 1227-1237 11 s.

Diabetes MILES Youth-Australia: methods and sample characteristics of a national survey of the psychological aspects of living with type 1 diabetes in Australian youth and their parents

Hagger, V., Trawley, S., Hendrieckx, C., Browne, J. L., Cameron, F., Pouwer, F., Skinner, T. & Speight, J., 12. aug. 2016, I : B M C Psychology. 4, 1, s. 42

Associations of low grade inflammation and endothelial dysfunction with depression - The Maastricht Study

van Dooren, F. E. P., Schram, M. T., Schalkwijk, C. G., Stehouwer, C. D. A., Henry, R. M. A., Dagnelie, P. C., Schaper, N. C., van der Kallen, C. J. H., Koster, A., Sep, S. J. S., Denollet, J., Verhey, F. R. J. & Pouwer, F., aug. 2016, I : Brain, Behavior, and Immunity. 56, August, s. 390-6 7 s.

Depressive symptoms and all-cause mortality in people with type 2 diabetes: a focus on potential mechanisms

Nefs, G., Pop, V. J. M., Denollet, J. & Pouwer, F., aug. 2016, I : Psychosomatic Medicine. 209, 2, s. 142-9 8 s.

Subjective Wellbeing Among Adults with Diabetes: Results from Diabetes MILES—Australia

Holmes-Truscott, E., Browne, J. L., Pouwer, F., Speight, J. & Cummins, R. A., 1. jun. 2016, I : Journal of Happiness Studies. 17, 3, s. 1205-1217 13 s.

Mindfulness facets as differential mediators of short and long-term effects of Mindfulness-Based Cognitive Therapy in diabetes outpatients: Findings from the DiaMind randomized trial

Haenen, S., Nyklíček, I., VAN Son, J., Pop, V. J. M. & Pouwer, F., jun. 2016, I : Journal of Psychosomatic Research. 85, s. 44-50 7 s.

Prospectively measured lifestyle factors and BMI explain differences in health-related quality of life between colorectal cancer patients with and without comorbid diabetes

Vissers, P. A. J., Thong, M. S. Y., Pouwer, F., Creemers, G.-J., Slooter, G. D. & van de Poll-Franse, L. V., jun. 2016, I : Supportive Care in Cancer. 24, 6, s. 2591- 2601 11 s.

The impact of having both cancer and diabetes on patient-reported outcomes: a systematic review and directions for future research

Vissers, P. A. J., Falzon, L., van de Poll-Franse, L. V., Pouwer, F. & Thong, M. S. Y., apr. 2016, I : Journal of Cancer Survivorship. 10, 2, s. 406-15 10 s.

The relationship between parenting stress and parent-child interaction with health outcomes in the youngest patients with type 1 diabetes (0-7 years)

Nieuwesteeg, A. M., Hartman, E. E., Aanstoot, H.-J., van Bakel, H. J. A., Emons, W. H. M., van Mil, E. & Pouwer, F., mar. 2016, I : European Journal of Pediatrics. 175, 3, s. 329-338 10 s.

Vitamin D status and health-related quality of life in patients with Type 2 diabetes

Krul-Poel, Y. H. M., Westra, S., van Wijland, H. J., Stam, F., Lips, P., Pouwer, F. & Simsek, S., mar. 2016, I : Diabetic Medicine. 33, 3, s. 300-6 7 s.

Explaining psychological insulin resistance in adults with non-insulin-treated type 2 diabetes: The roles of diabetes distress and current medication concerns. Results from Diabetes MILES--Australia

Holmes-Truscott, E., Skinner, T. C., Pouwer, F. & Speight, J., feb. 2016, I : Primary Care Diabetes. 10, 1, s. 75-82 8 s.

Psychological and personality factors in type 2 diabetes mellitus, presenting the rationale and exploratory results from The Maastricht Study, a population-based cohort study

van Dooren, F. E. P., Denollet, J., Verhey, F. R. J., Stehouwer, C. D. A., Sep, S. J. S., Henry, R. M. A., Kremers, S. P. J., Dagnelie, P. C., Schaper, N. C., van der Kallen, C. J. H., Koster, A., Pouwer, F. & Schram, M. T., 27. jan. 2016, I : B M C Psychiatry. 16, s. 17

Association of Type D personality with increased vulnerability to depression: Is there a role for inflammation or endothelial dysfunction? - The Maastricht Study

van Dooren, F. E. P., Verhey, F. R. J., Pouwer, F., Schalkwijk, C. G., Sep, S. J. S., Stehouwer, C. D. A., Henry, R. M. A., Dagnelie, P. C., Schaper, N. C., van der Kallen, C. J. H., Koster, A., Schram, M. T. & Denollet, J., 1. jan. 2016, I : Journal of Affective Disorders. 189, January, s. 118-25 8 s.

Anxiety and Depressive Symptoms as Predictors of All-Cause Mortality among People with Insulin-Naïve Type 2 Diabetes: 17-Year Follow-Up of the Second Nord-Trøndelag Health Survey (HUNT2), Norway

Iversen, M. M., Nefs, G., Tell, G. S., Espehaug, B., Midthjell, K., Graue, M. & Pouwer, F., 2016, I : PLOS ONE. 11, 8, s. e0160861

Correlates and outcomes of worries about hypoglycemia in family members of adults with diabetes: The second Diabetes Attitudes, Wishes and Needs (DAWN2) study

Nefs, G., Pouwer, F., Holt, R. I. G., Skovlund, S., Hermanns, N., Nicolucci, A. & Peyrot, M., 2016, I : Psychosomatic Medicine. 89, October, s. 69-77 9 s.

Diabetes, Depression, and Cardiovascular risk

Adriaanse, M. C. & Pouwer, F., 2016, *Handbook of Psychocardiology*. Alvarenga, M. & Byrne, D. (red.). Springer, s. 831-847

Does self-efficacy mediate the cross-sectional relationship between perceived quality of health care and self-management of diabetes? Results from Diabetes MILES - Australia

Tregea, H., Lee, C., Browne, J. L., Pouwer, F. & Speight, J., 2016, I : Psychology & Health. 31, 5, s. 592-604 13 s.

Intraperitoneal versus subcutaneous insulin therapy in the treatment of type 1 diabetes mellitus

van Dijk, P. R., Logtenberg, S. J. J., Hendriks, S. H., Groenier, K. H., Feenstra, J., Pouwer, F., Gans, R. O. B., Kleefstra, N. & Bilo, H. J. G., nov. 2015, I : The Netherlands journal of medicine. 73, 9, s. 399-409

Effectiveness of a stepped care intervention for anxiety and depression in people with diabetes, asthma or COPD in primary care: A randomized controlled trial

Stoop, C. H., Nefs, G., Pommer, A. M., Pop, V. J. M. & Pouwer, F., 15. sep. 2015, I : Journal of Affective Disorders. 184, s. 269-76

Subjective sleep impairment in adults with type 1 or type 2 diabetes: Results from Diabetes MILES--The Netherlands

Nefs, G., Donga, E., van Someren, E., Bot, M., Speight, J. & Pouwer, F., sep. 2015, I : Diabetes Research and Clinical Practice. 109, 3, s. 466-75 10 s.

The impact of diabetes on neuropathic symptoms and receipt of chemotherapy among colorectal cancer patients: results from the PROFILES registry

Vissers, P. A. J., Mols, F., Thong, M. S. Y., Pouwer, F., Vreugdenhil, G. & van de Poll-Franse, L. V., sep. 2015, I : Journal of Cancer Survivorship. 9, 3, s. 523-531

Impact of cancer on use of glucose-lowering drug treatment in individuals with diabetes: potential mechanisms

Pouwer, F., jun. 2015, I : Diabetologia. 58, 6, s. 1378-9

Psychological and pharmacological interventions for depression in patients with diabetes mellitus: an abridged Cochrane review: some critical comments

van der Donk, L. J. & Pouwer, F., jun. 2015, I : Diabetic Medicine Online. 32, 6, s. 839

Living with type 1 diabetes is challenging for Zambian adolescents: Qualitative data on stress, coping with stress and quality of care and life

Hapunda, G., Abubakar, A., van de Vijver, F. & Pouwer, F., 18. apr. 2015, I : BMC Endocrine Disorders. 15, 1, 12 s., 20.

Suicidal ideation or non-suicidal self-harm? A mismatch between the DSM-IV criterion and PHQ-9 item nine

Browne, J. L., Nefs, G., Pouwer, F. & Speight, J., apr. 2015, I : Diabetes Research and Clinical Practice. 108, 1, s. e5-6

The association between glucose-lowering drug use and mortality among breast cancer patients with type 2 diabetes

Vissers, P. A. J., Cardwell, C. R., van de Poll-Franse, L. V., Young, I. S., Pouwer, F. & Murray, L. J., apr. 2015, I : Breast Cancer Research and Treatment. 150, 2, s. 427-437

The association between mindfulness and emotional distress in adults with diabetes: could mindfulness serve as a buffer? Results from Diabetes MILES: The Netherlands

VAN Son, J., Nyklíček, I., Nefs, G., Speight, J., Pop, V. J. M. & Pouwer, F., apr. 2015, I : Journal of Behavioral Medicine. 38, 2, s. 251-260 10 s.

The association between types of eating behaviour and dispositional mindfulness in adults with diabetes. Results from Diabetes MILES. The Netherlands

Tak, S. R., Hendrieckx, C., Nefs, G., Nyklíček, I., Speight, J. & Pouwer, F., apr. 2015, I : Appetite. 87, s. 288-295

Depression, anxiety and self-care behaviours of young adults with Type 2 diabetes: results from the International Diabetes Management and Impact for Long-term Empowerment and Success (MILES) Study

Browne, J. L., Nefs, G., Pouwer, F. & Speight, J., jan. 2015, I : Diabetic Medicine Online. 32, 1, s. 133-40 8 s.

Anxiety, depression and timing of insulin treatment among people with type 2 diabetes: Nine-year follow-up of the Nord-Trøndelag Health Study, Norway

Iversen, M. M., Nefs, G., Tell, G. S., Espehaug, B., Midthjell, K., Graue, M. & Pouwer, F., 2015, I : Journal of Psychosomatic Research. 79, 4, s. 309-15

Depressive Symptom Clusters Differentially Predict Cardiovascular Hospitalization in People With Type 2 Diabetes
Nefs, G., Pop, V. J. M., Denollet, J. & Pouwer, F., 2015, I : Psychosomatics. 56, 6, s. 662-73

Diabetes mellitus and comorbid depression in Zambia

Hapunda, G., Abubakar, A., Pouwer, F. & van de Vijver, F., 2015, I : Diabetic Medicine Online. 32, 6, s. 814-8

Erythrocyte fatty acid profiles and plasma homocysteine, folate and vitamin B₆ and B₁₂ in recurrent depression: Implications for co-morbidity with cardiovascular disease

Assies, J., Mocking, R. J. T., Lok, A., Koeter, M. W. J., Bockting, C. L. H., Visser, I., Pouwer, F., Ruhé, H. G. & Schene, A. H., 2015, I : Psychiatry Research. 229, 3, s. 992-8

Fear of hypoglycaemia in adults with Type 1 diabetes: results from Diabetes MILES - The Netherlands

Nefs, G., Bevelander, S., Hendrieckx, C., Bot, M., Ruige, J., Speight, J. & Pouwer, F., 2015, I : Diabetic Medicine Online. 32, 10, s. 1289-96

If it does not significantly change HbA1c levels why should we waste time on it? A plea for the prioritization of psychological well-being in people with diabetes

Jones, A., Vallis, M. & Pouwer, F., 2015, I : Diabetic Medicine. 32, 2, s. 155-63 9 s.

Negative appraisals of insulin therapy are common among adults with Type 2 diabetes using insulin: Results from Diabetes MILES - Australia cross-sectional survey

Holmes-Truscott, E., Skinner, T. C., Pouwer, F. & Speight, J., 2015, I : Diabetic Medicine Online. 32, 10, s. 1297-1303

Stressful life events and incident metabolic syndrome: the Hoorn study

Rutters, F., Pilz, S., Koopman, A. D. M., Rauh, S. P., Pouwer, F., Stehouwer, C. D. A., Elders, P. J., Nijpels, G. & Dekker, J. M., 2015, I : Stress: The International Journal on the Biology of Stress . 18, 5, s. 507-13 7 s.

Type D personality, suboptimal health behaviors and emotional distress in adults with diabetes: Results from Diabetes MILES-The Netherlands

Nefs, G., Speight, J., Pouwer, F., Pop, V. J. M., Bot, M. & Denollet, J., 2015, I : Diabetes Research and Clinical Practice. 108, 1, s. 94-105

Beta-blockers and depression in elderly hypertension patients in primary care

Ringoir, L., Pedersen, S. S., Widdershoven, J. W. M. G., Pouwer, F., Keyzer, J. M. L., Romeijnders, A. C. & Pop, V. J. M., jun. 2014, I : Family Medicine. 46, 6, s. 447-453

Associations between economic hardship and markers of self-management in adults with type 2 diabetes: results from Diabetes MILES - Australia

O'Neil, A., Williams, E. D., Browne, J. L., Horne, R., Pouwer, F. & Speight, J., 2014, I : Australian and New Zealand Journal of Public Health. 38, 5, s. 466-72 7 s.

Comment on Schmitz et al. Recurrent subthreshold depression in type 2 diabetes: an important risk factor for poor health outcomes.

Aalders, J. & Pouwer, F., 2014, I : Diabetes Care. 37, 6, s. 970-978

Diabetes-specific emotional distress in people with Type 2 diabetes: a comparison between primary and secondary care

Stoop, C. H., Nefs, G., Pop, V. J. M., Wijnands-van Gent, C. J. M., Tack, C. J., Geelhoed-Duijvestijn, P. H. L. M., Diamant, M., Snoek, F. J. & Pouwer, F., 2014, I : Diabetic Medicine Online. 31, 10, s. 1252-1259

Effects of oxidative stress on fatty acid- and one-carbon-metabolism in psychiatric and cardiovascular disease comorbidity

Assies, J., Mocking, R. J. T., Lok, C. A., Ruhé, H. G., Pouwer, F. & Schene, A. H., 2014, I : Acta Psychiatrica Scandinavica. Supplementum. 130, 3, s. 163-180

Endothelial dysfunction is associated with a greater depressive symptom score in a general elderly population: the Hoorn Study

van Sloten, T. T., Schram, M. T., Adriaanse, M. C., Dekker, J. M., Nijpels, G., Teerlink, T., Scheffer, P. G., Pouwer, F., Schalkwijk, C. G., Stehouwer, C. D. A. & Henry, R. M. A., 2014, 1 : Psychological Medicine. 44, 7, s. 1403-1416

Further investigation of the psychometric properties of the Insulin Treatment Appraisal Scale among insulin-using and non-insulin-using adults with type 2 diabetes: results from Diabetes MILES-Australia

Holmes-Truscott, E., Pouwer, F. & Speight, J., 2014, 1 : Health and Quality of Life Outcomes. 12, 9 s.

Managing hypoglycaemia in diabetes may be more fear management than glucose management: A practical guide for diabetes care providers.

Vallis, M., Jones, A. & Pouwer, F., 2014, 1 : Current Diabetes Reviews. 10, 6

Managing hypoglycemia in diabetes may be more fear management than glucose management: a practical guide for diabetes care providers

Vallis, M., Jones, A. & Pouwer, F., 2014, 1 : Current Diabetes Reviews. 10, 6, s. 364-370 7 s.

Mindfulness-based cognitive therapy for people with diabetes and emotional problems: long-term follow-up findings from the DiaMind randomized controlled trial

VAN Son, J., Nyklíček, I., Pop, V. J. M., Blonk, M. C., Erdtsieck, R. J. & Pouwer, F., 2014, 1 : Journal of Psychosomatic Research. 77, 1, s. 81-84

Patient-reported outcomes in primary care patients with COPD: psychometric properties and usefulness of the Clinical COPD Questionnaire (CCQ). A cross-sectional study

Pommer, A. M., Pouwer, F., Denollet, J., Meijer, J-W. & Pop, V. J. M., 2014, 1 : n p j Primary Care Respiratory Medicine. 24, 6 s., 14027.

Psychometric properties of the Exercise Self-efficacy Scale in Dutch Primary care patients with type 2 diabetes mellitus

van der Heijden, M. M. P., Pouwer, F. & Pop, V. J. M., 2014, 1 : International Journal of Behavioral Medicine. 21, 2, s. 394-401

Qualitative observation instrument to measure the quality of parent-child interactions in young children with type 1 diabetes mellitus

Nieuwesteeg, A. M., Hartman, E. E., Pouwer, F., Emons, W., Aanstoot, H-J., van Mil, E. & van Bakel, H. J. A., 2014, 1 : BMC Pediatrics. 14, 11 s.

Response to Kawada. Depressive symptoms and HbA1c in patients with Type 1 and Type 2 diabetes

Bot, M., Pouwer, F., De Jonge, P. & Snoek, F. J., 2014, 1 : Diabetic Medicine Online. 31, 6, s. 760-761

Self-reported access to and quality of healthcare for diabetes: do the severely obese experience equal access?

Dixon, J. B., Browne, J. L., Rice, T., Jones, K., Pouwer, F. & Speight, J., 2014, 1 : Australian family physician. 43, 8, s. 552-556

Severe obesity and diabetes self-care attitudes, behaviours and burden: implications for weight management from a matched case-controlled study. Results from Diabetes MILES--Australia

Dixon, J. B., Browne, J. L., Mosely, K. G., Rice, T. L., Jones, K. M., Pouwer, F. & Speight, J., 2014, 1 : Diabetic Medicine Online. 31, 2, s. 232-240

The individual and combined effect of colorectal cancer and diabetes on health-related quality of life and sexual functioning: results from the PROFILES registry

Vissers, P. A. J., Thong, M. S. Y., Pouwer, F., den Oudsten, B. L., Nieuwenhuijzen, G. A. P. & van de Poll-Franse, L. V., 2014, 1 : Supportive Care in Cancer. 22, 11, s. 3071-3079

Toward defining a cutoff score for elevated fear of hypoglycemia on the hypoglycemia fear survey worry subscale in patients with type 2 diabetes

Hajós, T. R. S., Polonsky, W. H., Pouwer, F., Gonder-Frederick, L. & Snoek, F. J., 2014, I : *Diabetes Care*. 37, 1, s. 102-108

Compromised quality of life in patients with both Type 1 diabetes mellitus and coeliac disease

Bakker, S. F., Pouwer, F., Tushuizen, M. E., Hoogma, R. P., Mulder, C. J. & Simsek, S., jul. 2013, I : *Diabetic Medicine Online*. 30, 7, s. 835-839

Diabetes Attitudes, Wishes and Needs second study (DAWN2™): cross-national benchmarking of diabetes-related psychosocial outcomes for people with diabetes

Nicolucci, A., Kovacs Burns, K., Holt, R. I. G., Comaschi, M., Hermanns, N., Ishii, H., Kokoszka, A., Pouwer, F., Skovlund, S. E., Stuckey, H., Tarkun, I., Vallis, M., Wens, J., Peyrot, M. & DAWN2 Study Group, jul. 2013, I : *Diabetic Medicine Online*. 30, 7, s. 767-777

Adverse effects of depression on glycemic control and health outcomes in people with diabetes: a review

Pouwer, F., Nefs, G. & Nouwen, A., 2013, I : *Endocrinology & Metabolism Clinics of North America*. 42, 3, s. 529-544

Depression and risk of mortality in people with diabetes mellitus: a systematic review and meta-analysis

van Dooren, F. E. P., Nefs, G., Schram, M. T., Verhey, F. R. J., Denollet, J. & Pouwer, F., 2013, I : *PLOS ONE*. 8, 3, 11 s.

Depressive symptoms, insulin sensitivity and insulin secretion in the RISC cohort study

Bot, M., Pouwer, F., De Jonge, P., Nolan, J. J., Mari, A., Højlund, K., Golay, A., Balkau, B. & Dekker, J. M., 2013, I : *Diabetes & Metabolism*. 39, 1, s. 42-49

Development and validity of the Patient-centred COPD Questionnaire (PCQ)

Pommer, A. M., Prins, L., van Ranst, D., Meijer, J-W., Van't Hul, A., Janssen, J., Pouwer, F. & Pop, V. J. M., 2013, I : *Journal of Psychosomatic Research*. 75, 6, s. 563-571

Development of a smoking abstinence self-efficacy questionnaire

Spek, V., Lemmens, F., Chatrou, M., van Kempen, S., Pouwer, F. & Pop, V. J. M., 2013, I : *International Journal of Behavioral Medicine*. 20, 3, s. 444-449

Diabetes Attitudes Wishes and Needs 2 (DAWN2): a multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care

Peyrot, M., Burns, K. K., Davies, M. J., Forbes, A., Hermanns, N., Holt, R. I. G., Kalra, S., Nicolucci, A., Pouwer, F., Wens, J., Willaing, I. & Skovlund, S. E., 2013, I : *Diabetes Research and Clinical Practice*. 99, 2, s. 174-184

Diabetes Attitudes, Wishes and Needs second study (DAWN2™): cross-national benchmarking indicators for family members living with people with diabetes

Kovacs Burns, K., Nicolucci, A., Holt, R. I. G., Willaing, I., Hermanns, N., Kalra, S., Wens, J., Pouwer, F., Skovlund, S. E., Peyrot, M. & DAWN2 Study Group, 2013, I : *Diabetic Medicine Online*. 30, 7, s. 778-788

Differential associations between depressive symptoms and glycaemic control in outpatients with diabetes

Bot, M., Pouwer, F., De Jonge, P., Tack, C. J., Geelhoed-Duijvestijn, P. H. L. M. & Snoek, F. J., 2013, I : *Diabetic Medicine Online*. 30, 3, s. 115-122

Does the shortage of diabetes specialists in regional and rural Australia matter? Results from Diabetes MILES--Australia

Skinner, T., Allen, P., Peach, E., Browne, J. L., Pouwer, F., Speight, J. & Dunbar, J. A., 2013, I : *Diabetes Research and Clinical Practice*. 100, 2, s. 222-229

Effects of exercise training on quality of life, symptoms of depression, symptoms of anxiety and emotional well-being in type 2 diabetes mellitus: a systematic review

van der Heijden, M. M. P., van Dooren, F. E. P., Pop, V. J. M. & Pouwer, F., 2013, I : *Diabetologia*. 56, 6, s. 1210-1225

Ethnic aspects of emotional distress in patients with diabetes-the Amsterdam Health Monitor Study

Pouwer, F., Wijnhoven, H. A. H., Ujic-Voortman, J. K., de Wit, M., Schram, M. T., Baan, C. A. & Snoek, F. J., 2013, I : Diabetic Medicine Online. 30, 1, s. 25-31

Psychometric and screening properties of the WHO-5 well-being index in adult outpatients with Type 1 or Type 2 diabetes mellitus

Hajós, T. R. S., Pouwer, F., Skovlund, S. E., den Oudsten, B. L., Geelhoed-Duijvestijn, P. H. L. M., Tack, C. J. & Snoek, F. J., 2013, I : Diabetic Medicine Online. 30, 2, s. e63-e69

Severely obese people with diabetes experience impaired emotional well-being associated with socioeconomic disadvantage: results from diabetes MILES - Australia

Dixon, J. B., Browne, J. L., Lambert, G. W., Jones, K. M., Reddy, P., Pouwer, F. & Speight, J., 2013, I : Diabetes Research and Clinical Practice. 101, 2, s. 131-140

The association between diabetes and an episode of depressive symptoms in the 2002 World Health Survey: an analysis of 231,797 individuals from 47 countries

Mommersteeg, P. M. C., Herr, R., Pouwer, F., Holt, R. I. G. & Loerbroks, A., 2013, I : Diabetic Medicine Online. 30, 6, s. 208-214

The effects of a mindfulness-based intervention on emotional distress, quality of life, and HbA(1c) in outpatients with diabetes (DiaMind): a randomized controlled trial

VAN Son, J., Nyklicek, I., Pop, V. J. M., Blonk, M. C., Erdtsieck, R. J., Spooren, P. F., Toorians, A. W. & Pouwer, F., 2013, I : Diabetes Care. 36, 4, s. 823-830

The impact of comorbidity on Health-Related Quality of Life among cancer survivors: analyses of data from the PROFILES registry

Vissers, P. A. J., Thong, M. S. Y., Pouwer, F., Zanders, M. M. J., Coebergh, J. W. W. & van de Poll-Franse, L. V., 2013, I : Journal of Cancer Survivorship. 7, 4, s. 602-613

The longitudinal association between depressive symptoms and initiation of insulin therapy in people with type 2 diabetes in primary care

Nefs, G., Pop, V. J. M., Denollet, J. & Pouwer, F., 2013, I : PLOS ONE. 8, 11, 8 s., e78865.

Association of coexisting diabetes and depression with mortality after myocardial infarction

Bot, M., Pouwer, F., Zuidersma, M., van Melle, J. P. & de Jonge, P., 2012, I : Diabetes Care. 35, 3, s. 503-509

Biological effects of add-on eicosapentaenoic acid supplementation in diabetes mellitus and co-morbid depression: a randomized controlled trial

Mocking, R. J. T., Assies, J., Bot, M., Jansen, E. H. J. M., Schene, A. H. & Pouwer, F., 2012, I : PLOS ONE. 7, 11, 11 s., e49431.

Diabetes MILES--Australia (management and impact for long-term empowerment and success): methods and sample characteristics of a national survey of the psychological aspects of living with type 1 or type 2 diabetes in Australian adults

Speight, J., Browne, J. L., Holmes-Truscott, E., Hendrieckx, C. & Pouwer, F., 2012, I : BMC Public Health. 12, 120, 13 s.

Diabetes MILES--The Netherlands: rationale, design and sample characteristics of a national survey examining the psychosocial aspects of living with diabetes in Dutch adults

Nefs, G., Bot, M., Browne, J. L., Speight, J. & Pouwer, F., 2012, I : BMC Public Health. 12, 925, 11 s.

Higher levels of psychological distress are associated with a higher risk of incident diabetes during 18 year follow-up: results from the British household panel survey

Mommersteeg, P. M. C., Herr, R., Zijlstra, W. P., Schneider, S. & Pouwer, F., 2012, I : BMC Public Health. 12, 10 s., 1109.

Is a severe clinical profile an effect modifier in a Web-based depression treatment for adults with type 1 or type 2 diabetes? Secondary analyses from a randomized controlled trial

van Bastelaar, K. M. P., Pouwer, F., Cuijpers, P., Riper, H., Twisk, J. W. R. & Snoek, F. J., 2012, I : Journal of Medical Internet Research. 14, 1, 12 s., e2.

Managing co-morbid depression and anxiety in primary care patients with asthma and/or chronic obstructive pulmonary disease: study protocol for a randomized controlled trial

Pommer, A. M., Pouwer, F., Denollet, J. & Pop, V. J. M., 2012, I : Trials. 13, 6, 7 s.

Personality as a risk factor for the metabolic syndrome: a systematic review

Mommersteeg, P. M. C. & Pouwer, F., 2012, I : Journal of Psychosomatic Research. 73, 5, s. 326-333

Quality of life of children with type 1 diabetes: a systematic review

Nieuwesteeg, A. M., Pouwer, F., van der Kamp, R., van Bakel, H. J. A., Aanstoot, H-J. & Hartman, E. E., 2012, I : Current Diabetes Reviews. 8, 6, s. 434-443

Screening for type 2 diabetes does not reduce mortality over 10 years

Adriaanse, M. C. & Pouwer, F., 2012, I : BMJ Evidence-Based Medicine. 18, 5, s. 1741-1748

Screening tools used for measuring depression among people with Type 1 and Type 2 diabetes: a systematic review

Roy, T., Lloyd, C. E., Pouwer, F., Holt, R. I. G. & Sartorius, N., 2012, I : Diabetic Medicine Online. 29, 2, s. 164-175

Suboptimal glycaemic control in type 2 diabetes: a key role for anhedonia?

Nefs, G., Pouwer, F., Denollet, J., Kramer, M. H. H., Wijnands-van Gent, C. J. M. & Pop, V. J. M., 2012, I : Journal of Psychiatric Research. 46, 4, s. 549-454

Testing the effectiveness of a self-efficacy based exercise intervention for inactive people with type 2 diabetes mellitus: design of a controlled clinical trial

van der Heijden, M. M. P., Pouwer, F., Romeijnders, A. C. & Pop, V. J. M., 2012, I : BMC Public Health. 12, 331, 8 s.

The course of depressive symptoms in primary care patients with type 2 diabetes: results from the Diabetes, Depression, Type D Personality Zuidoost-Brabant (DiaDDZoB) Study

Nefs, G., Pouwer, F., Denollet, J. & Pop, V. J. M., 2012, I : Diabetologia. 55, 3, s. 608-616

The longitudinal association between glycaemic control and health-related quality of life following insulin therapy optimisation in type 2 diabetes patients. A prospective observational study in secondary care

Hajós, T. R. S., Pouwer, F., de Grooth, R., Holleman, F., Twisk, J. W. R., Diamant, M. & Snoek, F. J., 2012, I : Quality of Life Research. 21, 8, s. 1359-1365

Type D (distressed) personality in primary care patients with type 2 diabetes: validation and clinical correlates of the DS14 assessment

Nefs, G., Pouwer, F., Pop, V. J. M. & Denollet, J., 2012, I : Journal of Psychosomatic Research. 72, 4, s. 251-257

Initiation of insulin glargine in patients with Type 2 diabetes in suboptimal glycaemic control positively impacts health-related quality of life. A prospective cohort study in primary care

Hajós, T. R. S., Pouwer, F., de Grooth, R., Holleman, F., Twisk, J. W. R., Diamant, M. & Snoek, F. J., sep. 2011, I : Diabetic Medicine Online. 28, 9, s. 1096-102 7 s.

Validation of the Turkish version of the Centre for Epidemiologic Studies Depression Scale (CES-D) in patients with type 2 diabetes mellitus

Lehmann, V., Makine, C., Karşıdağ, C., Kadioğlu, P., Karşıdağ, K. & Pouwer, F., 26. jul. 2011, I : BMC Medical Research Methodology. 11, s. 109

Quality of the parent-child interaction in young children with type 1 diabetes mellitus: study protocol

Nieuwesteeg, A. M., Pouwer, F., van Bakel, H. J., Emons, W. H., Aanstoot, H-J., Odink, R. & Hartman, E. E., 14. apr. 2011, I : BMC Pediatrics. 11, s. 28

Limited effect of screening for depression with written feedback in outpatients with diabetes mellitus: a randomised controlled trial

Pouwer, F., Tack, C. J., Geelhoed-Duijvestijn, P. H. L. M., Bazelmans, E., Beekman, A. T. F., Heine, R. J. & Snoek, F. J., apr. 2011, I : Diabetologia. 54, 4, s. 741-8 8 s.

Prevalence of depression in individuals with impaired glucose metabolism or undiagnosed diabetes: a systematic review and meta-analysis of the European Depression in Diabetes (EDID) Research Consortium

Nouwen, A., Nefs, G., Caramlau, I., Connock, M., Winkley, K., Lloyd, C. E., Peyrot, M., Pouwer, F. & European Depression in Diabetes Research Consortium, mar. 2011, I : Diabetes Care. 34, 3, s. 752-62 11 s.

Maternal depression and child development after prenatal DHA supplementation

Assies, J., Mocking, R. J. T. & Pouwer, F., 26. jan. 2011, I : J A M A: The Journal of the American Medical Association. 305, 4, s. 360; author reply 360-1

Development and reach of a web-based cognitive behavioural therapy programme to reduce symptoms of depression and diabetes-specific distress

van Bastelaar, K. M. P., Cuijpers, P., Pouwer, F., Riper, H. & Snoek, F. J., 2011, I : Patient Education and Counseling. 84, 1, s. 49-55

Development of the Tilburg Pregnancy Distress Scale: the TPDS

Pop, V. J. M., Pommer, A. M., Pop-Purceanu, M., Wijnen, H. A. A., Bergink, V. & Pouwer, F., 2011, I : BMC Pregnancy and Childbirth. 11, 80, 8 s.

Dimensionality and scale properties of the Edinburgh Depression Scale (EDS) in patients with type 2 diabetes mellitus: the DiaDDzoB study

de Cock, E. S. A., Emons, W. H. M., Nefs, G., Pop, V. J. M. & Pouwer, F., 2011, I : BMC Psychiatry. 11, 141, 19 s., 141.

Disease management for co-morbid depression and anxiety in diabetes mellitus: design of a randomised controlled trial in primary care

Stoop, C. H., Spek, V. R. M., Pop, V. J. M. & Pouwer, F., 2011, I : BMC Family Practice. 12, 139, 6 s., 139.

Supplementation with eicosapentaenoic omega-3 fatty acid does not influence serum brain-derived neurotrophic factor in diabetes mellitus patients with major depression: a randomized controlled pilot study

Bot, M., Pouwer, F., Assies, J., Jansen, E. H. J. M., Beekman, A. T. F. & de Jonge, P., 2011, I : Neuropsychobiology. 63, 4, s. 219-23 5 s.

Testing the effectiveness of a mindfulness-based intervention to reduce emotional distress in outpatients with diabetes (DiaMind): design of a randomized controlled trial

VAN Son, J., Nyklíček, I., Pop, V. J. M. & Pouwer, F., 2011, I : BMC Public Health. 11, 131, 11 s., 131.

Validation of the Turkish version of the problem areas in diabetes scale

Huis In 't Veld, E. M. J., Makine, C., Nouwen, A., Karşıdağ, C., Kadioğlu, P., Karşıdağ, K. & Pouwer, F., 2011, I : Cardiovascular Psychiatry and Neurology. 2011, s. 315068

Web-based depression treatment for type 1 and type 2 diabetic patients: a randomized, controlled trial

van Bastelaar, K. M. P., Pouwer, F., Cuijpers, P., Riper, H. & Snoek, F. J., 2011, I : Diabetes Care. 34, 2, s. 320-325

Two recently published meta-analyses on the effectiveness of mindfulness-based interventions: what should the reader make of it?

Nyklíček, I., VAN Son, J. & Pouwer, F., dec. 2010, I : Journal of Psychosomatic Research. 69, 6, s. 613-4; author reply 614-5

Type 2 diabetes mellitus as a risk factor for the onset of depression: a systematic review and meta-analysis

Nouwen, A., Winkley, K., Twisk, J. W. R., Lloyd, C. E., Peyrot, M., Ismail, K., Pouwer, F. & European Depression in Diabetes (EDID) Research Consortium, dec. 2010, I : Diabetologia. 53, 12, s. 2480-6 7 s.

Predictors of incident major depression in diabetic outpatients with subthreshold depression

Bot, M., Pouwer, F., Ormel, J., Slaets, J. P. J. & de Jonge, P., nov. 2010, I : *Diabetic Medicine Online*. 27, 11, s. 1295-301 7 s.

Psychophysiological biomarkers explaining the association between depression and prognosis in coronary artery patients: a critical review of the literature

de Jonge, P., Rosmalen, J. G. M., Kema, I. P., Doornbos, B., van Melle, J. P., Pouwer, F. & Kupper, N., sep. 2010, I : *Neuroscience and biobehavioral reviews*. 35, 1, s. 84-90 7 s.

The Epidemiology of Depression and Diabetes

Lloyd, C. E., Hermanns, N., Nouwen, A., Pouwer, F., Underwood, L. & Winkley, K., 3. aug. 2010, *Depression and Diabetes*. John Wiley and Sons Ltd, s. 1-27 27 s.

Psychological risk factors of micro- and macrovascular outcomes in primary care patients with type 2 diabetes: rationale and design of the DiaDDZoB Study

Nefs, G., Pouwer, F., Denollet, J. & Pop, V. J., 1. jul. 2010, I : *BMC Public Health*. 10, s. 388

Diabetes-specific emotional distress mediates the association between depressive symptoms and glycaemic control in Type 1 and Type 2 diabetes

van Bastelaar, K. M. P., Pouwer, F., Geelhoed-Duijvestijn, P. H. L. M., Tack, C. J., Bazelmans, E., Beekman, A. T. F., Heine, R. J. & Snoek, F. J., jul. 2010, I : *Diabetic Medicine Online*. 27, 7, s. 798-803 6 s.

Does emotional stress cause type 2 diabetes mellitus? A review from the European Depression in Diabetes (EDID) Research Consortium

Pouwer, F., Kupper, N. & Adriaanse, M. C., feb. 2010, I : *Drug Discovery Today*. 9, 45, s. 112-8 7 s.

Prevalence of comorbid depression is high in out-patients with Type 1 or Type 2 diabetes mellitus. Results from three out-patient clinics in the Netherlands

Pouwer, F., Geelhoed-Duijvestijn, P. H. L. M., Tack, C. J., Bazelmans, E., Beekman, A. J., Heine, R. J. & Snoek, F. J., feb. 2010, I : *Diabetic Medicine Online*. 27, 2, s. 217-24 8 s.

Eicosapentaenoic acid as an add-on to antidepressant medication for co-morbid major depression in patients with diabetes mellitus: a randomized, double-blind placebo-controlled study

Bot, M., Pouwer, F., Assies, J., Jansen, E. H. J. M., Diamant, M., Snoek, F. J., Beekman, A. T. F. & De Jonge, P., 2010, I : *Journal of Affective Disorders*. 126, 1-2, s. 282-6 5 s.

Plasma and erythrocyte fatty acid patterns in patients with recurrent depression: a matched case-control study

Assies, J., Pouwer, F., Lok, A., Mocking, R. J. T., Bockting, C. L. H., Visser, I., Abeling, N. G. G. M., Duran, M. & Schene, A. H., 2010, I : *PLOS ONE*. 5, 5, s. e10635

Should we screen for emotional distress in type 2 diabetes mellitus?

Pouwer, F., dec. 2009, I : *Nature Reviews Endocrinology*. 5, 12, s. 665-71 7 s.

Insulin therapy and quality of life. A review

Pouwer, F. & Hermanns, N., sep. 2009, I : *Diabetes - Metabolism: Research and Reviews (Online)*. 25 Suppl 1, s. S4-S10

Online cognitieve gedragstherapie voor diabetespatiënten met depressieve klachten: een gerandomiseerd gecontroleerd onderzoek

Van Bastelaar, K. M. P., Pouwer, F., Cuijpers, P. & Snoek, F. J., 1. aug. 2009, I : *Psychologie en Gezondheid*. 37, 4, s. 222-228 7 s.

Depressive symptoms are associated with physical inactivity in patients with type 2 diabetes. The DIAZOB Primary Care Diabetes study

Koopmans, B., Pouwer, F., de Bie, R. A., van Rooij, E. S., Leusink, G. L. & Pop, V. J. M., jun. 2009, I : *Family Practice*. 26, 3, s. 171-3 3 s.

Symptoms of depression and diabetes-specific emotional distress are associated with a negative appraisal of insulin therapy in insulin-naïve patients with Type 2 diabetes mellitus. A study from the European Depression in Diabetes [EDID] Research Consortium

Makine, C., Karşıdağ, C., Kadioğlu, P., İlkova, H., Karşıdağ, K., Skovlund, S. E., Snoek, F. J. & Pouwer, F., jan. 2009, I : Diabetic Medicine Online. 26, 1, s. 28-33 6 s.

Associations between vascular co-morbidities and depression in insulin-naïve diabetes patients: the DIAZOB Primary Care Diabetes study

Koopmans, B., Pouwer, F., de Bie, R. A., Leusink, G. L., Denollet, J. K. L. & Pop, V. J. M., 2009, I : Diabetologia. 52, 10, s. 2056-63 8 s.

Depression and quality of life in patients with diabetes: a systematic review from the European depression in diabetes (EDID) research consortium

Schram, M. T., Baan, C. A. & Pouwer, F., 2009, I : Current Diabetes Reviews. 5, 2, s. 112-9 8 s.

Depression and type 2 diabetes over the lifespan: a meta-analysis. Response to Mezuk et al

Nouwen, A., Lloyd, C. E. & Pouwer, F., 2009, I : Diabetes Care. 32, 5, s. e56; author reply e57

Serious diabetes-specific emotional problems in patients with type 2 diabetes who have different levels of comorbid depression: a Polish study from the European Depression in Diabetes (EDID) Research Consortium

Kokoszka, A., Pouwer, F., Jodko, A., Radzio, R., Mućko, P., Bieńkowska, J., Kuligowska, E., Smoczyńska, O. & Skłodowska, Z., 2009, I : European Psychiatry. 24, 7, s. 425-30 6 s.

Diabetes-related symptom distress in association with glucose metabolism and comorbidity: the Hoorn Study

Adriaanse, M. C., Pouwer, F., Dekker, J. M., Nijpels, G., Stehouwer, C. D. A., Heine, R. J. & Snoek, F. J., dec. 2008, I : Diabetes Care. 31, 12, s. 2268-70 3 s.

Letter to the editor

Pouwer, F., 1. aug. 2008, I : Quality of Life Research. 17, 6, s. 963-964 2 s.

Psychosociale interventies bij mensen met diabetes

Keers, J. C. & Pouwer, F., 1. aug. 2008, I : Psychologie en Gezondheid. 36, 4, s. 209-220 12 s.

Symptoms of depression in people with impaired glucose metabolism or Type 2 diabetes mellitus: The Hoorn Study

Adriaanse, M. C., Dekker, J. M., Heine, R. J., Snoek, F. J., Beekman, A. J., Stehouwer, C. D. A., Bouter, L. M., Nijpels, G. & Pouwer, F., jul. 2008, I : Diabetic Medicine Online. 25, 7, s. 843-9 7 s.

Personality characteristics in adolescence predict long-term changes in body fatness

Koppes, L. L. J., de Boer, M. R., Samoocha, D., Kreuk, I. M. T., Pouwer, F., Twisk, J. W. R. & van Mechelen, W., mar. 2008, I : Diabetes Research and Clinical Practice. 79, 3, s. e10-3

Web-based cognitive behavioural therapy (W-CBT) for diabetes patients with co-morbid depression: design of a randomised controlled trial

van Bastelaar, K. M. P., Pouwer, F., Cuijpers, P., Twisk, J. W. R. & Snoek, F. J., 19. feb. 2008, I : BMC Psychiatry. 8, s. 9

One-carbon metabolism and depression

Assies, J. & Pouwer, F., 2008, I : British Journal of Psychiatry. 193, 4, s. 344; author reply 344

Development and validation of the insulin treatment appraisal scale (ITAS) in patients with type 2 diabetes

Snoek, F. J., Skovlund, S. E. & Pouwer, F., 20. dec. 2007, I : Health and Quality of Life Outcomes. 5, s. 69

Validation of the WHO-5 Well-Being Index in adolescents with type 1 diabetes

de Wit, M., Pouwer, F., Gemke, R. J. B. J., Delemarre-van de Waal, H. A. & Snoek, F. J., aug. 2007, I : Diabetes Care. 30, 8, s. 2003-6 4 s.

No evidence for increased self-reported cognitive failure in Type 1 and Type 2 diabetes: a cross-sectional study

Wessels, A. M., Pouwer, F., Geelhoed-Duijvestijn, P. H. L. M., Snel, M., Kostense, P. J., Scheltens, P., Heine, R. J. & Snoek, F. J., jul. 2007, I : Diabetic Medicine Online. 24, 7, s. 735-40 6 s.

Monitoring health related quality of life in adolescents with diabetes: a review of measures

de Wit, M., Delemarre-van de Waal, H. A., Pouwer, F., Gemke, R. J. B. J. & Snoek, F. J., 2007, I : Reviewer for Archives of Diseases in Childhood. 92, 5, s. 434-9 6 s.

Associations between depressive symptoms and insulin resistance: the Hoorn Study

Adriaanse, M. C., Dekker, J. M., Nijpels, G., Heine, R. J., Snoek, F. J. & Pouwer, F., dec. 2006, I : Diabetologia. 49, 12, s. 2874-7 4 s.

Nurses' recognition and registration of depression, anxiety and diabetes-specific emotional problems in outpatients with diabetes mellitus

Pouwer, F., Beekman, A. T. F., Lubach, C. & Snoek, F. J., feb. 2006, I : Patient Education and Counseling. 60, 2, s. 235-40 6 s.

Depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis

Knol, M. J., Twisk, J. W. R., Beekman, A. T. F., Heine, R. J., Snoek, F. J. & Pouwer, F., 2006, I : Diabetologia. 49, 5, s. 837-45 9 s.

Fat food for a bad mood. Could we treat and prevent depression in Type 2 diabetes by means of omega-3 polyunsaturated fatty acids? A review of the evidence

Pouwer, F., Nijpels, G., Beekman, A. T. F., Dekker, J. M., van Dam, R. M., Heine, R. J. & Snoek, F. J., nov. 2005, I : Diabetic Medicine Online. 22, 11, s. 1465-75 11 s.

Serious diabetes-specific emotional problems and depression in a Croatian-Dutch-English Survey from the European Depression in Diabetes [EDID] Research Consortium

Pouwer, F., Skinner, T. C., Pibernik-Okanovic, M., Beekman, A. T. F., Craddock, S., Szabo, S., Metelko, Z. & Snoek, F. J., nov. 2005, I : Diabetes Research and Clinical Practice. 70, 2, s. 166-73 8 s.

Are factor analytical techniques used appropriately in the validation of health status questionnaires? A systematic review on the quality of factor analysis of the SF-36: Commentary

De Vet, H. C. W., Adér, H. J., Terwee, C. B. & Pouwer, F., 1. jun. 2005, I : Quality of Life Research. 14, 5, s. 1219-1224 6 s.

Are factor analytical techniques used appropriately in the validation of health status questionnaires? A systematic review on the quality of factor analysis of the SF-36

de Vet, H. C. W., Adér, H. J., Terwee, C. B. & Pouwer, F., jun. 2005, I : Quality of Life Research. 14, 5, s. 1203-18; discussion 1219-21, 1223-4

Response

de Vet, H., Adér, H. J., Terwee, C. B. & Pouwer, F., jun. 2005, I : Quality of Life Research. 14, 5, s. 1223-4 2 s.

Depressive symptoms, insulin resistance, and risk of diabetes in women at midlife: response to Everson-Rose et al

Pouwer, F. & de Jonge, P., 2005, I : Diabetes Care. 28, 5, s. 1265-6; author reply 1266

Schizophrenia, syndrome X, and omega-3 fatty acids

Pouwer, F., Lieveise, R., Diamant, M. & Assies, J., 2004, I : The American Journal of Psychiatry. 161, 10, s. 1926

Rates and risks for co-morbid depression in patients with Type 2 diabetes mellitus: results from a community-based study

Pouwer, F., Beekman, A. T. F., Nijpels, G., Dekker, J. M., Snoek, F. J., Kostense, P. J., Heine, R. J. & Deeg, D. J. H., jul. 2003, I : Diabetologia. 46, 7, s. 892-8 7 s.

The confidence in diabetes self-care scale: psychometric properties of a new measure of diabetes-specific self-efficacy in Dutch and US patients with type 1 diabetes

Van Der Ven, N. C. W., Weinger, K., Yi, J., Pouwer, F., Adér, H. J., Van Der Ploeg, H. M. & Snoek, F. J., mar. 2003, I : Diabetes Care. 26, 3, s. 713-8 6 s.

—to: M. Koopmanschap: Coping with Type 2 diabetes: the patient's perspective. Diabetologia 45:S18-S22

Pouwer, F. & Adriaanse, M. C., feb. 2003, I : Diabetologia. 46, 2, s. 302-3 2 s.

Continuous intraperitoneal insulin infusion in patients with 'brittle' diabetes: favourable effects on glycaemic control and hospital stay

DeVries, J. H., Eskes, S. A., Snoek, F. J., Pouwer, F., Van Ballegooie, E., Spijker, A. J., Kostense, P. J., Seubert, M. & Heine, R. J., jun. 2002, I : Diabetic Medicine Online. 19, 6, s. 496-501 6 s.

Patients' Evaluation of the Quality of Diabetes Care (PEQD): development and validation of a new instrument

Pouwer, F. & Snoek, F. J., jun. 2002, I : B M J Quality and Safety. 11, 2, s. 131-6 6 s.

Monitoring of psychological well-being in outpatients with diabetes: effects on mood, HbA(1c), and the patient's evaluation of the quality of diabetes care: a randomized controlled trial

Pouwer, F., Snoek, F. J., Van Der Ploeg, H. M., Adér, H. J. & Heine, R. J., nov. 2001, I : Diabetes Care. 24, 11, s. 1929-35 7 s.

Association between symptoms of depression and glycaemic control may be unstable across gender

Pouwer, F. & Snoek, F. J., jul. 2001, I : Diabetic Medicine Online. 18, 7, s. 595-8 4 s.

Diabetes-related emotional distress in Dutch and U.S. diabetic patients: cross-cultural validity of the problem areas in diabetes scale

Snoek, F. J., Pouwer, F., Welch, G. W. & Polonsky, W. H., sep. 2000, I : Diabetes Care. 23, 9, s. 1305-9 5 s.

Diabetes Fear of Injecting and Self-Testing Questionnaire: a psychometric evaluation

Mollema, E. D., Snoek, F. J., Pouwer, F., Heine, R. J. & Van Der Ploeg, H. M., jun. 2000, I : Diabetes Care. 23, 6, s. 765-9 5 s.

Psychological distress two years after diagnosis of breast cancer: frequency and prediction

Bleiker, E. M., Pouwer, F., Van Der Ploeg, H. M., Leer, J. W. & Adér, H. J., jun. 2000, I : Patient Education and Counseling. 40, 3, s. 209-17 9 s.

The well-being questionnaire: evidence for a three-factor structure with 12 items (W-BQ12)

Pouwer, F., Snoek, F. J., Van Der Ploeg, H. M., Adér, H. J. & Heine, R. J., mar. 2000, I : Psychological Medicine. 30, 2, s. 455-62 8 s.

Patiënten die na de reguliere behandeling voor borstkanker voor het eerst alternatieve geneeswijzen gebruiken, rapporteren meer psychische klachten

Pouwer, F., 1. dec. 1999, I : Nederlands Tijdschrift voor Geneeskunde. 143, 38, 1 s.

The 12-item well-being questionnaire. An evaluation of its validity and reliability in Dutch people with diabetes

Pouwer, F., Van Der Ploeg, H. M., Adér, H. J., Heine, R. J. & Snoek, F. J., dec. 1999, I : Diabetes Care. 22, 12, s. 2004-10 7 s.

Factor structure of the Disability and Impact Profile in patients with multiple sclerosis

Cohen, J. L., Pouwer, F., Pfenning, L. E., Lankhorst, G. J., Van Der Ploeg, H. M., Polman, C. H., Adér, H. J., Jønsson, A. & Vleugels, L., 1999, I : Quality of Life Research. 8, 1-2, s. 141-50 10 s.

Use of alternative medicine by women with breast cancer

Pouwer, F., 1999, I : The New England Journal of Medicine. 341, 15, s. 1155-6; author reply 1156-7

Ceiling effect reduces the validity of the Diabetes Treatment Satisfaction Questionnaire

Pouwer, F., Snoek, F. J. & Heine, R. J., nov. 1998, I : Diabetes Care. 21, 11, s. 2039

Dwalingen in de methodologie. II. Bias door vragenlijsten

Pouwer, F., Van Der Ploeg, H. M. & Bramsen, I., 4. jul. 1998, I : Nederlands Tijdschrift voor Geneeskunde. 142, 27, s. 1556-8 3 s.

Psychological functioning in primary progressive versus secondary progressive multiple sclerosis

Vleugels, L., Pfenning, L. E., Pouwer, F., Cohen, J. L., Ketelaer, P., Polman, C. H., Lankhorst, G. J. & Van Der Ploeg, H. M., mar. 1998, I : British Journal of Developmental Psychology. 71 (Pt 1), s. 99-106 8 s.

A comparison of the standard and the computerized versions of the Well-being Questionnaire (WBQ) and the Diabetes Treatment Satisfaction Questionnaire (DTSQ)

Pouwer, F., Snoek, F. J., Van Der Ploeg, H. M., Heine, R. J. & Brand, A. N., jan. 1998, I : Quality of Life Research. 7, 1, s. 33-8 6 s.

Presse/medie

Det er hårdt arbejde at være diabetespatient

Francois Pouwer

24/02/2019

1 Mediebidrag

Diabetescenter sætter fokus på psykologiske elementer i behandlingen

Francois Pouwer

22/11/2018

1 Mediebidrag

Forskere forsøger at forudsige risiko for demens hos T2D-patienter

Francois Pouwer

23/02/2020

1 Mediebidrag

Forskere vil se, om de kan aflæse risiko for demens i øjnene hos type 2-diabetespatienter

Francois Pouwer

04/03/2020

1 Mediebidrag

Hollandsk professor til Odense

Francois Pouwer

20/11/2018

1 Mediebidrag

NY I JOB

Francois Pouwer

10/12/2018

1 Mediebidrag

Nyt om navne

Francois Pouwer

28/11/2018

1 Mediebidrag

Professor i psykologi til diabetesforskning

Francois Pouwer
26/11/2018
1 Mediebidrag

Professorer: Somatiske patienters psykiske problemer underbehandles

Francois Pouwer
29/08/2018
1 Mediebidrag

RUNDE FØDSELSDAGE TORSDAG DEN 1. NOVEMBER

Francois Pouwer
01/11/2018
1 Mediebidrag

SDU deltager i storstilet europæisk diabetes-indsats

Francois Pouwer
25/05/2018
1 Mediebidrag

SDU MED I STOR DIABETES-INDSATS

Francois Pouwer
30/07/2018
1 Mediebidrag

Undervisning og vejledning**1. Communication skills training year 1-4 Medicine, Vrije Universiteit Amsterdam, Netherlands**

Frans Pouwer
01/01/1993 → 31/12/2001

2. Supervision of PhD students and scientific projects, VU Amsterdam, Tilburg University, and University of Southern Denmark

Frans Pouwer
01/01/2005 → 01/04/2022

3. Lectures and working groups about medical psychology and diabetes in the course Pathology (Ziekteleer), Tilburg University, Netherlands

Frans Pouwer
01/08/2008 → 31/12/2016

4. Director of the 2 year master Medical Psychology, Tilburg University, Netherlands

Frans Pouwer
01/01/2010 → 01/01/2014

5. Coordinator master thesis medical psychology, Tilburg University, Netherlands

Frans Pouwer
01/01/2010 → 31/12/2016

6. Coordinator of the course Advanced scientific skills for the medical psychologist, Tilburg University, Netherlands

Frans Pouwer
01/01/2010 → 31/12/2016

7. Master thesis Psychology, University of Southern Denmark

Frans Pouwer
01/01/2017 → 31/12/2020

8. B07, Clinical Psychology, University of Southern Denmark (2 lectures)

Frans Pouwer
26/02/2019 → 07/03/2019

9. B06 Medical Psychology, University of Southern Denmark (coordination and teaching)

Frans Pouwer & Nanna Lindekilde
06/11/2018 → 15/01/2019