

Lars Grøntved
Department of Biochemistry and Molecular Biology
Postal address:
Campusvej 55
5230
Odense M
Denmark
Email: grontved@bmb.sdu.dk, larsgr@bmb.sdu.dk
Phone: 65509279
Mobile: 24601406



Employment

Associate Professor

Department of Biochemistry and Molecular Biology
University of Southern Denmark
Odense M
1. Jan 1998 → present

Postdoc

National Institutes of Health
Bethesda, United States
1. Jan 2010 → 30. Apr 2014

Research outputs

Editorial: Regulating Liver Transcriptional Networks by Endocrine, Extracellular, and Intrinsic Cues

Grøntved, L. & Goldstein, I., Dec 2019, In : *Frontiers in Endocrinology*. 10, 3 p., 878.

Meta-analysis of Chromatin Programming by Steroid Receptors

Paakinaho, V., Swinestead, E. E., Presman, D. M., Grøntved, L. & Hager, G. L., 24. Sep 2019, In : *Cell Reports*. 28, 13, p. 3523-3534 15 p.

Collagen density regulates the activity of tumor-infiltrating T cells

Kuczek, D. E., Larsen, A. M. H., Thorseth, M-L., Carretta, M., Kalvisa, A., Siersbæk, M. S., Simões, A. M. C., Roslind, A., Engelholm, L. H., Noessner, E., Donia, M., Svane, I. M., Straten, P. T., Grøntved, L. & Madsen, D. H., 12. Mar 2019, In : *Journal for immunotherapy of cancer*. 7, 1, 15 p., 68.

Insulin signaling and reduced glucocorticoid receptor activity attenuate postprandial gene expression in liver

Kalvisa, A., Siersbæk, M. S., Præsthholm, S. M., Christensen, L. J. L., Nielsen, R., Stohr, O., Vettorazzi, S., Tuckermann, J., White, M., Mandrup, S. & Grøntved, L., 10. Dec 2018, In : *PLOS Biology*. 16, 12, p. 1-32 e2006249.

Insulin signaling in combination with reduced glucocorticoid activity attenuate post-prandial gene expression in liver

Siersbæk, M., Kalvisa, A., Præsthholm, S. M., Christensen, L. J. L., Nielsen, R., Stohr, O., Vettorazzi, S., Tuckermann, J., White, M., Mandrup, S. & Grøntved, L., 11. Sep 2018.

Tumor-Associated Macrophages Derived from Circulating Inflammatory Monocytes Degrade Collagen through Cellular Uptake

Madsen, D. H., Jørgensen, H. J., Siersbæk, M. S., Kuczek, D. E., Grey Cloud, L., Liu, S., Behrendt, N., Grøntved, L., Weigert, R. & Bugge, T. H., 26. Dec 2017, In : *Cell Reports*. 21, 13, p. 3662-3671

High fat diet-induced changes of mouse hepatic transcription and enhancer activity can be reversed by subsequent weight loss

Siersbæk, M., Varticovski, L., Yang, S., Baek, S., Nielsen, R., Mandrup, S., Hager, G., H. Chung, J. & Grøntved, L., 10. Jan 2017, In : *Scientific Reports*. 7, 13 p., 40220.

Genome-wide identification of basic helix-loop-helix and NF-1 motifs underlying GR binding sites in male rat hippocampus

Pooley, J. R., Flynn, B. P., Grøntved, L., Baek, S., Guertin, M. J., Kershaw, Y. M., Birnie, M. T., Pellatt, A., Rivers, C. A., Schiltz, R. L., Hager, G. L., Lightman, S. L. & Conway-Campbell, B. L., 2017, In : *Endocrinology*. 158, 5, p. 1486-1501

Noncanonical thyroid hormone signaling mediates cardiometabolic effects in vivo

Hönes, G. S., Rakov, H., Logan, J., Liao, X. H., Werbenko, E., Pollard, A. S., Præsthholm, S. M., Siersbæk, M. S., Rijntjes, E., Gassen, J., Latteyer, S., Engels, K., Strucksberg, K. H., Kleinbongard, P., Zwanziger, D., Rozman, J., Gailus-Durner, V., Fuchs, H., De Angelis, M. H., Klein-Hitpass, L. & 8 others, Köhrle, J., Armstrong, D. L., Grøntved, L., Bassett, J. H. D., Williams, G. R., Refetoff, S., Führer, D. & Moeller, L. C., 2017, In : *Proceedings of the National Academy of Sciences of the United States of America*. 114, 52, p. E11323-E11332

HIGH FAT DIET-INDUCED CHANGES OF MOUSE HEPATIC TRANSCRIPTION AND ENHANCER ACTIVITY ARE REVERSED BY SUBSEQUENT WEIGHT LOSS.

Siersbæk, M., Varticovski, L., Yang, S., Baek, S., Nielsen, R., Mandrup, S., Hager, G., H. Chung, J. & Grøntved, L., 25. Aug 2016.

MDM2 facilitates adipocyte differentiation through CRTC-mediated activation of STAT3

Hallenborg, P., Siersbæk, M., Barrio-Hernandez, I., Nielsen, R., Kristiansen, K., Mandrup, S., Grøntved, L. & Blagoev, B., 1. Jul 2016, In : *Cell Death & Disease*. 7, 6, p. e2289

Steroid receptors reprogram FoxA1 occupancy through dynamic chromatin transitions

Swinstead, E. E., Miranda, T. B., Paakinaho, V., Baek, S., Goldstein, I., Hawkins, M., Karpova, T. S., Ball, D., Mazza, D., Lavis, L. D., Grimm, J. B., Morisaki, T., Grøntved, L., Presman, D. M. & Hager, G. L., 21. Apr 2016, In : *Cell*. 165, 3, p. 593-605

Structural Modeling of GR Interactions with the SWI/SNF Chromatin Remodeling Complex and C/EBP

Muratcioglu, S., Presman, D. M., Pooley, J. R., Grøntved, L., Hager, G. L., Nussinov, R., Keskin, O. & Gursoy, A., 15. Sep 2015, In : *Biophysical Journal*. 109, 6, p. 1227-39 13 p.

Transcriptional activation by the thyroid hormone receptor through ligand-dependent receptor recruitment and chromatin remodelling

Grøntved, L., Waterfall, J. J., Kim, D. W., Baek, S., Sung, M-H., Zhao, L., Park, J. W., Nielsen, R., Walker, R. L., Zhu, Y. J., Meltzer, P. S., Hager, G. L. & Cheng, S-Y., 2015, In : *Nature Communications*. 6, 7048.

Live cell imaging unveils multiple domain requirements for in vivo dimerization of the glucocorticoid receptor

Presman, D. M., Ogara, M. F., Stortz, M., Alvarez, L. D., Pooley, J. R., Schiltz, R. L., Grøntved, L., Johnson, T. A., Mittelstadt, P. R., Ashwell, J. D., Ganesan, S., Burton, G., Levi, V., Hager, G. L. & Pecci, A., Mar 2014, In : *P L o S Biology*. 12, 3, p. e1001813

C/EBP maintains chromatin accessibility in liver and facilitates glucocorticoid receptor recruitment to steroid response elements

Grøntved, L., John, S., Baek, S., Liu, Y., Buckley, J. R., Vinson, C., Aguilera, G. & Hager, G. L., 2013, In : *E M B O Journal*. 32, 11, p. 1568-83

eRNAs promote transcription by establishing chromatin accessibility at defined genomic loci

Mousavi, K., Zare, H., Dell'orso, S., Grøntved, L., Gutierrez-Cruz, G., Derfoul, A., Hager, G. L. & Sartorelli, V., 2013, In : *Molecular Cell*. 51, 5, p. 606-17

Interactome maps of mouse gene regulatory domains reveal basic principles of transcriptional regulation

Kieffer-Kwon, K-R., Tang, Z., Mathe, E., Qian, J., Sung, M-H., Li, G., Resch, W., Baek, S., Pruett, N., Grøntved, L., Vian, L., Nelson, S., Zare, H., Hakim, O., Reyon, D., Yamane, A., Nakahashi, H., Kovalchuk, A. L., Zou, J., Joung, J. K. & 6 others, Sartorelli, V., Wei, C-L., Ruan, X., Hager, G. L., Ruan, Y. & Casellas, R., 2013, In : *Cell*. 155, 7, p. 1507-20

Reprogramming the chromatin landscape: interplay of the estrogen and glucocorticoid receptors at the genomic level
Miranda, T. B., Voss, T. C., Sung, M-H., Baek, S., John, S., Hawkins, M., Grøntved, L., Schiltz, R. L. & Hager, G. L., 2013
, In : Cancer Research. 73, 16, p. 5130-9

Impact of chromatin structure on PR signaling: transition from local to global analysis
Grøntved, L. & Hager, G. L., 2012, In : Molecular and Cellular Endocrinology. 357, 1-2, p. 30-36

Rapid genome-scale mapping of chromatin accessibility in tissue
Grøntved, L., Bandle, R., John, S., Baek, S., Chung, H-J., Liu, Y., Aguilera, G., Oberholtzer, C., Hager, G. L. & Levens, D., 2012, In : Epigenetics & Chromatin. 5, 10, 12 p.

The Transcription Factor Encyclopedia

Yusuf, D., Butland, S. L., Swanson, M. I., Bolotin, E., Ticoll, A., Cheung, W. A., Zhang, X. Y., Dickman, C. T., Fulton, D. L., Lim, J. S., Schnabl, J. M., Ramos, O. H., Vasseur-Cognet, M., de Leeuw, C. N., Simpson, E. M., Ryffel, G. U., Lam, E. W-F., Kist, R., Wilson, M. S., Marco-Ferrerres, R. & 94 others, Brosens, J. J., Beccari, L. L., Bovolenta, P., Benayoun, B. A., Monteiro, L. J., Schwenen, H. D., Grøntved, L., Wederell, E., Mandrup, S., Veitia, R. A., Chakravarthy, H., Hoodless, P. A., Mancarelli, M., Torbett, B. E., Banham, A. H., Reddy, S. P., Cullum, R. L., Liedtke, M., Tschan, M. P., Vaz, M., Rizzino, A., Zannini, M., Fietze, S., Farnham, P. J., Eijkelenboom, A., Brown, P. J., Laperriere, D., Leprince, D., de Cristofaro, T., Prince, K. L., Putker, M., Del Peso, L., Camenisch, G., Wenger, R. H., Mikula, M., Rozendaal, M., Mader, S., Ostrowski, J., Rhodes, S. J., Van Rechem, C., Boulay, G., Olechnowicz, S. W., Breslin, M. B., Lan, M. S., Nanan, K. K., Wegner, M., Hou, J., Mullen, R. D., Colvin, S. C., Noy, P. J., Webb, C. F., Witek, M. E., Ferrell, S., Daniel, J. M., Park, J., Waldman, S. A., Peet, D. J., Taggart, M., Jayaraman, P-S., Karrich, J. J., Blom, B., Vesuna, F., O'Geen, H., Sun, Y., Gronostajski, R. M., Woodcroft, M. W., Hough, M. R., Chen, E., Europe-Finner, N., Karolczak-Bayatti, M., Bailey, J., Hankinson, O., Raman, V., Lebrun, D. P., Biswal, S., Harvey, C. J., Debruyne, J. P., Hogenesch, J. B., Hevner, R. F., Heligon, C., Luo, X. M., Blank, M. C., Millen, K. J., Sharlin, D. S., Forrest, D., Dahlman-Wright, K., Zhao, C., Mishima, Y., Sinha, S., Chakrabarti, R., Portales-Casamar, E., Sladek, F. M., Bradley, P. H. & Wasserman, W. W., 2012, In : Genome Biology (Online Edition). 13, 3, p. R24

MED14 tethers mediator to the N-terminal domain of peroxisome proliferator-activated receptor gamma and is required for full transcriptional activity and adipogenesis
Grøntved, L., Madsen, M. S., Boergesen, M., Roeder, R. G. & Mandrup, S., 1. May 2010, In : Molecular and Cellular Biology. 30, 9, p. 2155-69 15 p.

The PPAR{gamma}2 A/B-domain plays a gene-specific role in transactivation and cofactor recruitment
Bugge, A. S., Grøntved, L., Aagaard, M. M., Borup, R. & Mandrup, S., 1. Jun 2009, In : Molecular Endocrinology. 23, 6, p. 794-808 14 p.

MED14 tethers the Mediator to the N-terminal domain of PPARγ and is required for full transcriptional activity and adipogenesis
Grøntved, L., 2009.

Co-factors necessary for PPAR mediated transactivation of endogenous target genes
Grøntved, L., Nielsen, R., Stunnenberg, H. & Mandrup, S., 2008.

Extensive mapping of PPAR binding to genomic DNA
Nielsen, R., Pedersen, T. Å., Trindade, L., van Driel, M., Grøntved, L., Brozek, J. J., Staels, B., Hum, D., Stunnenberg, H. & Mandrup, S., 2008.

MED1 independent activation of endogenous target genes by PPARα
Grøntved, L., Bugge, A. K., Roeder, R. G. & Mandrup, S., 2008.

Molecular Mechanisms of PPAR Subtype Specific Activation of Target Genes
Grøntved, L., 2008, Syddansk Universitet. Det Naturvidenskabelige Fakultet.

PPARγ2s A/B-domæne spiller en genspecifik rolle i transaktivering og co-faktor rekruttering
Bugge, A. S., Grøntved, L., M. Aagaard, M., Borup, R. & Mandrup, S., 2008.

The adipogenic acetyltransferase Tip60 targets activation function 1 of peroxisome proliferator-activated receptor gamma
van Beekum, O., Brenkman, A. B., Grøntved, L., Hamers, N., van den Broek, N. J. F., Berger, R., Mandrup, S. & Kalkhoven, E., 2008, In : Endocrinology. 149, 4, p. 1840-1849 9 p.

Molecular mechanisms of PPAR subtype specific transactivation of target genes as investigated by ChIP and adenoviral vectors
Nielsen, R., Grøntved, L., Bugge, A. K., Stunnenberg, H. & Mandrup, S., 2006.

Peroxisome proliferator-activated receptor subtype- and cell-type-specific activation of genomic target genes upon adenoviral transgene delivery
Nielsen, R., Grøntved, L., Stunnenberg, H. G. & Mandrup, S., 2006, In : Molecular and Cellular Biology. 26, 15, p. 5698-5714 16 p.

PPAR A/B domains in ligand-dependent and independent transactivation of genomic target genes.
Bugge, A. K., Grøntved, L., Nielsen, R., Larsen, M. M. K. & Mandrup, S., 2006.

PPAR subtype and cell type specific activation of genomic target genes upon adenoviral transgene delivery
Nielsen, R., Grøntved, L., Stunnenberg, H. & Mandrup, S., 2006.

The gene encoding the Acyl-CoA-binding protein is activated by peroxisome proliferator-activated receptor gamma through an intronic response element functionally conserved between humans and rodents.
Helledie, T., Grøntved, L., Jensen, S. S., Kiilerich, P., Rietveld, L., Albrektsen, T., Boysen, M. S., Nøhr, J., Larsen, L. K., Fleckner, J., Stunnenberg, H. G., Kristiansen, K. & Mandrup, S., 2002, In : Journal of Biological Chemistry. 277, 30, p. 26821-30