

## Employment

### Clinical Associate Professor

KI, Rheumatology

University of Southern Denmark

1. Feb 2020 → 28. Feb 2023

### Overlæge

Svendborg Sygehus

Svendborg, Denmark

1. Jul 2019 → present

## Research outputs

### **Self-protection strategies and health behaviour in patients with inflammatory rheumatic diseases during the COVID-19 pandemic: results and predictors in more than 12 000 patients with inflammatory rheumatic diseases followed in the Danish DANBIO registry**

Glintborg, B., Jensen, D. V., Engel, S., Terslev, L., Pfeiffer Jensen, M., Hendricks, O., Ostergaard, M., Horskjær Rasmussen, S., Adelsten, T., Colic, A., Danebod, K., Kildemand, M., Loft, A. G., Munk, H. L., Pedersen, J. K., Østgård, R. D., Møller Sørensen, C., Krogh, N. S., Agerbo, J., Ziegler, C. & 1 others, Hetland, M., Jan 2021, In: RMD Open. 7, 1

### **How to get from the multidimensional health assessment questionnaire to Stanford health assessment questionnaire disability index scores in patients with rheumatoid arthritis, psoriatic arthritis and axial spondyloarthritis: Development and validation of a conversion algorithm**

Svensson, E., Løngaard, K., Midtbøll Ørnbjerg, L., Meincke, R. H., Pedersen, J. K., Dreyer, L., Steen Krogh, N., Jensen, D. V. & Hetland, M. L., 1. Jun 2020, In: Annals of the Rheumatic Diseases. 79, Suppl. 1, p. 897-898 2 p.

### **Indications and incidence of treatment with antidepressants in patients with rheumatoid arthritis and matched controls**

Pedersen, J. K., Andersen, K., Svendsen, A. J. & Hørslev-Petersen, K., 1. Jun 2020, In: Annals of the Rheumatic Diseases. 79, Suppl. 1, p. 288 1 p.

### **Mortality and its predictors in patients with rheumatoid arthritis: a Danish population-based inception cohort study**

Pedersen, J., Holst, R., Primdahl, J., Svendsen, A. & Hørslev-Petersen, K., Sep 2018, In: Scandinavian Journal of Rheumatology. 47, 5, p. 371-377

### **Efficacy and safety of faecal microbiota transplantation in patients with psoriatic arthritis: protocol for a 6-month, double-blind, randomised, placebo-controlled trial**

Kragsnaes, M. S., Kjeldsen, J., Horn, H. C., Munk, H. L., Pedersen, F. M., Holt, H. M., Pedersen, J. K., Holm, D. K., Glerup, H., Andersen, V., Fredberg, U., Kristiansen, K., Christensen, R. & Ellingsen, T., 1. Apr 2018, In: BMJ Open. 8, 4, 15 p., e019231.

### **Galectin-3 is Persistently Increased in Early Rheumatoid Arthritis (RA) and Associates with Anti-CCP Seropositivity and MRI Bone Lesions, While Early Fibrosis Markers Correlate with Disease Activity**

Issa, S. F., Christensen, A. F., Lindegaard, H. M., Hetland, M. L., Hørslev-Petersen, K., Stengaard-Pedersen, K., Ejbjerg, B. J., Lottenburger, T., Ellingsen, T., Pedersen, J. K., Junker, K., Svendsen, A., Tarp, U., Østergaard, M. & Junker, P., Dec 2017, In: Scandinavian Journal of Immunology. 86, 6, p. 471-478

### **Effect of a treat-to-target strategy based on methotrexate and intra-articular betamethasone with or without additional cyclosporin on MRI-assessed synovitis, osteitis, tenosynovitis, bone erosion, and joint space narrowing in early rheumatoid arthritis: results from a 2-year randomized double-blind placebo-controlled trial (CIMESTRA)**

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Krogh, N. S., Lottenburger, T., Ellingsen, T., Andersen, L. S., Skjødt, H., Svendsen, A. J., Tarp, U., Hansen, I. T., Pødenphant, J., Pedersen, J. K. & 5 others, Lindegaard, H., Hanson, L. G., Vestergaard, A., Glinatsi, D. & Østergaard, M., 3. Sep 2017, In: Scandinavian Journal of Rheumatology. 46, 5, p. 335-345

**Ankylosing Spondylitis versus Nonradiographic Axial Spondyloarthritis: Comparison of Tumor Necrosis Factor Inhibitor Effectiveness and Effect of HLA-B27 Status. An Observational Cohort Study from the Nationwide DANBIO Registry**  
Glintborg, B., Sørensen, I. J., Østergaard, M., Dreyer, L., Mohamoud, A. A., Krogh, N. S., Hendricks, O., Andersen, L. S., Raun, J. L., Kowalski, M. R., Danielsen, L., Pelck, R., Nordin, H., Pedersen, J. K., Kraus, D. G. A., Christensen, S. R., Jensen Hansen, I. M., Esbesen, J., Schlemmer, A., Loft, A. G. & 3 others, Al Chaer, N., Salomonsen, L. & Hetland, M. L., Jan 2017, In: Journal of Rheumatology. 44, 1, p. 59-69

**Magnetic Resonance Imaging (MRI) Joint Space Narrowing Is an Independent Predictor of Radiographic and MRI Damage Progression in Patients with Early Rheumatoid Arthritis**  
Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Thomsen, H. S., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T. J., Smedegaard-Andersen, L., skjødt, H., Svendsen, A. J., Tarp, U., Hansen, I. T., Pødenphant, J., Kristian Pedersen, J. & 4 others, Lindegaard, H. M., Vestergaard, A., Glinatsi, D. & Østergaard, M., 13. Nov 2016.

**HLA-B27 status is associated with TNF $\alpha$  inhibitor treatment outcomes in ankyloses spondylitis and non-radiographic axial spondyloarthritis Observational cohort study from the nationwide DANBIO registry**  
Glintborg, B., Juul Sørensen, I., Østergaard, M., Mahamoud, A. A., Krogh, N. S., Andersen, L. S., Raun, J. L., Hendricks, O., Kowalski, M. R., Danielsen, L., Christensen, S. R., al Chaer, N., Pelck, R., Nordin, H., Pedersen, J. K., Kraus, D. G. A., Jensen Hansen, I. M., Espesen, J., Schlemmer, A., Loft, A. G. & 3 others, Salomonsen, L., Dreyer, L. & Hetland, M. L., 1. Sep 2016.

**Comparison of tumor necrosis factor alpha inhibitor effectiveness in ankylosing spondylitis and nonradiographical axial spondylitis, and the impact of HLA-B27 status. Observational cohort study from the nationwide DANBIO registry**  
Glintborg, B., Sørensen, I. J., Østergaard, M., Dreyer, L., Abdiweli awil, M., Steen Krogh, N., Hendricks, O., Smedegaard-Andersen, L., Lillelund Raun, J., Kowalski, M. R., Danielsen, L., Pelck, R., Nordin, H., Pedersen, J. K., Kraus, D. G. A., Ringskær Christensen, S., Jensen Hansen, I. M., Esbensen, J., Schlemmer, A., Loft, A. G. & 3 others, Al Chaer, N., Salomonsen, L. & Hetland, M. L., 8. Jun 2016.

**MAGNETIC RESONANCE IMAGING JOINT SPACE NARROWING IS AN INDEPENDENT PREDICTOR OF RADIOGRAPHIC AND MRI DAMAGE PROGRESSION IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS**  
Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M., Jurik, A. G., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T. J., Smedegaard-Andersen, L., skjødt, H., Svendsen, A. J., Tarp, U., Hansen, I., Pødenphant, J., Pedersen, J. K. & 4 others, Lindegaard, H. M., Vestergaard, A., Glinatsi, D. & Østergaard, M., Jun 2016. 1 p.

**No Excess Mortality in a Population-based Danish Rheumatoid Arthritis Cohort from the Late Pre-Biologic Era**  
Pedersen, J. K., Holst, R., Primdahl, J., Svendsen, A. J. & Hørslev-Petersen, K., Jun 2016, In: Annals of the Rheumatic Diseases. 75, S2, p. 197 1 p., THU0053.

**HLA-B27 status is associated with TNF $\alpha$  inhibitor treatment outcomes in ankyloses spondylitis and non-radiographic axial spondyloarthritis Observational cohort study from the nationwide DANBIO registry**  
Glintborg, B., Sørensen, I. J., Østergaard, M., Mahamoud, A. A., Steen Krogh, N., Smedegaard-Andersen, L., Lillelund Raun, J., Hendricks, O., Kowalski, M. R., Danielsen, L., Christensen, S. R., al Chaer, N., Pelck, R., Nordin, H., Pedersen, J. K., Kraus, D. G. A., Jensen Hansen, I. M., Espesen, J., Schlemmer, A., Loft, A. G. & 3 others, Salomonsen, L., Dreyer, L. & Hetland, M. L., 2016, In: Annals of the Rheumatic Diseases. 75, Suppl. 2, 1 p., SAT0371.

**Myopati hos en patient i behandling med simvastatin og fluconazol**  
Pedersen, J. K., Lydolph, M. C., Somnier, F. & Junker, P., 2016, In: Ugeskrift for Læger. 178, 23, p. 2204-2205 V04160257.

**Effect of a Non Biologic Treat-to-Target Strategy on MRI-Determined Inflammatory and Destructive Changes in Early Rheumatoid Arthritis – Results from a 2-Year Investigator-Initiated Double-Blind Randomized Controlled Clinical Trial**  
Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Smedegaard-Andersen, L., Hansen, I. T., skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 others, Pedersen, J. K., Lindegaard, H. M. & Østergaard, M., 9. Nov 2015.

**Effect of Methotrexate and Intra-Articular Betamethasone with or Without Additional Cyclosporine on Magnetic Resonance Imaging (MRI)-Determined Inflammatory and Destructive Changes in Very Early Rheumatoid Arthritis – Results from a 24-Months' Randomised Double Blind Placebo Controlled Trial**

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Hetland, M. L., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Smedegaard-Andersen, L., Hansen, I., Skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 others, Pedersen, J. K., Lindegaard, H. M. & Østergaard, M., 10. Jun 2015, In: *Annals of the Rheumatic Diseases*. 74, 2. Supplement, p. 648 1 p.

**Effect of a non biologic treat-to-target strategy on MRI-determined inflammatory and destructive changes in early rheumatoid arthritis. Results from a 2-year investigator-initiated double-blind randomized controlled clinical trial.**

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 others, Pedersen, J. K., Lindegaard, H. M. & Østergaard, M., 2015.

**Interactions between smoking, increased serum levels of anti-CCP antibodies, rheumatoid factors, and erosive joint disease in patients with early, untreated rheumatoid arthritis**

Krol, A., Garred, P., Heegaard, NHH., Christensen, A. F., Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Madsen, H., Lottenburger, T., Ellingsen, T., Andersen, L., Hansen, I., Pedersen, J., Svendsen, A. J., Tarp, U., Pødenphant, J., Lindegaard, H., Østergaard, M., Hørslev-Petersen, K. & Jacobsen, S., 2015, In: *Scandinavian Journal of Rheumatology*. 44, 1, p. 8-12

**Low-field magnetic resonance imaging or combined ultrasonography and anti-cyclic citrullinated peptide antibody improve correct classification of individuals as established rheumatoid arthritis: results of a population-based, cross-sectional study**

Pedersen, J. K., Lorenzen, T., Ejbjerg, B., Szkudlarek, M., Voss, A., Østergaard, M., Svendsen, A. J., Andersen, L. S. & Hørslev-Petersen, K., Aug 2014, In: *BMC Musculoskeletal Disorders*. 15, 1, 10 p., 268.

**Periarticular and generalised bone loss in patients with early rheumatoid arthritis: influence of alendronate and intra-articular glucocorticoid treatment. Post hoc analyses from the CIMESTRA trial**

Jensen, T. W., Hansen, M. S., Hørslev-Petersen, K., Hyldstrup, L., Abrahamsen, B., Langdahl, B. L., Zerahn, B., Pødenphant, J., Stengaard-Petersen, K., Junker, P., Østergaard, M., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U. & 5 others, Lindegaard, H., Jurik, A. G., Vestergaard, A., Hetland, M. L. & the Cimestra study group, 2014, In: *Annals of the Rheumatic Diseases*. 73, 6, p. 1123-1129

**Upregulated baseline plasma CCL19 and CCR7 cell-surface expression on monocytes in early rheumatoid arthritis normalized during treatment and CCL19 correlated with radiographic progression**

Ellingsen, T., Hansen, I., Thorsen, J., Møller, B. K., Tarp, U., Lottenburger, T., Andersen, L. S., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Lindegaard, H., Jacobsen, S., Østergaard, M., Vestergaard, A., Jurik, A. G., Junker, P., Christensen, A. F., Hetland, M. L., Hørslev-Petersen, K. & 1 others, Stengaard-Pedersen, K., 2014, In: *Scandinavian Journal of Rheumatology*. 43, 2, p. 91-100 10 p.

**Short- and long-term efficacy of intra-articular injections with betamethasone as part of a treat-to-target strategy in early rheumatoid arthritis: impact of joint area, repeated injections, MRI findings, anti-CCP, IgM-RF and CRP**

Hetland, M. L., Østergaard, M., Ejbjerg, B., Jacobsen, S. K., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I. T., Andersen, L. S., Tarp, U., Svendsen, A. J., Pedersen, J. K., Skjødt, H., Ellingsen, T. J., Lindegaard, H., Pødenphant, J., Hørslev-Petersen, K. & CIMESTRA study group, 2012, In: *Annals of the Rheumatic Diseases*. 71, 6, p. 851-6 6 p.

**Short- and Long-Term Effect of Unguided, Intra-Articular Injections with Betamethasone In Early Rheumatoid Arthritis: Impact of Joint Area, Repeated Injections, MRI Findings, Anti-CCP, IgM-RF and CRP.**

Hetland, M. L., Østergaard, M., Ejbjerg, B. J., Jacobsen, S., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Svendsen, A. J., Pedersen, J. K., Skjødt, H., Ellingsen, T., Lindegaard, H. M. & Hørslev-Petersen, K., 5. Nov 2011, *Arthritis & Rheumatism: Abstract Supplement, 2011 Annual Scientific Meeting*. p. 493-493

**Cartilage Oligomeric Matrix Protein Associates Differentially with Erosions and Synovitis and Has a Different Temporal Course in Cyclic Citrullinated Peptide Antibody (Anti-CCP)-positive versus Anti-CCP-negative Early Rheumatoid Arthritis**

Christensen, A. F., Lindegaard, H., Hørslev-Petersen, K., Hetland, M. L., Ejbjerg, B., Stengaard-Pedersen, K., Jacobsen, S., Lottenburger, T., Ellingsen, T. J., Andersen, L. A., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen,

A., Tarp, U., Pødenphant, J., Ostergaard, M. & Junker, P., 2011, In: Journal of Rheumatology. 38, 8, p. 1563-1568

**Prevalence of rheumatoid arthritis in the southern part of denmark**

Pedersen, J. K., Svendsen, A. J. & Hørslev-Petersen, K., 2011, In: The Open Rheumatology Journal. 5, p. 91-7 7 p.

**Radiographic progression and remission rates in early rheumatoid arthritis: MRI bone oedema and anti-CCP predicted radiographic progression in the 5-year extension of the double-blind randomised CIMESTR trial**

Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Østergaard, M., Ejbjerg, B. J., Jacobsen, S., Lottenburger, T., Hansen, I., Tarp, U., Andersen, L. A., Svendsen, A., Pedersen, J. K., Lauridsen, U. B., Ellingsen, T. J., Lindegaard, H., Pødenphant, J., Vestergaard, A., Jurik, A. G., Hørslev-Petersen, K. & CIMESTR study group, 1. Oct 2010, In: Annals of the Rheumatic Diseases. 69, 10, p. 1789-95 7 p.

**Uncoupling of collagen II metabolism in newly diagnosed, untreated rheumatoid arthritis is linked to inflammation and antibodies against cyclic citrullinated peptides**

Christensen, A. F., Hørslev-Petersen, K., Christgau, S., Lindegaard, H. M., Lottenburger, T., Junker, K., Hetland, M. L., Stengaard-Pedersen, K., Jacobsen, S., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Heegaard, N. H. H., Vestergaard, A. & 3 others, Jurik, A. G., Ostergaard, M. & Junker, P., 1. Jun 2010, In: Journal of Rheumatology. 37, 6, p. 1113-20 7 p.

**Circulating surfactant protein -D is low and correlates negatively with systemic inflammation in early, untreated rheumatoid arthritis**

Christensen, A. F., Sørensen, G. L., Hørslev-Petersen, K., Holmskov, U., Lindegaard, H. M., Junker, K., Hetland, M. L., Stengaard-Pedersen, K., Jacobsen, S., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Vestergaard, A. & 3 others, Jurik, A. G., Ostergaard, M. & Junker, P., 8. Mar 2010, In: Arthritis Research & Therapy. 12, 2, p. R39

**Mannose-binding lectin gene polymorphisms are associated with disease activity and physical disability in untreated, anti-cyclic citrullinated peptide-positive patients with early rheumatoid arthritis**

Jacobsen, S., Garred, P., Madsen, H. O., Heegaard, N. H. H., Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Smedegaard Andersen, L., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Lindegaard, H., Vestergaard, A., Østergaard, M. & 1 others, Hørslev-Petersen, K., 1. Apr 2009, In: Journal of Rheumatology. 36, 4, p. 731-5 4 p.

**Incidence of rheumatoid arthritis from 1995 to 2001: impact of ascertainment from multiple sources**

Pedersen, J., Kjær, N., Svendsen, A. & Hørslev-Petersen, K., 2009, In: Rheumatology International. 29, 4, p. 411-415

**MRI bone oedema is the strongest predictor of subsequent radiographic progression in early rheumatoid arthritis: Results from af 2 year randomized controlled trial (CIMESTR).**

Hetland, M. L., Ejbjerg, B. J., Hørslev-Petersen, K., Jacobsen, S., Vestergaard, A., Jurik, A. G., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Skjødt, H., Pedersen, J. K., Majgaard, O., Svendsen, A. J., Ellingsen, T., Lindegaard, H. M., Christensen, A. F., Vallø, J. & 4 others, Torfing, T., Narvestad, E., Thomsen, H. S. & Ostergaard, M., 3. Apr 2008, In: Annals of the Rheumatic Diseases. 68, 3, p. 384-390

**Aggressive combination therapy with intraarticular glucocorticoid injections and conventional DMARDs in early rheumatoid arthritis: Two Year Clinical and Radiographic Results From The CIMESTR Study**

Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Svendsen, A., Pedersen, J. K., Skjødt, H., Lauridsen, U. B., Ellingsen, T., van Overeem Hansen, G., Lindegaard, H., Vestergaard, A., Jurik, A. G., Ostergaard, M. & Hørslev-Petersen, K., 18. Sep 2007, In: Annals of the Rheumatic Diseases.

**Incidence of Rheumatoid Arthritis in the Southern part of Denmark from 1995 to 2001**

Pedersen, J. K., Svendsen, A. J. & Hørslev-Petersen, K., 2007, In: Open Rheumatology Journal. 1, 6, p. 18-23 6 p.

**Mannose binding lectin gene polymorphisms are associated with disease activity and functional disability in untreated, anti-CCP positiv early rheumatoid arthritis patients**

Jacobsen, S., Garred, P., Madsen, H. O., Svejgaard, A., Heegaard, N., Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Hansem, G., Lindegaard, H. M. & 3 others, de Carvalho, A., Østergaard, M. & Hørslev-Petersen, K., 2007.

**MRI Bone Oedema is the Strongest Predictor of Subsequent Radiographic Progression in Early RA: Results from a 2 Year Randomized Controlled Trial (CIMESTRA)**

Hetland, M. L., Ejbjerg, B., Østergaard, M., Jacobsen, S., Vestergaard, A., Jurik, A. G., Stengaard Andersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Skjødt, H., Pedersen, J. K., Majgaard, O., Svendsen, A. J., Ellingsen, T., Hansen, G., Lindegaard, H. M., Vallø, J. & 3 others, Torfing, T., Thomsen, H. S. & Hørslev-Pedersen, K., 2007, In: Arthritis & Rheumatism. 56, 9, p. 831 1 p.

**Rheumatoid arthritis in the southern part of Denmark: - studies of incidence, prevalence, and joint damage related to symptom duration**

Pedersen, J. K., 2007, 102 p.

**Combination treatment with methotrexate, cyclosporine, and intraarticular betamethasone compared with methotrexate and intraarticular betamethasone in early active rheumatoid arthritis: an investigator-initiated, multicenter, randomized, double-blind, parallel-group, placebo-controlled study**

Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Hansen, G., Lindegaard, H., de Carvalho, A., Østergaard, M., Hørslev-Petersen, K. & Study Group, CIMESTRA., 1. May 2006, In: Arthritis & Rheumatism. 54, 5, p. 1401-1409 8 p.

**Fibroblastic rheumatism: a Scandinavian case report**

Pedersen, J. K., Poulsen, T. & Hørslev-Petersen, K., 2005, In: Annals of the Rheumatic Diseases. 64, 1, p. 156-157 2 p.

**Litteratursøgning i MEDLINE på Nettet**

Pedersen, J. K. & Damsbo, N., 2000, In: Maanedsskrift for Praktisk Lægegerning. 78, p. 427-38

**Screeningstest for depression i almen praksis. COOP/WONCA-kort**

Pedersen, J. K., Damsbo, N. & Kragstrup, J., 8. Feb 1999, In: Ugeskrift for Læger. 161, 6, p. 787-90 4 p.

**Depression i almen praksis: Vurdering af diagnostiske test og beskrivelse af forekomst og sværhedsgrad af depressiv enkelt-episode i en dansktalende almenpraksispopulation**

Pedersen, J. K., 2. Apr 1996, 43 p.