

Aleksander Krag
KI, Medicinsk Gastroenterologi
KI, Center for Leverforskning/FLASH
ATLAS - Center for Functional Genomics and Tissue Plasticity
E-mail: akrag@health.sdu.dk



Publikationer

Comprehensive lipidomics reveals phenotypic differences in hepatic lipid turnover in ALD and NAFLD during alcohol intoxication

Israelsen, M., Kim, M., Suvitaival, T., Madsen, B. S., Hansen, C. D., Torp, N., Trost, K., Thiele, M., Hansen, T., Legido-Quigley, C., Krag, A. & MicrobLiver Consortium, okt. 2021, I: JHEP Reports. 3, 5, 11 s., 100325.

Development and prognostic relevance of a histologic grading and staging system for alcohol-related liver disease

Lackner, C., Stauber, R. E., Davies, S., Denk, H., Dienes, H. P., Gnemmi, V., Guido, M., Miquel, R., Paradis, V., Schirmacher, P., Terracciano, L., Berghold, A., Pregartner, G., Binder, L., Douschan, P., Rainer, F., Sygulla, S., Jager, M., Rautou, P.-E., Bumbu, A. & 10 flere, Horhat, A., Rusu, I., Stefanescu, H., Detlefsen, S., Krag, A., Thiele, M., Cortez-Pinto, H., Moreno, C., Gouw, A. S. H. & Tiniakos, D. G., okt. 2021, I: Journal of Hepatology. 75, 4, s. 810-819

Progressive alcohol-related liver fibrosis is characterised by imbalanced collagen formation and degradation

Thiele, M., Johansen, S., Gudmann, N. S., Madsen, B., Kjaergaard, M., Nielsen, M. J., Leeming, D. J., Jacobsen, S., Bendtsen, F., Møller, S., Detlefsen, S., Karsdal, M., Krag, A. & Galaxy Consortium, okt. 2021, I: Alimentary Pharmacology & Therapeutics. 54, 8, s. 1070-1080

A Serological Biomarker of Laminin Gamma 1 Chain Degradation Reflects Altered Basement Membrane Remodeling in Crohn's Disease and DSS Colitis

Lindholm, M., Di Sabatino, A., Manon-Jensen, T., Mazza, G., Madsen, G. I., Giuffrida, P., Pinzani, M., Krag, A., Karsdal, M. A., Kjeldsen, J. & Mortensen, J. H., 24. sep. 2021, (E-pub ahead of print) I: Digestive Diseases and Sciences.

Population screening for liver fibrosis: towards early diagnosis and intervention for chronic liver diseases

LiverScreen Consortium Investigators, 19. sep. 2021, (E-pub ahead of print) I: Hepatology (Baltimore, Md.).

Diagnostic accuracy of routine liver function tests to identify patients with significant and advanced alcohol-related liver fibrosis

Lindvig, K. P., Hansen, T. L., Madsen, B. S., Kjaergaard, M., Møller, L., Detlefsen, S., Krag, A. & Thiele, M., sep. 2021, I: Scandinavian Journal of Gastroenterology. 56, 9, s. 1088-1095

PRO-C3 and ADAPT algorithm accurately identify patients with advanced fibrosis due to alcohol-related liver disease

Madsen, B. S., Thiele, M., Detlefsen, S., Kjaergaard, M., Møller, L. S., Trebicka, J., Nielsen, M. J., Gudmann, N. S., Leeming, D. J., Karsdal, M. A. & Krag, A., sep. 2021, I: Alimentary Pharmacology & Therapeutics. 54, 5, s. 699-708

The Use of Rifaximin in Patients With Cirrhosis

Liverhope Consortium, sep. 2021, I: Hepatology (Baltimore, Md.). 74, 3, s. 1660-1673

Bacterial infections in patients with acute variceal bleeding in the era of antibiotic prophylaxis

Martínez, J., Hernández-Gea, V., Rodríguez-de-Santiago, E., Téllez, L., Procopet, B., Giráldez, Á., Amtrano, L., Villanueva, C., Thabut, D., Ibañez-Samaniego, L., Silva-Junior, G., Genescà, J., Bureau, C., Trebicka, J., Bañares, R., Krag, A., Llop, E., Laleman, W., Palazon, J. M., Castellote, J. & 31 flere, Rodrigues, S., Gluud, L. L., Noronha-Ferreira, C., Cañete, N., Rodríguez, M., Ferlitsch, A., Schwarzer, R., Mundi, J. L., Gronbaek, H., Hernández-Guerra, M., Sassatelli, R., Dell'Era, A., Senzolo, M., Abraldes, J. G., Romero-Gomez, M., Zipprich, A., Casas, M., Masnou, H., Primignani, M., Nevens, F., Calleja, J. L., Jansen, C., Robic, M. A., Conejo, I., Catalina, M. V., Rudler, M., Alvarado, E., Perez-Campuzano, V., Guardascione, M. A., Fischer, P. & International Variceal Bleeding Observational Study Group and Baveno Cooperation, aug. 2021, I: Journal of Hepatology. 75, 2, s. 342-350

Association of the Liver and Plasma Lipidomes with the Histological Stage of Alcohol-Related Liver Disease

Thiele, M., Suvitaival, T., Trošt, K., Kim, M., Zewadzki, A. D., Kjaergaard, M., Rasmussen, D. N., Lindvig, K. P., Israelsen, M., Detlefsen, S., Andersen, P., Juel, H. B., Nielsen, T., Georgiou, S., Filippa, V., Kuhn, M., Nishijima, S., Moitinho-Silva, L., Rossing, P., Trebicka, J. & 5 flere, Anastasiadou, E., Bork, P., Hansen, T., Quigley, C. L. & Krag, A., 16. jul. 2021, 35 s. medrxiv.

Binge drinking induces an acute release of markers of hepatic fibrogenesis

Christian Torp, N., Egerod Israelsen, M., Nielsen, M. J., Åstrand, C. P., Juhl, P., Johansen, S., Dalby Hansen, C., Stæhr Madsen, B., Villesen, I., Leeming, D., Hansen, T., Karsdal, M. & Krag, A., 1. jul. 2021, I: Journal of Hepatology. 75, Suppl. 2, s. S313 1 s., PO-487.

Natural history of alcohol-related liver disease according to biopsy-proven fibrosis in a prospective study of 422 patients and 1, 419 patient years

Nytoft Rasmussen, D., Kjaergaard, M., Prier Lindvig, K., Egerod Israelsen, M., Thorhauge, K., Christian Torp, N., Johansen, S., Detlefsen, S., Krag, A. & Thiele, M., 1. jul. 2021, I: Journal of Hepatology. 75, Suppl. 2, s. S207 1 s., OS-1726.

Past hospital contacts due to alcohol do not predict fibrosis stage in alcohol-related liver disease. A study of alcohol diagnoses and morbidity in 18 years leading up to biopsy-proven liver fibrosis in 462 patients

Nytoft Rasmussen, D., Kjaergaard, M., Prier Lindvig, K., Egerod Israelsen, M., Thorhauge, K., Christian Torp, N., Johansen, S., Detlefsen, S., Krag, A. & Thiele, M., 1. jul. 2021, I: Journal of Hepatology. 75, Suppl. 2, s. S321 1 s., PO-2331.

Endotrophin and C6Ma3, serological biomarkers of type VI collagen remodelling, reflect endoscopic and clinical disease activity in IBD

Lindholm, M., Godskesen, L. E., Manon-Jensen, T., Kjeldsen, J., Krag, A., Karsdal, M. A. & Mortensen, J. H., jul. 2021, I: Scientific Reports. 11, 1, 10 s., 14713.

Prognostic performance of 7 biomarkers compared to liver biopsy in early alcohol-related liver disease

Rasmussen, D. N., Thiele, M., Johansen, S., Kjaergaard, M., Lindvig, K. P., Israelsen, M., Antonsen, S., Detlefsen, S., Krag, A., Anastasiadou, E., Arumugam, M., Bork, P., Hansen, T., Hartoft, C., Israelsen, H., Karsdal, M., Legido-Quigley, C., Melberg, H. O., Thiele, M., Trebicka, J. & 6 flere, Krag, A., Bork, P., Mann, M., Matthijnssens, J., Krag, A. & Hansen, T., 10. jun. 2021, (E-pub ahead of print) I: Journal of Hepatology.

A Dynamic Aspartate-to-Alanine Aminotransferase Ratio Provides Valid Predictions of Incident Severe Liver Disease

Åberg, F., Danford, C. J., Thiele, M., Talbäck, M., Rasmussen, D. N., Jiang, Z. G., Hammar, N., Nasr, P., Ekstedt, M., But, A., Puukka, P., Krag, A., Sundvall, J., Erlund, I., Salomaa, V., Stål, P., Kechagias, S., Hultcrantz, R., Lai, M., Afdhal, N. & 6 flere, Jula, A., Männistö, S., Lundqvist, A., Perola, M., Färkkilä, M. & Hagström, H., jun. 2021, I: Hepatology communications. 5, 6, s. 1021-1035

Level of MFAP4 in ascites independently predicts 1-year transplant-free survival in patients with cirrhosis

Torp, N., Israelsen, M., Madsen, B. S., Lutz, P., Jansen, C., Strassburg, C., Mortensen, C., Knudsen, A. W., Sorensen, G. L., Holmskov, U., Schlosser, A., Thiele, M., Trebicka, J. & Krag, A., jun. 2021, I: JHEP Reports. 3, 3, 100287.

Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease

Papatheodoridi, M., Hiriart, J. B., Lupsor-Platon, M., Bronte, F., Boursier, J., Elshaarawy, O., Marra, F., Thiele, M., Markakis, G., Payance, A., Brodtkin, E., Castera, L., Papatheodoridis, G., Krag, A., Arena, U., Mueller, S., Cales, P., Calvaruso, V., de Ledinghen, V., Pinzani, M. & 1 flere, Tsochatzis, E. A., maj 2021, I: Journal of Hepatology. 74, 5, s. 1109-1116

Tidlig opsporing af alkoholrelateret leversygdom

Prier Lindvig, K., Krag, A. & Thiele, M., 5. apr. 2021, I: Ugeskrift for Laeger. 183, 7A, 3 s., V12200947.

Assessment of hepatic steatosis by controlled attenuation parameter using the M and XL probes: an individual patient data meta-analysis

Petroff, D., Blank, V., Newsome, P. N., Shalimar, Voican, C. S., Thiele, M., de Lédinghen, V., Baumeler, S., Chan, W. K., Perlemuter, G., Cardoso, A-C., Aggarwal, S., Sasso, M., Eddowes, P. J., Allison, M., Tsochatzis, E., Anstee, Q. M., Sheridan, D., Cobbold, J. F., Naveau, S. & 12 flere, Lupsor-Platon, M., Mueller, S., Krag, A., Irls-Depe, M., Semela, D., Wong, G. L-H., Wong, V. W-S., Villela-Nogueira, C. A., Garg, H., Chazouillères, O., Wiegand, J. & Karlas, T., mar. 2021, I: *The Lancet Gastroenterology & Hepatology*. 6, 3, s. 185-198

Utilizing the gut microbiome in decompensated cirrhosis and acute-on-chronic liver failure

Trebicka, J., Bork, P., Krag, A. & Arumugam, M., mar. 2021, I: *Nature Reviews Gastroenterology and Hepatology*. 18, 3, s. 167-180

Hepatobiliary phenotypes of adults with alpha-1 antitrypsin deficiency

Fromme, M., Schneider, C. V., Pereira, V., Hamesch, K., Pons, M., Reichert, M. C., Benini, F., Ellis, P., H Thorhauge, K., Mandorfer, M., Burbaum, B., Woditsch, V., Chorostowska-Wynimko, J., Verbeek, J., Nevens, F., Genesca, J., Miravittles, M., Nuñez, A., Schaefer, B., Zoller, H. & 21 flere, Janciauskiene, S., Abreu, N., Jasmins, L., Gaspar, R., Gomes, C., Schneider, K. M., Trauner, M., Krag, A., Gooptu, B., Thorburn, D., Marshall, A., Hurst, J. R., Lomas, D. A., Lammert, F., Gaisa, N. T., Clark, V., Griffiths, W., Trautwein, C., Turner, A. M., McElvaney, N. G. & Strnad, P., 25. feb. 2021, (E-pub ahead of print) I: *GUT*.

Comprehensive lipidomics reveals reduced hepatic lipid turnover in NAFLD during alcohol intoxication

Israelsen, M., Kim, M., Suvitaival, T., Madsen, B. S., Hansen, C. D., Torp, N., Trost, K., Thiele, M., Hansen, T., Legido-Quigley, C. & Krag, A., 19. feb. 2021

Clinical features and evolution of bacterial infection-related acute-on-chronic liver failure

Wong, F., Piano, S., Singh, V., Bartoletti, M., Maiwall, R., Alessandria, C., Fernandez, J., Soares, E. C., Kim, D. J., Kim, S. E., Marino, M., Vorobioff, J., Barea, R. D. C. R., Merli, M., Elkrief, L., Vargas, V., Krag, A., Singh, S. P., Lesmana, L. A., Toledo, C. & 19 flere, Marciano, S., Verhelst, X., Intagliata, N., Rabinowich, L., Colombato, L., Kim, S. G., Gerbes, A., Durand, F., Roblero, J. P., Bruns, T., Yoon, E. L., Giralá, M., Pysopoulos, N. T., Kim, T. H., Yim, S. Y., Juanola, A., Gadano, A., Angeli, P. & on behalf of the International Club of Ascites Global Study Group, feb. 2021, I: *Journal of Hepatology*. 74, 2, s. 330-339

Effects of Ethanol Feeding in Early-Stage NAFLD Mice Induced by Western Diet

Brol, M. J., Georgiou, S., Rasmussen, D. N., Ortiz, C., Klein, S., Schierwagen, R., Uschner, F. E., Eberle, L., Detlefsen, S., VASILIKI, I. PANTAZOPOULOU., Thiele, M., Filippa, V., SANDRA, TORRES. NÚÑEZ., Anastasiadou, E., Krag, A. & Trebicka, J., feb. 2021, I: *Livers*. 1, 1, s. 27-39

Two-dimensional shear wave elastography predicts survival in advanced chronic liver disease

Trebicka, J., Gu, W., de Ledinghen, V., Aubé, C., Krag, A., Praktiknjo, M., Castera, L., Dumortier, J., Bauer, D. J. M., Friedrich-Rust, M., Pol, S., Grgurevic, I., Zheng, R., Francque, S., Gottfriedová, H., Mustapic, S., Sporea, I., Berzigotti, A., Uschner, F. E., Simbrunner, B. & 29 flere, Ronot, M., Cassinotto, C., Kjaergaard, M., Andrade, F., Schulz, M., Semmler, G., Drinkovic, I. T., Chang, J., Brol, M. J., Rautou, P. E., Vanwolleghe, T., Strassburg, C. P., Boursier, J., Ferstl, P. G., Rasmussen, D. N., Reiberger, T., Vilgrain, V., Guibal, A., Guillaud, O., Zeuzem, S., Vassord, C., Lu, X., Vonghia, L., Senkerikova, R., Popescu, A., Margini, C., Wang, W., Thiele, M. & Jansen, C., 21. jan. 2021, (E-pub ahead of print) I: *GUT*.

Effects of Early Placement of Transjugular Portosystemic Shunts in Patients With High-Risk Acute Variceal Bleeding: a Meta-analysis of Individual Patient Data

Preemptive TIPS Individual Data Metanalysis, International Variceal Bleeding Study and Baveno Cooperation Study groups, Trebicka, J., Krag, A., Laursen, S. B., Gluud, L. L., Grønbaek, H. & Haldrup, D., jan. 2021, I: *Gastroenterology*. 160, 1, s. 193-205.e10

Endpoints and design of clinical trials in patients with decompensated cirrhosis: Position paper of the LiverHope Consortium

Solà, E., Pose, E., Campion, D., Piano, S., Roux, O., Simon-Talero, M., Uschner, F., de Wit, K., Zaccherini, G., Alessandria, C., Beuers, U., Caraceni, P., Francoz, C., Mookerjee, R. P., Trebicka, J., Vargas, V., Serra, M., Torres, F., Montagnese, S., Krag, A. & 6 flere, Hernaez, R., Korenjak, M., Watson, H., Abraldes, J. G., Kamath, P. S. & Ginès, P., jan. 2021, I: *Journal of Hepatology*. 74, 1, s. 200-219

2D shear wave elastography and risk for de novo hepatocellular carcinoma in patients with advanced chronic liver disease
Trebicka, J., Gu, W., Aubé, C., Krag, A., Thiele, M. & Jansen, C., 2021, I: Zeitschrift fuer Gastroenterologie. 59, 01, 1 s., e14.

Populations-basierte Erfassung des Leberphänotyps bei Alpha1-Antitrypsinmangel

Burbaum, B., Fromme, M., Schneider, C., Pereira, V., Hamesch, K., Pons, M., Reichert, M. C., Thorhauge, K. & Krag, A., 2021, I: Zeitschrift fuer Gastroenterologie. 59, 01, 1 s., e23.

Metabolic and genetic risk factors are the strongest predictors of severity of alcohol-related liver fibrosis

Israelsen, M., Juel, H. B., Detlefsen, S., Madsen, B. S., Rasmussen, D. N., Larsen, T. R., Kjærgaard, M., Fernandes Jensen, M. J., Stender, S., Hansen, T., Krag, A. & Thiele, M., 3. dec. 2020, (E-pub ahead of print) I: Clinical Gastroenterology and Hepatology.

Collagen proportionate area predicts clinical outcomes in patients with alcohol-related liver disease

Israelsen, M., Guerrero Misas, M., Koutsoumourakis, A., Huang, Y., Thiele, M., Hall, A., Rasmussen, D., Covelli, C., Buzzetti, E., Prat, L. I., Roccarina, D., Detlefsen, S., Luong, T. V., Quaglia, A., Krag, A., Jeffrey, G., Pinzani, M. & Tsochatzis, E. A., dec. 2020, I: Alimentary Pharmacology & Therapeutics. 52, 11-12, s. 1728-1739

Transcriptional dynamics of hepatic sinusoid-associated cells after liver injury

Terkelsen, M. K., Bendixen, S. M., Hansen, D., Scott, E. A. H., Moeller, A. F., Nielsen, R., Mandrup, S., Schlosser, A., Andersen, T. L., Sorensen, G. L., Krag, A., Natarajan, K. N., Detlefsen, S., Dimke, H. & Ravnkjaer, K., dec. 2020, I: Hepatology. 72, 6, s. 2119-2133

Variation in Bile Microbiome by the Etiology of Cholestatic Liver Disease

Tyc, O., Jansen, C., Schierwagen, R., Uschner, F. E., Israelsen, M., Klein, S., Ortiz, C., Strassburg, C. P., Zeuzem, S., Gu, W., Torres, S., Praktiknjo, M., Kersting, S., Langheinrich, M., Nattermann, J., Servant, F., Arumugam, M., Krag, A., Lelouvier, B., Weismüller, T. J. & 1 flere, Trebicka, J., dec. 2020, I: Liver Transplantation. 26, 12, s. 1652-1657

LIVER PHENOTYPE OF INDIVIDUALS WITH ALPHA-1 ANTITRYPSIN DEFICIENCY

Fromme, M., Schneider, C. V., Pereira, V., Hamesch, K., Pons, M., Reichert, M., Benini, F., Ellis, P., Thorhauge, K. H., Mandorfer, M., Burbaum, B., Woditsch, V., Chorostowska-Wynimko, J., Verbeek, J. P. H. M., Nevens, F., Genesca, J., Miravittles, M., Nunez, A., Schaefer, B., Zoller, H. & 21 flere, Janciauskiene, S., Abreu, N., Jasmuns, L., Gaspar, R., Gomes, C., Schneider, K. M., Trauner, M. H., Krag, A., Gooptu, B., Thorburn, D., Marshall, A., Hurst, J. R., Lomas, D. A., Lammert, F., Gaisa, N., Clark, V. C., Griffiths, W. J., Trautwein, C., Turner, A. M., McElvaney, N. G. & Strnad, P., 1. nov. 2020, I: Hepatology. 72, Suppl. 1, s. 27A-28A

THE ULTRASOUND TECHNIQUE B-MODE RATIO IS A NOVEL ALTERNATIVE TO CONTROLLED ATTENUATION PARAMETER FOR DIAGNOSING STEATOSIS IN FATTY LIVER DISEASES

Kjærgaard, M., Lindvig, K. P., Rasmussen, D. N., Jacobsen, S., Hansen, J. K., Thorhauge, K. H., Detlefsen, S., Krag, A. & Thiele, M., 1. nov. 2020, I: Hepatology. 72, Suppl. 1, s. 949 1 s., 1561.

Rebleeding and mortality risk are increased by ACLF but reduced by pre-emptive TIPS

Trebicka, J., Gu, W., Ibáñez-Samaniego, L., Hernández-Gea, V., Pitarch, C., Garcia, E., Procopet, B., Giráldez, Á., Amitrano, L., Villanueva, C., Thabut, D., Silva-Junior, G., Martinez, J., Genescà, J., Bureau, C., Llop, E., Laleman, W., Palazon, J. M., Castellote, J., Rodrigues, S. & 31 flere, Gluud, L., Ferreira, C. N., Barcelo, R., Cañete, N., Rodríguez, M., Ferlitsch, A., Mundi, J. L., Gronbaek, H., Hernández-Guerra, M., Sassatelli, R., Dell'Era, A., Senzolo, M., Abraldes, J. G., Romero-Gómez, M., Zipprich, A., Casas, M., Masnou, H., Primignani, M., Weiss, E., Catalina, M. V., Erasmus, H. P., Uschner, F. E., Schulz, M., Brol, M. J., Praktiknjo, M., Chang, J., Krag, A., Nevens, F., Calleja, J. L., Robic, M. A. & International Variceal Bleeding Observational Study Group and Baveno Cooperation, nov. 2020, I: Journal of Hepatology. 73, 5, s. 1082-1091

A paired liver biopsy and plasma proteomics study reveals circulating biomarkers for alcohol-related liver disease

Niu, L., Thiele, M., Geyer, P. E., Rasmussen, D. N., Webel, H. E., Santos, A., Gupta, R., Meier, F., Strauss, M., Kjærgaard, M., Lindvig, K., Jacobsen, S., Rasmussen, S., Hansen, T., Krag, A. & Mann, M., 16. okt. 2020, bioRxiv.

Alcoholic liver disease: A registry view on comorbidities and disease prediction

Grissa, D., Rasmussen, D. N., Krag, A., Brunak, S. & Jensen, L. J., sep. 2020, I: PloS Computational Biology. 16, 9, 19 s., 1008244.

Liver Phenotypes of European Adults Heterozygous or Homozygous for Pi*Z Variant of AAT (Pi*MZ vs Pi*ZZ genotype) and Noncarriers

Schneider, C. V., Hamesch, K., Gross, A., Mandorfer, M., Moeller, L. S., Pereira, V., Pons, M., Kuca, P., Reichert, M. C., Benini, F., Burbaum, B., Voss, J., Gutberlet, M., Woditsch, V., Lindhauer, C., Fromme, M., Kumpers, J., Bewersdorf, L., Schäfer, B., Eslam, M. & 31 flere, Bals, R., Janciauskiene, S., Carvão, J., Neureiter, D., Zhou, B., Wöran, K., Bantel, H., Geier, A., Dirrichs, T., Stickel, F., Teumer, A., Verbeek, J., Nevens, F., Govaere, O., Krawczyk, M., Roskams, T., Haybaeck, J., Lurje, G., Chorostowska-Wynimko, J., Genesca, J., Reiberger, T., Zoller, H., Lammert, F., Krag, A., George, J., Anstee, Q. M., Trauner, M., Datz, C., Gaisa, N. T., Denk, H. & European Alpha-1 Liver Study Group, aug. 2020, I: *Gastroenterology*. 159, 2, s. 534-548.e11

Prediction of liver fibrosis severity in alcoholic liver disease by human microfibrillar-associated protein 4

Madsen, B. S., Thiele, M., Detlefsen, S., Sørensen, M. D., Kjaergaard, M., Sevelsted Møller, L., Nytoft Rasmussen, D., Schlosser, A., Holmskov, U., Trebicka, J., Sorensen, G. L., Krag, A. & Galaxy Consortium, jul. 2020, I: *Liver International*. 40, 7, s. 1701-1712

Remote ischemic conditioning in active ulcerative colitis: An explorative randomized clinical trial

Godskesen, L. E., Lassen, T. R., Jespersen, N. R., Siersbæk, M., Yan, Y., Nielsen, M. M., Tjønnfjord, S. K., Grøntved, L., Madsen, G., Kjems, J., Bøtker, H. E., Schmidt, M. R., Krag, A. & Kjeldsen, J., 12. jun. 2020, I: *Scientific Reports*. 10, 15 s. , 9537.

2D shear wave liver elastography by aixplorer to detect portal hypertension in cirrhosis: an individual patient data meta-analysis

Thiele, M., Hugger, M. B., Kim, Y., Rautou, P.E., Elkrief, L., Jansen, C., Verlinden, W., Allegretti, G., Israelsen, M., Stefanescu, H., Piscaglia, F., García-Pagán, J. C., Franque, S., Berzigotti, A., Castera, L., Jeong, W. K., Trebicka, J. & Krag, A., 1. jun. 2020, I: *Liver International*. 40, 6, s. 1435-1446

Cost-effectiveness of non-invasive screening for alcohol-related liver fibrosis

Asphaug, L., Thiele, M., Krag, A., Melberg, H. O. & Galaxy Consortium, jun. 2020, I: *Hepatology (Baltimore, Md.)*. 71, 6, s. 2093-2104

Total area of spontaneous portosystemic shunts independently predicts hepatic encephalopathy and mortality in liver cirrhosis

Praktiknjo, M., Simón-Talero, M., Römer, J., Roccarina, D., Martínez, J., Lampichler, K., Baiges, A., Low, G., Llop, E., Maurer, M. H., Zipprich, A., Triolo, M., Maleux, G., Fiolla, A. D., Dam, C., Vidal-González, J., Majumdar, A., Picón, C., Toth, D., Darnell, A. & 25 flere, Abalde, J. G., López, M., Jansen, C., Chang, J., Schierwagen, R., Uschner, F., Kukuk, G., Meyer, C., Thomas, D., Wolter, K., Strassburg, C. P., Laleman, W., La Mura, V., Ripoll, C., Berzigotti, A., Calleja, J. L., Tandon, P., Hernandez-Gea, V., Reiberger, T., Albillos, A., Tsochatzis, E. A., Krag, A., Genesca, J., Trebicka, J. & Baveno VI-SPSS group of the Baveno Cooperation, jun. 2020, I: *Journal of Hepatology*. 72, 6, s. 1140-1150

Addition of trans-fat and alcohol has divergent effects on atherogenic diet-induced liver injury in rodent models of steatohepatitis

Daniels, S. J., Leeming, D. J., Detlefsen, S., Bruun, M. F., Hjuler, S. T., Henriksen, K., Hein, P., Krag, A., Karsdal, M. A., Nielsen, M. J., Brockbank, S. & Cruwys, S., mar. 2020, I: *American journal of physiology. Gastrointestinal and liver physiology*. 318, 3, s. G410-G418

Dobutamine reverses the cardio-suppressive effects of terlipressin without improving renal function in cirrhosis and ascites: a randomized controlled trial

Israelsen, M., Dahl, E. K., Madsen, B. S., Wiese, S., Bendtsen, F., Møller, S., Fiolla, A. D., Jensen, B. L. & Krag, A., 1. feb. 2020, I: *American journal of physiology. Gastrointestinal and liver physiology*. 318, 2, s. G313-G321

Describing the fecal metabolome in cryogenically collected samples from healthy participants

Trošt, K., Ahonen, L., Suviavaara, T., Christiansen, N., Nielsen, T., Thiele, M., Jacobsen, S., Krag, A., Rossing, P., Hansen, T., Dragsted, L. O. & Legido-Quigley, C., 21. jan. 2020, I: *Scientific Reports*. 10, 8 s., 885.

Collagen type IV remodeling gender-specifically predicts mortality in decompensated liver cirrhosis

Praktiknjo, M., Lehmann, J., Nielsen, M. J., Schierwagen, R., Meyer, C., Thomas, D., Strassburg, C. P., Bendtsen, F., Møller, S., Krag, A., Karsdal, M., Leeming, D. J. & Trebicka, J., jan. 2020, I: *Zeitschrift fuer Gastroenterologie*. 57, 1, s.

Is the Total Amount as Important as Localization and Type of Collagen in Liver Fibrosis Attributable to Steatohepatitis?

Karsdal, M. A., Detlefsen, S., Daniels, S. J., Nielsen, M. J., Krag, A. & Schuppan, D., jan. 2020, I: *Hepatology* (Baltimore, Md.). 71, 1, s. 346-351

Serological biomarkers of interstitial matrix and basement membrane remodelling correlate the Modified Mayo Endoscopic Score (mMES) for ulcerative colitis

Mortensen, J., Godskesen, L. E., Lindholm, M., Krag, A., Karsdal, M. A., Manon-Jensen, T. & Kjeldsen, J., jan. 2020, I: *Journal of Crohn's and Colitis*. 14, Suppl. 1, s. S260-S261 1 s.

Circulating microfibrillar-associated protein 4 is an independent predictor of transplant-free survival in compensated and decompensated cirrhosis

Christian Torp, N., Egerod Israelsen, M., Nytoft Rasmussen, D., Stæhr Madsen, B., Kjærgaard, M., Lutz, P., Strassburg, C. P., Mortensen, C., Wilkens Knudsen, A., Sørensen, G. L., Holmskov, U., Schlosser, A., Thiele, M., Trebicka, J. & Krag, A., 2020, I: *Journal of Hepatology*. 73, Suppl. 1, s. 749 SAT192.

Die Augmentation mit Alpha1-Antitrypsin assoziiert bei Patienten mit klassischem Alpha1-Antitrypsin-Mangel (Pi*ZZ-Genotyp) mit besseren Leber-Parametern

Hamesch, K., Schneider, C., Mandorfer, M., Moeller, L. S., Pereira, V., Pons, M., Stickel, F., Reichert, M. C., Woditsch, V., Voss, J., Lindhauer, C., Fromme, M., Lurje, G., Bals, R., Koczulla, R. A., Chorostowska-Wynimko, J., Miravittles, M., Janciauskiene, S., Griffiths, W. J., Lammert, F. & 6 flere, Trautwein, C., Genescà, J., Aigner, E., Trauner, M., Krag, A. & Strnad, P., 2020, I: *Zeitschrift fuer Gastroenterologie*. 58, 8, s. e158-e159

Die Therapie mit Alpha-1-Antitrypsin (AAT) assoziiert bei AAT-Mangel mit besseren Leber-bezogenen Parametern

Hamesch, K., Schneider, C., Mandorfer, M., Møller, L., Pereira, V., Pons, M., Reichert, M., Fromme, M., Miravittles, M., Janciauskiene, S., Lammert, F., Genescà, J., Krag, A., Trauner, M., Trautwein, C. & Strnad, P., 2020, I: *Zeitschrift fuer Gastroenterologie*. 58, 01, 1 s., e16.

Statiner er sikre ved leversygdom og har muligvis en gunstig effekt

Balle Hugger, M., Bastrup Israelsen, M., Dalby Hansen, C. & Krag, A., 2020, I: *Ugeskrift for Laeger*. 182, 7, V11180794.

The bacterial bile microbiome and its role in liver diseases

Tyc, O., Jansen, C., Schierwagen, R., Uschner, F., Egerod Israelsen, M., Klein, S., Ortiz, C., Strassburg, C. P., Zeuzem, S., Gu, W., Torres, S., Praktiknjo, M., Kersting, S., Langheinrich, M., Nattermann, J., Servant, F., Arumugam, M., Krag, A., Lelouvier, B., Weismüller, T. J. & 1 flere, Trebicka, J., 2020, I: *Zeitschrift fuer Gastroenterologie*. 58, 08, e175.

Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia

Serra-Burriel, M., Graupera, I., Torán, P., Thiele, M., Roulot, D., Wai-Sun Wong, V., Neil Guha, I., Fabrellas, N., Arslanow, A., Expósito, C., Hernández, R., Lai-Hung Wong, G., Harman, D., Darwish Murad, S., Krag, A., Pera, G., Angeli, P., Galle, P., Aithal, G. P., Caballeria, L. & 4 flere, Castera, L., Ginès, P., Lammert, F. & investigators of the LiverScreen Consortium, 1. dec. 2019, I: *Journal of Hepatology*. 71, 6, s. 1141-1151

Extracellular Matrix Fragments of the Basement Membrane and the Interstitial Matrix Are Serological Markers of Intestinal Tissue Remodeling and Disease Activity in Dextran Sulfate Sodium Colitis

Lindholm, M., Manon-Jensen, T., Madsen, G. I., Krag, A., Karsdal, M. A., Kjeldsen, J. & Mortensen, J. H., nov. 2019, I: *Digestive Diseases and Sciences*. 64, 11, s. 3134-3142

Serum markers of type III and IV procollagen processing predict recurrence of fibrosis in liver transplanted patients

Nielsen, M. J., Villesen, I. F., Gudmann, N. S., Leeming, D. J., Krag, A., Karsdal, M. A., Zimmermann, T. & Schuppan, D., 16. okt. 2019, I: *Scientific Reports*. 9, 9 s., 14857.

A Highly Accurate Panel Of Six Micromas Predicts Early Fibrosis Progression In Patients With Alcohol-Related Liver Disease: A Biopsy-Controlled Study In 317 People

Thiele, M., Georgiou, S., Filippa, V., Madsen, B. S., Rasmussen, D., Kalavros, N., Delis, T., Moller, L., Jacobsen, S., Anastasiadou, E. & Krag, A., okt. 2019, I: *Hepatology*. 70, Suppl. 1, s. 171A 265.

Different biomarkers reflecting different aspects of fibrogenesis holds a potential to improve diagnostics of alcohol liver disease: serological deconstruction of fibrosis, ballooning and inflammation.

Villesen, I., Gudmann, N., Thiele, M., Nielsen, M. J., Leeming, D. J., Karsdal, M. & Krag, A., okt. 2019, I: *Hepatology*. 70, Suppl. 1, s. 824A-1357.

Factors Predicting Survival In Patients With 'Non-High-Risk' Acute Variceal Bleeding Receiving Nsbb And/Or Ebl To Prevent Re-Bleeding

Mandorfer, M., Hernandez-Gea, V., Procopet, B., Giraldez, A., Amitrano, L., Villanueva, C., Thabut, D., Ibanez Samaniego, L., Silva-Junior, G., Martinez, J., Genesca, J., Bureau, C., Trebicka, J., Llop Herrera, E., Laleman, W., Palazon Azorin, J. M., Castellote Alonso, J., Lotte Gluud, L., Ferreira, C. N., Canete, N. & 34 flere, Rodriguez, M., Ferlitsch, A., Luis Mundi, J., Gronbaek, H., Hernandez Guerra, M. N., Sassatelli, R., Dell'Era, A., Senzolo, M., Abralades, J. G., Romero-Gomez, M., Zipprich, A., Casas, M., Masnou, H., Primignani, M., Krag, A., Nevens, F., Luis Calleja, J., Jansen, C., Vega Catalina, M., Albillos, A., Rudler, M., Alvarado Tapias, E., Anna Guardascione, M., Tantau, M., Schwarzer, R., Reiberger, T., Laursen, S. B., Lopez-Gomez, M., Cachero, A., Ferranese, A., Ripoll, C., La Mura, V., Bosch, J. & Garcia-Pagan, J. C., okt. 2019, I: *Hepatology*. 70, Suppl. 1, s. 490A-492A-790.

Impact Of Binge Drinking On Hepatic Lipid Metabolism: Lipidome Analysis Of Liver Vein And Peripheral Blood During Acute Alcohol Intoxication

Israelsen, M., Trost, K., Madsen, B. S., Suvitaival, T. R., Hansen, C. D., Thiele, M., Rossing, P., Hensen, T., Legido-Quigley, C., Krag, A. & Consortium, M., okt. 2019, I: *Hepatology*. 70, Suppl. 1, s. 172A-173A-267.

The Pro-Peptide Of Type VI Collagen (Endotrophin) Is Equipotent To Tgf-B In Inducing Fibrosis: Identification Of A Self-Perpetuating Vicious Cycle Driving Fibrosis Mediated By Collagen Signals

Karsdal, M., Reese-Petersen, A., Nielsen, M. J., Krag, A., Thiele, M., Gudmann, N. & Genovese, F., okt. 2019, I: *Hepatology*. 70, Suppl. 1, s. 84A-85A-128.

Liver Fibrosis and Metabolic Alterations in Adults With alpha-1-antitrypsin Deficiency Caused by the Pi*ZZ Mutation

Hamesch, K., Mandorfer, M., Pereira, V. M., Moeller, L. S., Pons, M., Dolman, G. E., Reichert, M. C., Schneider, C. V., Woditsch, V., Voss, J., Lindhauer, C., Fromme, M., Spivak, I., Guldiken, N., Zhou, B., Arslanow, A., Schaefer, B., Zoller, H., Aigner, E., Reiberger, T. & 30 flere, Wetzel, M., Siegmund, B., Simões, C., Gaspar, R., Maia, L., Costa, D., Bento-Miranda, M., van Helden, J., Yagmur, E., Bzdok, D., Stolk, J., Gleiber, W., Knipel, V., Windisch, W., Mahadeva, R., Bals, R., Koczulla, R., Barrecheguren, M., Miravittles, M., Janciauskiene, S., Stickel, F., Lammert, F., Liberal, R., Genesca, J., Griffiths, W. J., Trauner, M., Krag, A., Trautwein, C., Strnad, P. & European Alpha1-Liver Study Group, 1. sep. 2019, I: *Gastroenterology*. 157, 3, s. 705-719.e18

Time to Reconsider Listing Criteria for Alcohol-Associated Liver Disease?

Louvet, A. & Krag, A., sep. 2019, I: *Liver Transplantation*. 25, 9, s. 1303-1304

Combination of CCL₄ with alcoholic and metabolic injuries mimics human liver fibrosis

Brol, M. J., Rösch, F., Schierwagen, R., Magdaleno, F., Uschner, F. E., Manekeller, S., Queck, A., Schwarzkopf, K., Odenthal, M., Drebber, U., Thiele, M., Lingohr, P., Plamper, A., Kristiansen, G., Lotersztajn, S., Krag, A., Klein, S., Rheinwald, K. P. & Trebicka, J., 1. aug. 2019, I: *American Journal of Physiology - Gastrointestinal and Liver Physiology*. 317, 2, s. G182-G194

Spleen stiffness to liver stiffness ratio significantly differs between ALD and HCV and predicts disease-specific complications

Elshaarawy, O., Mueller, J., Guha, I. N., Chalmers, J., Harris, R., Krag, A., Stæhr Madsen, B., Stefanescu, H., Farcau, O., Ardelean, A., Procopet, B., Thiele, M. & Mueller, S., aug. 2019, I: *JHEP Reports*. 1, 2, s. 99-106

Serological Assessment of the Quality of Wound Healing Processes in Crohn's Disease

Sun, S., Karsdal, M. A., Mortensen, J. H., Luo, Y., Kjeldsen, J., Krag, A., Jensen, M. D., Bay-Jensen, A. C. & Manon-Jensen, T., 1. jun. 2019, I: *Journal of gastrointestinal and liver diseases : JGLD*. 28, 2, s. 175-182

OPTIMAL TIMING OF ENDOSCOPY IS ASSOCIATED WITH LOWER 42-DAY MORTALITY IN VARICEAL BLEEDING

Laursen, S. B., Stanley, A. J., Hernandez-Gea, V., Procopet, B., Giraldez, A., Sanchez, C. V., Thabut, D., Ibanez-Samaniego, L., Martinez, J., Genesca, J., Bureau, C., Trebicka, J., Llop, E., Laleman, W., Palazon, J. M., Castellote, J., Rodrigues, S., Gluud, L. L., Ferreira, C. N., Barcelo, R. & 29 flere, Canete, N., Rodriguez, M., Ferlitsch, A., Mundi, J. L.,

Gronbaek, H., Hernandez-Guerra, M., Sassatelli, R., Dellera, A., Senzolo, M., Abraldes, J., Romero-Gomez, M., Zipprich, A., Casas, M., Masnou, H., Primignani, M., Nevens, F., Jansen, C., Robic, M. A., Conejo, I., Catalina, M-V., Albillos, A., Rudler, M., Alvarado, E. A., Guardascione, M. A., Tantau, M., Bosch, J., Torres, F., Garcia-Pagan, J. C. & Krag, A., jun. 2019, I: *Gastrointestinal Endoscopy*. 89, 6 Supplement, s. AB95 1 s.

Collagen type IV remodelling gender-specifically predicts mortality in decompensated cirrhosis

Lehmann, J., Praktiknjo, M., Nielsen, M. J., Schierwagen, R., Meyer, C., Thomas, D., Violi, F., Strassburg, C. P., Bendtsen, F., Møller, S., Krag, A., Karsdal, M. A., Leeming, D. J. & Trebicka, J., maj 2019, I: *Liver International*. 39, 5, s. 885-893

Epidemiology and Effects of Bacterial Infections in Patients With Cirrhosis Worldwide

Piano, S., Singh, V., Caraceni, P., Maiwall, R., Alessandria, C., Fernandez, J., Soares, E. C., Kim, D. J., Kim, S. E., Marino, M., Vorobioff, J., de Cassia Ribeiro Barea, R., Merli, M., Elkrief, L., Vargas, V., Krag, A., Singh, S. P., Lesmana, L. A., Toledo, C., Marciano, S. & 20 flere, Verhelst, X., Wong, F., Intagliata, N., Rabinowich, L., Colombato, L., Kim, S. G., Gerbes, A., Durand, F., Roblero, J. P., Bhamidimarri, K. R., Boyer, T. D., Maevskaya, M., Fassio, E., Kim, H. S., Hwang, J. S., Gines, P., Gadano, A., Sarin, S. K., Angeli, P. & International Club of Ascites Global Study Group, 1. apr. 2019, I: *Gastroenterology*. 156, 5, s. 1368-1380.e10

Spleen to liver stiffness ratio significantly differs between ALD and HCV and predicts disease specific complications

Elshaarawy, O., Mueller, J., Guha, I. N., Chalmers, J., Harris, R., Thiele, M., Madsen, B. S., Krag, A., Stefanescu, H., Stancu, O., Ardelean, A. & Mueller, S., 1. apr. 2019, I: *Journal of Hepatology*. 70, 1 suppl. 1, s. E640

2D-Shear-Wave elastography predicts survival in advanced chronic liver disease

Trebicka, J., De Ledingham, V., Aube, C., Krag, A., Castera, L., Dumortier, J., Boursier, J., Friedrich-Rust, M., Stanislas, P., Grgurevic, I., Zheng, R., Francque, S., Gottfriedova, H., Sporea, I., Berzigotti, A., Wang, W., Rautou, P-E., Andrade, F., Strassburg, C. P., Zheng, J. & 16 flere, Cassinotto, C., Wassil, M., Rasmussen, D., Vilgrain, V., Guibal, A., Vassord, C., Zeuzem, S., Vonghia, L., Senkerikova, R., Popescu, A., Paisant, A., Margini, C., Zuberbulher, F., Irlles-Depe, M., Thiele, M. & Jansen, C., apr. 2019, I: *Journal of Hepatology*. 70, 1, Suppl.1, s. E689

Development of advanced alcoholic liver fibrosis involves intensive remodelling of a wide range of extracellular matrix proteins and is characterised by imbalance between collagen formation and -degradation and dysfunctional wound-healing

Johansen, S., Gudmann, N., Madsen, B. S., Kjaergaard, M., Nielsen, M. J., Leeming, D., Jacobsen, S., Detlefsen, S., Krag, A., Karsdal, M. & Thiele, M., apr. 2019, I: *Journal of Hepatology*. 70, 1, Supplement, s. E56-E57 PS-089.

Dobutamine counteracts the decrease in cardiac output after terlipressin in patients with cirrhosis and impaired kidney function but does not improve GFR: A randomised exploratory trial

Israelsen, M., Dahl, E., Madsen, B., Wiese, S., Bendtsen, F., Moller, S., Fialla, A. D., Jensen, B. L. & Krag, A., apr. 2019, I: *Journal of Hepatology*. 70, 1, Suppl., s. E651-E652

Factors predicting survival in patients with high-risk acute variceal bleeding treated with pre-emptive (Early)-TIPS

Angrisani, D., Hernandez-Gea, V., Procopet, B., Caca, K., Giraldez-Gallego, A., Amitrano, L., Guardascione, M. A., Villanueva, C., Alvarado, E., Thabut, D., Rudler, M., Ibanez, L., Banares, R., Catalina, M-V., Turon, F., Albillos, A., Martinez, J., Genesca, J., Conejo Sosa, I., Baiges, A. & 42 flere, Christophe, B., Vinel, J. P., Robic, M-A., Sauerbruch, T., Trebicka, J., Appenrodt, B., Jansen, C., Llop, E., Calleja Panero, J. L., Laleman, W., Nevens, F., Maria Palazon, J., Castellote, J., Rodrigues, S. G., Gluud, L. L., Ferreira, C. N., Canete, N., Tantau, M., Magaz, M., Rodriguez, M., Ferlitsch, A., Mundi, J. L., Gronbaek, H., Hernandez-Guerra, M., Ferrusquia, J., Mossner, J., Sassatelli, R., Dell'Era, A., Senzolo, M., Abraldes, J. G., Romero Gomez, M., Zipprich, A., Luca, A., Casas, M., Masnou, H., Primignani, M., Casanovas, G., Torres, F., Krag, A., Bosch, J., Monescillo, A. & Garcia-Pagan, J-C., apr. 2019, I: *Journal of Hepatology*. Supplement. 70, 1, supplement, s. E17-E18 PS-023.

Heterozygous alpha1-antitrypsin deficiency (Pi*MZ) is associated with increased liver stiffness and elevated liver enzymes in a multi-center European cohort

Heimes, C. V., Hamesch, K., Moeller, L. S., Mandorfer, M., Reichert, M., Anita, A., Fromme, M., Woditsch, V., Lindhauer, C., Voss, J., Spivak, I., Bals, R., Janciauskiene, S., Pereira, V., Carvao, J., Griffiths, W. J. H., Lammert, F., Krag, A., Trauner, M., Trautwein, C. & 1 flere, Strnad, P., apr. 2019, I: *Journal of Hepatology*. 70, 1, Supplement, s. E122 PS-197.

High levels of basement membrane remodelling (C4M) and low activity of wound healing (FPA) reflect fibrosis in alcoholic liver disease

Gudmann, N., Thiele, M., Nielsen, M. J., Madsen, B. S., Detlefsen, S., Moeller, L. S., Kjaergaard, M., Leeming, D., Karsdal, M. & Krag, A., apr. 2019, I: Journal of Hepatology. 70, 1 Suppl.1, s. E817

Human microfibrillar-associated protein 4 expressed in the liver and serum in alcoholic liver disease predicts liver fibrosis severity with accuracy similar to transient elastography and enhanced liver fibrosis test

Madsen, B., Thiele, M., Detlefsen, S., Kjaergaard, M., Moller, L. S., Rasmussen, D. N., Schlosser, A., Holmskov, U., Trebicka, J., Sorensen, G. L. & Krag, A., apr. 2019, I: Journal of Hepatology. 70, 1 supplement 1, s. E280

Large spontaneous portosystemic shunt (SPSS) area is associated with hepatic encephalopathy and predicts mortality in liver cirrhosis

Praktiknjo, M., Simon-Talero, M., Roccarina, D., Martinez, J., Lampichler, K., Baiges, A., Gavin, L., Llop, E., Maurer, M., Zipprich, A., Triolo, M., Maleux, G., Garcia Martinez, R., Fialla, A. D., Dam, C., Vidal Gonzalez, J., Avik, M., Picon, C., Toth, D., Darnell, A. & 17 flere, Abraldes, J., Lopez-Gomez, M., Kukuk, G., Krag, A., Banares, R., Laleman, W., La Mura, V., Ripoll, C., Berzigotti, A., Calleja Panero, J. L., Tandon, P., Hernandez-Gea, V., Reiberger, T., Albillos, A., Tsochatzis, E., Genesca, J. & Trebicka, J., apr. 2019, I: Journal of Hepatology. 70, 1, Suppl.1, s. E670

Serial testing with the enhanced liver fibrosis test and liver stiffness is cost-effective for detection of advanced alcoholic liver disease in primary care

Thiele, M., Asphaug, L., Krag, A. & Melberg, H. O., apr. 2019, I: Journal of Hepatology. 70, 1, suppl. 1, s. E345-E346

Serum markers of interstitial matrix formation (PRO-C3) and basement membrane remodeling (PRO-C4 and C4M) predict recurrence of fibrosis and survival in post-liver transplanted patients: Poster presentations

Nielsen, M. J., Villesen, I., Gudmann, N., Leeming, D., Krag, A., Karsdal, M., Surabattula, R., Zimmermann, T. & Schuppan, D., apr. 2019, I: Journal of Hepatology. 70, 1, Supplement, s. E199-E200 THU-088.

A serological biomarker of type VIII collagen that contains the anti-angiogenic signalling molecule, vastatin, is associated with the extension of disease in ulcerative colitis

Lindholm, M., Godskesen, L. E., Langholm, L. L., Kjeldsen, J., Krag, A., Karsdal, M. A., Manon-Jensen, T. & Mortensen, J. H., mar. 2019, I: Journal of Crohn's and Colitis. 13, Suppl. 1, s. S250-S251

ADAPT: An algorithm incorporating PRO-C3 accurately identifies patients with NAFLD and advanced fibrosis

Daniels, S. J., Leeming, D. J., Eslam, M., Hashem, A. M., Nielsen, M. J., Krag, A., Karsdal, M. A., Grove, J. I., Guha, I. N., Kawaguchi, T., Torimura, T., McLeod, D., Akiba, J., Kaye, P., de Boer, B., Aithal, G. P., Adams, L. A. & George, J., mar. 2019, I: Hepatology (Baltimore, Md.). 69, 3, s. 1075-1086

MMP-2 and-8 degraded and citrullinatedvimentin (VICM) correlates to disease activity in inflammatory bowel diseases

Godskesen, L., Lindholm, M., Mortensen, J. H., Krag, A., Manon-Jensen, T., Karsdal, M. & Kjeldsen, J., mar. 2019, I: Journal of Crohn's and Colitis. 13, suppl. 1, s. S436-S437

Serological biomarkers of interstitial matrix and basement membrane remodelling correlate to disease activity in Crohn's disease

Godskesen, L., Lindholm, M., Mortensen, J. H., Krag, A., Karsdal, M., Manon-Jensen, T. & Kjeldsen, J., mar. 2019, I: Journal of Crohn's and Colitis. 13, suppl. 1, s. S282-S283

Serological biomarkers of type VI collagen remodelling reflect endoscopically and clinically active Crohn's disease

Lindholm, M., Godskesen, L. E., Kjeldsen, J., Krag, A., Karsdal, M. A., Manon-Jensen, T. & Mortensen, J. H., mar. 2019, I: Journal of Crohn's and Colitis. 13, Suppl. 1, s. S203-S205

Combining liver stiffness with hyaluronic acid provides superior prognostic performance in chronic hepatitis C

Hansen, J. F., Christiansen, K. M., Staugaard, B., Moessner, B. K., Lillevang, S., Krag, A. & Christensen, P. B., 1. feb. 2019, I: PLOS ONE. 14, 2, 17 s., e0212036.

Preemptive-TIPS improves outcome in high-risk variceal bleeding: An observational study

Hernández-Gea, V., Procopet, B., Giráldez, Á., Amitrano, L., Villanueva, C., Thabut, D., Ibañez-Samaniego, L., Silva-Junior, G., Martinez, J., Genescà, J., Bureau, C., Trebicka, J., Llop, E., Laleman, W., Palazon, J. M., Castellote, J.,

Rodrigues, S., Gluud, L. L., Noronha Ferreira, C., Barcelo, R. & 31 flere, Cañete, N., Rodríguez, M., Ferlitsch, A., Mundi, J. L., Gronbaek, H., Hernández-Guerra, M., Sassatelli, R., Dell'Era, A., Senzolo, M., Abraldes, J. G., Romero-Gómez, M., Zipprich, A., Casas, M., Masnou, H., Primignani, M., Krag, A., Nevens, F., Calleja, J. L., Jansen, C., Robic, M. A., Conejo, I., Catalina, M-V., Albillos, A., Rudler, M., Alvarado, E., Guardascione, M. A., Tantau, M., Bosch, J., Torres, F., Garcia-Pagán, J. C. & International Variceal Bleeding Observational Study Group and Baveno Cooperation, 1. jan. 2019, I: *Hepatology* (Baltimore, Md.). 69, 1, s. 282-293

Bei Patienten mit homozygotem Alpha1-Antitrypsinmangel (Pi*ZZ) ist die Substitution von Alpha1-Antitrypsin mit besseren Leberparametern assoziiert

Heimes, C. V., Hamesch, K., Mandorfer, M., Møller, L. M. S., Pereira, V., Pons, M., Fromme, M., Bals, R., Koczulla, R. A., Miravittles, M., Janciauskiene, S., Genescà, J., Krag, A., Trautwein, C. & Strnad, P., 2019, I: *Zeitschrift fuer Gastroenterologie*. 57, 1, e3.

Clinical aspects of alcoholic liver disease

Bastrup Israelsen, M., Krag, A. & Thiele, M., 2019, *The Human Gut-Liver-Axis in Health and Disease*. Krag, A. & Hansen, T. (red.). Springer, s. 3-21

Die Substitution mit Alpha1-Antitrypsin ist bei Patienten mit schwerem Alpha1-Antitrypsin-Mangel (Pi*ZZ-Genotyp) mit einer Verbesserung Leber-bezogener Parameter assoziiert

Hamesch, K., Heimes, C. V., Mandorfer, M., Møller, L. M. S., Pereira, V., Pons, M., Reichert, M. C., Woditsch, V., Voss, J., Lindhauer, C., Fromme, M., Bals, R., Koczulla, R. A., Miravittles, M., Janciauskiene, S., Lammert, F., Genescà, J., Trauner, M., Krag, A., Trautwein, C. & 1 flere, Strnad, P., 2019, I: *Zeitschrift fuer Gastroenterologie*. 57, 9, e366.

Extracellular matrix remodeling with focus on biochemical markers in liver fibrosis: Limitations and possibilities

Nielsen, M. J., Karsdal, M. A., Krag, A. & Leeming, D. J., 2019, *The Human Gut-Liver-Axis in Health and Disease*. Krag, A. & Hansen, T. (red.). Springer Publishing Company, s. 265-286

Lever- og galdevejssygdomme

Ott, P., Bendtsen, F., Grønbaek, H., Krag, A. & Larsen, F. S., 2019, *Medicinsk Kompendium*. de Muckadell, O. B. S., Hastrup Svendsen, J. & Vilstrup, H. (red.). 19. udg. Munksgaard, Bind 1. s. 1121-1201

Multizentrische europäische Studie: Patienten mit heterozygotem Alpha1-Antitrypsin-Mangel (Pi*MZ) weisen erhöhte Lebersteifigkeit, erhöhte Leberenzyme und in bis zu 40% Einschlusskörper auf

Heimes, C., Hamesch, K., Mandorfer, M., Reichert, M. C., Woditsch, V., Fromme, M., Gutberlet, M., Bals, R., Pereira, V., Møller, L. M. S., Neureiter, D., Lammert, F., Trauner, M., Aigner, E., Krag, A., Denk, H., Trautwein, C. & Strnad, P., 2019, I: *Zeitschrift fuer Gastroenterologie*. 57, 9, s. e366-e367

The human gut-liver-axis in health and disease

Krag, A. (red.) & Hansen, T. (red.), 2019, Springer Publishing Company. 287 s.

Ruling out esophageal varices in NAFLD cirrhosis: Can we do without endoscopy?

de Franchis, R. & Krag, A., 1. okt. 2018, I: *Journal of Hepatology*. 69, 4, s. 769-771

Serum Markers of Type IV CollagenFibrogenesis and Fibrolysis (P4NP7S andC4M2) Predict Recurrent Cirrhosis in PatientsPost Liver Transplant.

Villesen, I., Zimmermann, T., Gudmann, Sr., N. S., Leeming, D. J., Krag, A., Karsdal, M. & Schuppan, D., 1. okt. 2018, I: *Hepatology*. 68, suppl. 1, s. 666A 1151.

In Patients with Homozygous alpha1-Antitrypsin Deficiency (genotype Pi*ZZ), alpha1-Antitrypsin Augmentation Therapy Associates with Better Liver-Related Parameters

Heimes, C. V., Hamesch, K., Mandorfer, M., Moeller, L. S., Pereira, V. P., Pons, M., Lindhauer, C., Woditsch, V., Koczulla, R., Miravittles, M., Janciauskiene, S., Genesca, J., Krag, A., Trautwein, C. & Strnad, P., okt. 2018, I: *Hepatology*. 68, 1, s. 53A 84.

Non-Invasive Markers Are Superior to Histological Fibrosis Stage for Predicting LiverRelated Outcomes in Alcoholic Liver Disease

Rasmussen, D., Thiele, M., Madsen, B. S., Moller, L., Antonsen, S., Detlefsen, S. & Krag, A., okt. 2018, I: *Hepatology*. 68, suppl. 1, s. 780A 1 s.

Non-invasive diagnosis of liver fibrosis in patients with alcohol-related liver disease by transient elastography: an individual patient data meta-analysis

Nguyen-Khac, E., Thiele, M., Voican, C., Nahon, P., Moreno, C., Boursier, J., Mueller, S., de Ledinghen, V., Stärkel, P., Gyune Kim, S., Fernandez, M., Madsen, B., Naveau, S., Krag, A., Perlemuter, G., Ziol, M., Chatelain, D. & Diouf, M., 1. sep. 2018, I: *The Lancet Gastroenterology and Hepatology*. 3, 9, s. 614-625

Serum type XVI collagen is associated with colorectal cancer and ulcerative colitis indicating a pathological role in gastrointestinal disorders

Jensen, C., Nielsen, S. H., Mortensen, J. H., Kjeldsen, J., Klinge, L. G., Krag, A., Harling, H., Jørgensen, L. N., Karsdal, M. A. & Willumsen, N., 20. aug. 2018, I: *Cancer Medicine*. 7, 9, s. 4619-4626

EASL Clinical Practice Guidelines for the management of patients with decompensated cirrhosis

Krag, A. & European Association for the Study of the Liver, aug. 2018, I: *Journal of Hepatology*. 69, 2, s. 406-460

Association Between Portosystemic Shunts and Increased Complications and Mortality in Patients With Cirrhosis

Simón-Talero, M., Roccarina, D., Martínez, J., Lampichler, K., Baiges, A., Low, G., Llop, E., Praktiknjo, M., Maurer, M. H., Zipprich, A., Triolo, M., Vangrinsven, G., Garcia-Martinez, R., Dam, A., Majumdar, A., Picón, C., Toth, D., Darnell, A., Abraldes, J. G., Lopez, M. & 31 flere, Kukuk, G., Krag, A., Bañares, R., Laleman, W., La Mura, V., Ripoll, C., Berzigotti, A., Trebicka, J., Calleja, J. L., Tandon, P., Hernandez-Gea, V., Reiberger, T., Albillos, A., Tsochatzis, E. A., Augustin, S., Genescà, J., Quiroga, S., Yu, D., Mandorfer, M., Garcia-Pagan, J. C., Berbel, C., Ferrusquia, J., Ble, M., Garcia-Criado, M. A., Belmonte, E., Ney, M., Margini, C., Casu, S., Murgia, G., Ludwig, C. & Baveno VI-SPSS group from the Baveno Cooperation, Baveno VI-SPSS group, maj 2018, I: *Gastroenterology*. 154, 6, s. 1694-1705.e4

Controlled Attenuation Parameter And Alcoholic Hepatic Steatosis: Diagnostic Accuracy and Role Of Alcohol Detoxification

Thiele, M., Rausch, V., Fluhr, G., Kjærgaard, M., Piecha, F., Mueller, J., Straub, B. K., Lupşor-Platon, M., De-Ledinghen, V., Seitz, H. K., Detlefsen, S., Madsen, B., Krag, A. & Mueller, S., maj 2018, I: *Journal of Hepatology*. 68, 5, s. 1025-1032

Accuracy of the Enhanced Liver Fibrosis Test vs Fibrotest, Elastography and Indirect Markers in Detection of Advanced Fibrosis in Patients with Alcoholic Liver Disease

Thiele, M., Madsen, B. S., Hansen, J. F., Detlefsen, S., Antonsen, S. & Krag, A., apr. 2018, I: *Gastroenterology*. 154, 5, s. 1369-1379

Editorial: the portal hypertension puzzle—spleen stiffness evades validation as non-invasive marker of clinically significant portal hypertension

Thiele, M. & Krag, A., 1. mar. 2018, I: *Alimentary Pharmacology and Therapeutics*. 47, 6, s. 856-857

Managing excessive alcohol consumption at a population level: The earlier the better

Louvet, A. & Krag, A., 1. mar. 2018, I: *Journal of Hepatology*. 68, 3, s. 389-390

Antifibrotic and molecular aspects of rifaximin in alcoholic liver disease: Study protocol for a randomized controlled trial

Madsen, B. S., Trebicka, J., Thiele, M., Israelsen, M., Arumugan, M., Havelund, T. & Krag, A., 26. feb. 2018, I: *Trials*. 19, 5 s., 143.

Adherence to EASL antibiotic treatment recommendations improves the outcomes of patients with cirrhosis and bacterial infections. Results from the ICA "Global Study"

Piano, S., Singh, V., Caraceni, P., Maiwall, R., Alessandria, C., Fernandez, J., Soares, E. C., Kim, D. J., Kim, S. E., Marino, M., Vorobioff, J., Barea, R. R., Merli, M., Elkrief, L., Vargas, V., Krag, A., Singh, S. P., Lesmana, L. A., Toledo, C., Marciano, S. & 19 flere, Verhelst, X., Wong, F., Intagliata, N., Rabinowich, L., Colombato, L. A., Kim, S. G., Gerbes, A., Durand, F., Roblero, J. P., Bhamidimarri, K. R., Boyer, T. D., Maevska, M., Fassio, E., Kim, H. S., Hwang, J. S., Gadano, A., Sarin, S. K., Angeli, P. & Grp, I. C. A. G. S., 1. feb. 2018, I: *Digestive and Liver Disease*. 50, 1, S, s. 23-24 2 s.

Basement membrane remodelling as a biomarker for monitoring disease activity in Crohn's disease patients: the role of laminin

Olesen, M. L., Di Sabatino, A., Mazza, G., Manon-Jensen, T., Giuffrida, P., Pinzani, M., Krag, A., Karsdal, M., Kjeldsen, J. & Mortensen, J. H., 1. feb. 2018, I: Journal of Crohn's and Colitis. 12, Suppl. 1, s. S155-S156 P125.

Extracellular matrix fragments of the basement membrane and the interstitial matrix are markers of disease activity and disease progression

Olesen, M. L., Manon-Jensen, T., Krag, A., Karsdal, M., Kjeldsen, J. & Mortensen, J. H., 1. feb. 2018, I: Journal of Crohn's and Colitis. 12, Suppl. 1, s. S100 P015.

Platelet activation by activated von Willebrand factor is a marker of intestinal wound healing in patients with Crohn's disease

Manon-Jensen, T., Langholm, L., Sun, S., Mortensen, J. H., He, Y., Krag, A., Jensen, M. D., Bay-Jensen, A. -C., Kjeldsen, J. & Karsdal, M. A., 1. feb. 2018, I: Journal of Crohn's and Colitis. 12, Suppl. 1, s. S234-S235 P265.

Serological assessment of type XVI collagen in patients with colorectal cancer and ulcerative colitis.

Jensen, C., Nielsen, S. H., Mortensen, J. H., Kjeldsen, J., Klinge, L. G., Krag, A., Harling, H., Jorgensen, L. N., Karsdal, M. A. & Willumsen, N., 1. feb. 2018, I: Journal of Clinical Oncology. 36, Suppl. 4, s. 698 1 s.

Serological assessment of wound healing in Crohn's disease

Sun, S., Karsdal, M. A., Mortensen, J. H., Luo, Y., Kjeldsen, J., Krag, A., Jensen, M. D., Bay-Jensen, A-C. & Manon-Jensen, T., 1. feb. 2018, I: Journal of Crohn's and Colitis. 12, Suppl. 1, s. S139-S140 P092.

Assessment of biopsy-proven liver fibrosis by two-dimensional shear wave elastography: An individual patient data based meta-analysis

Herrmann, E., de Lédinghen, V., Cassinotto, C., Chu, W. C-W., Leung, V. Y-F., Ferraioli, G., Filice, C., Castera, L., Vilgrain, V., Ronot, M., Dumortier, J., Guibal, A., Pol, S., Trebicka, J., Jansen, C., Strassburg, C. P., Zheng, R., Zheng, J., Francque, S., Vanwollegghem, T. & 11 flere, Vonghia, L., Manesis, E. K., Zoumpoulis, P., Sporea, I., Thiele, M., Krag, A., Cohen-Bacrie, C., Criton, A., Gay, J., Deffieux, T. & Friedrich-Rust, M., jan. 2018, I: Hepatology. 67, 1, s. 260-272

Rifaximin has minor effects on bacterial composition, inflammation and bacterial translocation in cirrhosis: A randomized trial

Kimer, N., Pedersen, J. S., Tavenier, J., Christensen, J. E., Busk, T. M., Hobolth, L., Krag, A., Al-Soud, W. A., Mortensen, M. S., Sørensen, S. J., Møller, S., Bendtsen, F. & And members of the CoRif study group, jan. 2018, I: Journal of Gastroenterology and Hepatology. 33, 1, s. 307-314

Acute decompensation boosts hepatic collagen type III deposition and deteriorates experimental and human cirrhosis

Praktiknjo, M., Lehmann, J., Nielsen, M. J., Schierwagen, R., Uschner, F. E., Meyer, C., Thomas, D., Strassburg, C. P., Bendtsen, F., Møller, S., Krag, A., Karsdal, M. A., Leeming, D. J. & Trebicka, J., 2018, I: Hepatology communications. 2, 2, s. 211-222

Design of the Prospective Real-world Outcomes Study of hepatic encephalopathy Patients' Experience on Rifaximin- α (PROSPER): an observational study among 550 patients

Krag, A., Schuchmann, M., Sodatonou, H., Pilot, J., Whitehouse, J., Strasser, S. I. & Hudson, M., 2018, I: Hepatology, Medicine and Policy. 3, 8 s., 4.

Die Substitutionstherapie mit Alpha1-Antitrypsin bei Patienten mit homozygotem Alpha1-Antitrypsin-Mangel (Pi*ZZ-Genotyp) ist mit einer Verbesserung Leber-bezogener Parameter assoziiert

Hamesch, K., Heimes, C. V., Mandorfer, M., Møller, L. M. S., Reichert, M. C., Woditsch, V., Voss, J., Lindhauer, C., Janciauskiene, S., Lammert, F., Trauner, M., Krag, A., Trautwein, C. & Strnad, P., 2018, I: Zeitschrift fuer Gastroenterologie. 56, 8, e280.

Leberfibrose und metabolische Veränderungen bei Erwachsenen mit homozygotem Alpha1-Antitrypsin-Mangel (Pi*ZZ-Genotyp) – eine europaweite Studie

Hamesch, K., Mandorfer, M., Møller, L. M. S., Pereira, V. M., Pons, M., Reichert, M. C., Heimes, C. V., Woditsch, V., Voss, J., Lindhauer, C., Spivak, I., Guldiken, N., Arslanow, A., Schaefer, B., Zoller, H., Aigner, E., Janciauskiene, S., Genescà, J., Lammert, F., Trauner, M. & 3 flere, Krag, A., Trautwein, C. & Strnad, P., 2018, I: Zeitschrift fuer Gastroenterologie. 56, 8, e281.

Liver Fibrosis and Metabolic Alterations in Adults with Homozygous Alpha1-antitrypsin Deficiency (PiZZ Genotype)

Hamesch, K., Heimes, C., Mandorfer, M., Møller, L. M. S., Pereira, V. M., Pons, M., Reichert, M., Woditsch, V., Voss, J., Bretag, T., Spivak, I., Arslanow, A., Krawczyk, M., Wetzell, M., Siegmund, B., Aigner, E., Schaefer, B., Zoller, H., Reiberger, T., Yagmur, E. & 12 flere, Gleiber, W., Bals, R., Koczulla, A., Miravittles, M., Janciauskiene, S., Bzdok, D., Genescà, J., Lammert, F., Trauner, M., Krag, A., Trautwein, C. & Strnad, P., 2018, I: *Zeitschrift fuer Gastroenterologie*. 56, 1

Platelet activation by activated von Willebrand factor is a marker of intestinal wound healing in patients with Crohn's disease

Manon-Jensen, T., Langholm, L., Sun, S., Mortensen, J. H., He, Y., Krag, A., Jensen, M. D., Bay-Jensen, A.-C., Kjeldsen, J. & Karsdal, M. A., 2018, *13th Congress of the European Crohn's and Colitis Organisation*. Bind 12.

Platelet Activation by Activated Von Willebrand Factor is a Marker of Intestinal Wound Healing in Patients with Crohn's Disease

Manon-Jensen, T., Langholm, L., Sun, S., Mortensen, J. H., He, Y., Krag, A., Jensen, M. D., Bay-Jensen, A.-C., Kjeldsen, J. & Karsdal, M. A., 2018, I: *Gastroenterology*. 154, 6 Suppl. 1, s. 398-399 Sa1798.

Terlipressin versus other vasoactive drugs for hepatorenal syndrome

Israelsen, M., Krag, A., Allegretti, A. S., Jovani, M., Goldin, A. H., Winter, R. W. & Glud, L. L., 27. sep. 2017, I: *Cochrane Database of Systematic Reviews*. 2017, 9, 62 s., CD011532.

Controlled Attenuation Parameter (CAP) for the assessment of alcoholic hepatic steatosis: biopsy-controlled diagnostic accuracy and role of detoxification

Thiele, M., Rausch, V., Fluhr, G., Piecha, F., Mueller, J., Straub, B., Stæhr Madsen, B., Detlefsen, S. & Krag, A., 1. sep. 2017. 1 s.

Human ascites microfibril associated protein 4 (MFAP4) er en uafhængig prædiker for død ved dekompenaseret cirrose

Stæhr Madsen, B., Kjærgaard, M., Thiele, M., Pohlmann, A., Lutz, P., Schierwagen, R., Klein, S., Jansen, C., Lehmann, J., Mortensen, C., Wilkens Knudsen, A., Trebicka, J., Schlosser, A., Holmskov, U., Sørensen, G. L. & Krag, A., 1. sep. 2017. 1 s.

Prediction of presence of oesophageal varices just by shear-wave elastography of the liver and spleen

Jansen, C., Thiele, M., Verlinden, W., Krag, A., Francque, S. & Trebicka, J., sep. 2017, I: *Liver International*. 37, 9, s. 1406-1407

Terlipressin versus placebo or no intervention for people with cirrhosis and hepatorenal syndrome

Allegretti, A. S., Israelsen, M., Krag, A., Jovani, M., Goldin, A. H., Schulman, A. R., Winter, R. W. & Glud, L. L., 14. jun. 2017, I: *Cochrane Database of Systematic Reviews*. 6, 6, 49 s., CD005162.

Screening studies of transient elastography and FibroTest in the general population: Authors' reply

Ginès, P., Graupera, I., Lammert, F., Angeli, P., Caballeria, L., Krag, A., Guha, I. N., Murad, S. D. & Castera, L., 1. apr. 2017, I: *The Lancet Gastroenterology & Hepatology*. 2, 4, s. 246-247

Is liver stiffness equal to liver fibrosis?

Thiele, M., Madsen, B. S. & Krag, A., 1. feb. 2017, I: *Hepatology*. 65, 2, s. 749 1 s.

Rifaximin has no effect on hemodynamics in decompensated cirrhosis: A randomized, double-blind, placebo-controlled trial

Kimer, N., Pedersen, J. S., Busk, T. M., Glud, L. L., Hobolth, L., Krag, A., Møller, S., Bendtsen, F. & Copenhagen Rifaximin (CoRif) Study Group, feb. 2017, I: *Hepatology*. 65, 2, s. 592-603

Aquaporin-2 excretion in hospitalized patients with cirrhosis: Relation to development of renal insufficiency and mortality

Busk, T. M., Møller, S., Pedersen, E. B., Gerbes, A., Krag, A., Peck-Radosavljevic, M., Frankova, S., Coenraad, M. J. & Bendtsen, F., 2017, I: *Journal of Gastroenterology and Hepatology*. 32, 5, s. 1087-1093

Contemporary use of elastography in liver fibrosis and portal hypertension

Thiele, M., Kjærgaard, M., Thielsen, P. & Krag, A., 2017, I: *Clinical Physiology and Functional Imaging*. 37, 3, s. 235–242

High risk of misinterpreting liver and spleen stiffness using 2D shear-wave and transient elastography after a moderate or high calorie meal

Kjærgaard, M., Thiele, M., Jansen, C., Stæhr Madsen, B., Gørtzen, J., Strassburg, C. P., Trebicka, J. & Krag, A., 2017, I: *PLOS ONE*. 12, 4, 15 s., e0173992.

Internal dysregulation of the renin system in patients with stable liver cirrhosis

Fialla, A. D., Thiesson, H. C., Bie, P., Schaffalitzky de Muckadell, O. B. & Krag, A., 2017, I: *Scandinavian Journal of Clinical & Laboratory Investigation*. 77, 4, s. 298-309

Pharmacological interventions for alcoholic liver disease (alcohol-related liver disease): an attempted network meta-analysis

Buzzetti, E., Kalafateli, M., Thorburn, D., Davidson, B. R., Thiele, M., Glud, L. L., Del Giovane, C., Askgaard, G., Krag, A., Tsochatzis, E. & Gurusamy, K. S., 2017, I: *Cochrane Database of Systematic Reviews*. 2017, 3, 182 s., CD011646.

Reliability Criteria for Liver Stiffness Measurements with Real-Time 2D Shear Wave Elastography in Different Clinical Scenarios of Chronic Liver Disease

Thiele, M., Stæhr Madsen, B., Procopet, B., Fuglsang Hansen, J., Møller, L. M. S., Detlefsen, S., Berzigotti, A. & Krag, A., 2017, I: *Ultraschall in der Medizin*. 38, 6, s. 648-654

Sequential shear-wave elastography of liver and spleen rules out clinically significant portal hypertension in compensated advanced chronic liver disease

Jansen, C., Bogs, C., Krag, A., Francque, S. & Trebicka, J., 2017, I: *Gut*. 66, 3, s. 558-559

Shear-wave elastography of the liver and spleen identifies clinically significant portal hypertension: A prospective multicentre study

Jansen, C., Bogs, C., Verlinden, W., Thiele, M., Möller, P., Gørtzen, J., Lehmann, J., Vanwollegem, T., Vonghia, L., Praktiknjo, M., Chang, J., Krag, A., Strassburg, C. P., Francque, S. & Trebicka, J., 2017, I: *Liver International*. 37, 3, s. 396–405

Ulcerative colitis, Crohn's disease, and irritable bowel syndrome have different profiles of extracellular matrix turnover, which also reflects disease activity in Crohn's disease

Mortensen, J. H., Manon-Jensen, T., Jensen, M. D., Häggglund, P., Klinge, L. G., Kjeldsen, J., Krag, A., Karsdal, M. A. & Bay-Jensen, A-C., 2017, I: *PLOS ONE*. 12, 10, 16 s., e0185855.

Feasibility of transient elastography versus real-time two-dimensional shear wave elastography in difficult-to-scan patients

Staugaard, B., Christensen, P. B., Mössner, B., Hansen, J. F., Madsen, B. S., Søholm, J., Krag, A. & Thiele, M., 1. nov. 2016, I: *Scandinavian Journal of Gastroenterology*. 51, 11, s. 1354-1359

Cutaneous Porphyrrias: Causes, symptoms, treatments and the Danish incidence 1989-2013

Lindegaard Christiansen, A., Aagaard, L., Krag, A., Rasmussen, L. M. & Bygum, A., nov. 2016, I: *Acta Dermato-Venereologica*. 96, 7, s. 868-872

Reply

Bossen, L., Krag, A., Vilstrup, H., Watson, H. & Jepsen, P., nov. 2016, I: *Hepatology*. 64, 5, s. 1808

How to achieve a smooth transition from fellowship to faculty

Krag, A. & Thiele, M., okt. 2016, I: *United European Gastroenterology Journal*. 4, 5, s. 717-718

A reduced-carbohydrate diet high in monounsaturated fats in type 2 diabetes: A six-month study of changes in metabolism, liver- and cardiovascular function (reduction)

Gram-Kampmann, E-M., Olsen, M. H., Krag, A. & Beck-Nielsen, H., 24. aug. 2016. 1 s.

Keep the sick from harm in spontaneous bacterial peritonitis: Dose of beta blockers matters

Madsen, B. S., Nielsen, K. F., Fiialla, A. D. & Krag, A., 1. jun. 2016, I: *Journal of Hepatology*. 64, 6, s. 1455-1456

Algorithm to rule out clinically significant portal hypertension combining Shear-wave elastography of liver and spleen: a prospective multicentre study

Jansen, C., Bogs, C., Verlinden, W., Thiele, M., Möller, P., Görtzen, J., Lehmann, J., Praktiknjo, M., Chang, J., Krag, A., Strassburg, C. P., Francque, S. & Trebicka, J., jun. 2016, I: *Gut*. 65, 6, s. 1057-1058

Non-selective β -blockers do not affect mortality in cirrhosis patients with ascites: Post hoc analysis of three randomized controlled trials with 1198 patients

Bossen, L., Krag, A., Vilstrup, H., Watson, H. & Jepsen, P., jun. 2016, I: *Hepatology (Baltimore, Md.)*. 63, 6, s. 1968–1976

Reply: Refers To: Jun Liang Chin, Grace Chan, John D. Ryan Noninvasive Assessment of Liver Fibrosis and Cirrhosis With Ultrasound-based Elastography in Alcohol-related Liver Disease *Gastroenterology*, Volume 150, Issue 5, May 2016, Pages 1251-1252

Thiele, M., Madsen, B. S. & Krag, A., 1. maj 2016, I: *Gastroenterology*. 150, 5, s. 1252–1253

Liver cirrhosis does not impair the short-term outcome in peptic ulcer bleeding

Petersen, J., Krag, A., Schaffalitzky de Muckadell, O. B. & Laursen, S. B., maj 2016.

Er skrumpelever en reversibel tilstand?

Krag, A., 18. apr. 2016, I: *Ugeskrift for Læger*. 178, 16, V67479 .

Algorithm to rule-out clinically significant portal hypertension combining shear-wave elastography of liver and spleen: A prospective multi-center study

Jansen, C., Bogs, CK-P., Verlinden, W., Thiele, M., Møller, P., Görtzen, J., Lehmann, J., Praktiknjo, M., Chang, J., Krag, A., Strassburg, C., Franque, S. & Trebicka, J., 14. apr. 2016.

Livertrailcom: A smartphone app to predict presence of liver fibrosis in patients with alcohol overuse

Thiele, M., Madsen, B. S., Hansen, J., Møller, L. M. S., Prier Lindvig, K., Detlefsen, S. & Krag, A., 14. apr. 2016.

When is intensive care treatment futile in patients with organ failure and end-stage liver disease?

Prier Lindvig, K., Thiele, M., Fuhrmann, V., Laleman, W., Roedel, K., Verbeke, L., Faber, K., Strøm, T., O'Beirne, J., Toft, P. & Krag, A., 14. apr. 2016.

Beta-blockers alone or in combination with isosorbide mononitrate for secondary prevention of bleeding from gastro-oesophageal varices in adults with cirrhosis and gastro-oesophageal varices

Kimer, N., Naver, A. V., Thiele, M., Krag, A. & Gluud, L. L., 31. mar. 2016, I: *Cochrane Database of Systematic Reviews*. 3, CD012127.

Lack of consensus for usage of β -blockers in end-stage liver disease

Holtz Thorhauge, K., Prier Lindvig, K., Laleman, W., Angeli, P., Singh, S. P. & Krag, A., 1. mar. 2016, I: *Gut*. 65, 6, s. 1058-1060

Assessment of response to beta-blockers by expression of β Arr2 and RhoA/ROCK2 in antrum mucosa in cirrhotic patients

Trebicka, J., von Heydebrand, M., Lehmann, J., Tofteng, F., Busk, T., Jensen, H. L., Rohde, J., Reiberger, T., Mortensen, C., Schierwagen, R., Klein, S., Møller, S., Bendtsen, F. & Krag, A., 28. jan. 2016, I: *Journal of Hepatology*. 64, 6, s. 1265–1273

Transient and 2-Dimensional Shear-Wave Elastography Provide Comparable Assessment of Alcoholic Liver Fibrosis and Cirrhosis

Thiele, M., Detlefsen, S., Møller, L. M. S., Madsen, B. S., Fuglsang Hansen, J., Fiialla, A. D., Trebicka, J. & Krag, A., jan. 2016, I: *Gastroenterology*. 150, 1, s. 123-133

Algorithm to rule-out clinically significant portal hypertension combining shear-wave elastography of liver and spleen: A prospective multi-center study

Jansen, C., Bogs, CK-P., Verlinden, W., Thiele, M., Møller, P., Gørtzen, J., Lehmann, J., Praktijnjo, M., Chang, J., Krag, A., Strassburg, C., Franque, S. & Trebicka, J., 2016, I: *Journal of Hepatology*. 64, Supplement 2, s. S5718 1 s., SAT-434.

Consensus Statements: Changing Scenarios: Prevention of Decompensation

Krag, A., Merkel, C., Escorsell, À., Groszmann, R., La Mura, V., Merli, M., Rudler, M. & Vorobioff, J. D., 2016, *Portal Hypertension VI: Proceedings of the Sixth Baveno Consensus Workshop: Stratifying Risk and Individualizing Care*. de Franchis, R. (red.). Springer, s. 235-238

Editorial: in vino veritas-- transient elastography for staging liver fibrosis in alcoholic liver disease

Thiele, M. & Krag, A., 2016, I: *Alimentary Pharmacology and Therapeutics*. 43, 9, s. 1014-1015

Effect of paracentesis on metabolic activity in patients with advanced cirrhosis and ascites

Knudsen, A. W., Krag, A., Nordgaard-Lassen, I., Frandsen, E., Tofteng, F., Mortensen, C. & Becker, U., 2016, I: *Scandinavian Journal of Gastroenterology*. 51, 5, s. 601-609

Fibrogenesis assessed by serological type III collagen formation identifies patients with progressive liver fibrosis and responders to a potential antifibrotic therapy

Karsdal, M. A., Henriksen, K., Nielsen, M. J., Byrjalsen, I., Leeming, D. J., Gardner, S., Goodman, Z., Patel, K., Krag, A., Christiansen, C. & Schuppan, D., 2016, I: *American Journal of Physiology: Gastrointestinal and Liver Physiology*. 311, 6, s. G1009-G1017

Fibrosis is not just fibrosis - basement membrane modelling and collagen metabolism differs between hepatitis B- and C-induced injury

Nielsen, M. J., Karsdal, M. A., Kazankov, K., Grønbaek, H., Krag, A., Leeming, D. J., Schuppan, D. & George, J., 2016, I: *Alimentary Pharmacology and Therapeutics*. 44, 11-12, s. 1242-1252 11 s.

Ileocolonic Involvement and Diagnosis is Related to Fragments of the Extracellular Matrix Measured in Serum of Patients with Crohn's Disease

Mortensen, J. H., Jensen, M. D., Kjeldsen, J., Krag, A., Karsdal, M. A. & Jensen, A-C. B., 2016.

Introduction: Prevention of Decompensation Versus Prevention of First Bleeding

Krag, A. & Merkel, C., 2016, *Portal Hypertension VI: Proceedings of the Sixth Baveno Consensus Workshop: Stratifying Risk and Individualizing Care*. de Franchis, R. (red.). Springer, s. 195-204

Liver cirrhosis does not impair the short-term outcome in peptic ulcer bleeding

Petersen, J., Krag, A., Schaffalitzky de Muckadell, O. B. & Laursen, S. B., 2016, I: *Gastroenterology*. 150, 4. suppl. 1, s. S1114 1 s., Su1504.

Livertrailcom: A smartphone app to predict presence of liver fibrosis in patients with alcohol overuse

Thiele, M., Madsen, B. S., Hansen, J., Møller, L. M. S., Prier Lindvig, K., Detlefsen, S. & Krag, A., 2016, I: *Journal of Hepatology*. Supplement. 64, Ssupplement 2, s. S729 1 s., SAT-460.

Result of the Questionnaire

Merkel, C. & Krag, A., 2016, *Portal Hypertension VI: Proceedings of the Sixth Baveno Consensus Workshop: Stratifying Risk and Individualizing Care*. de Franchis, R. (red.). Springer, s. 187-194

Screening for liver fibrosis in the general population: a call for action

Ginès, P., Graupera, I., Lammert, F., Angeli, P., Caballeria, L., Krag, A., Guha, I. N., Murad, S. D. & Castera, L., 2016, I: *The Lancet Gastroenterology & Hepatology*. 1, 3, s. 256-260

When is intensive care treatment futile in patients with organ failure and end-stage liver disease?

Prier Lindvig, K., Thiele, M., Fuhrmann, V., Laleman, W., Roedl, K., Verbeke, L., Faber, K., Strøm, T., O'Beirne, J., Toft, P. & Krag, A., 2016, I: *Journal of Hepatology*. Supplement. 64, Supplement 2, s. S166 1 s., PS059.

Alcoholic Cirrhosis Increases Risk for Autoimmune Diseases: A Nationwide Registry-Based Cohort Study

Grønbaek, L., Vilstrup, H., Deleuran, B., Wiest, R., Krag, A. & Jepsen, P., nov. 2015, I: *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association*. 13, 11, s. 2017–2022

Markers of Collagen Remodeling Detect Clinically Significant Fibrosis in Chronic Hepatitis C Patients

Nielsen, M. J., Kazankov, K., Leeming, D. J., Karsdal, M. A., Krag, A., Barrera, F., McLeod, D., George, J. & Grønbaek, H., 25. sep. 2015, I: *PLOS ONE*. 10, 9, 12 s., e0137302.

Allocation of patients with liver cirrhosis and organ failure to intensive care: Systematic review and a proposal for clinical practice

Prier Lindvig, K., Søgaard Teisner, A., Kjeldsen, J., Strøm, T., Toft, P., Furhmann, V. & Krag, A., 7. aug. 2015, I: *World Journal of Gastroenterology*. 21, 29, s. 8964-8973

Non-selective beta-blockers may reduce risk of hepatocellular carcinoma: a meta-analysis of randomized trials

Thiele, M., Albillos, A., Abazi, R., Wiest, R., Gluud, L. L. & Krag, A., 1. aug. 2015, I: *Liver International*. 35, 8, s. 2009-2016

Fragments of Citrullinated and MMP-degraded Vimentin and MMP-degraded Type III Collagen Are Novel Serological Biomarkers to Differentiate Crohn's Disease from Ulcerative Colitis

Mortensen, J. H., Godskesen, L. E., Jensen, M. D., Van Haaften, W. T., Klinge, L. G., Olinga, P., Dijkstra, G., Kjeldsen, J., Karsdal, M. A., Bay-Jensen, A-C. & Krag, A., 18. jul. 2015, I: *Journal of Crohn's and Colitis*. 9, 10, s. 863-872

Circulating Elastin Fragments Are Not Affected by Hepatic, Renal and Hemodynamic Changes, But Reflect Survival in Cirrhosis with TIPS

Nielsen, M. J., Lehmann, J., Leeming, D. J., Schierwagen, R., Klein, S., Jansen, C., Strassburg, C. P., Bendtsen, F., Møller, S., Sauerbruch, T., Karsdal, M. A., Krag, A. & Trebicka, J., 3. jul. 2015, I: *Digestive Diseases and Sciences*. 60, 11, s. 3456-3464

To block, or not to block in advanced cirrhosis and ascites: that is the question

Krag, A. & Madsen, B. S., jul. 2015, I: *Gut*. 64, 7, s. 1015-1017

Beta-blockers alone or with isosorbide mononitrate for primary prevention in adults with cirrhosis and gastro-oesophageal varices

Kimer, N., Naver, A. V., Thiele, M., Krag, A. & Gluud, L. L., 15. maj 2015, I: *Cochrane Database of Systematic Reviews*. 2015, 5, 13 s., CD011691.

Novel insights into the function and dynamics of extracellular matrix in liver fibrosis

Karsdal, M. A., Manon-Jensen, T., Genovese, F., Kristensen, J. H., Nielsen, M. J., Sand, J. M. B., Hansen, N-U. B., Bay-Jensen, A-C., Bager, C. L., Krag, A., Blanchard, A., Krarup, H., Leeming, D. J. & Schuppan, D., 15. maj 2015, I: *American Journal of Physiology: Gastrointestinal and Liver Physiology*. 308, 10, s. G807-G830

Nutrition impact symptoms, handgrip strength and nutritional risk in hospitalized patients with gastroenterological and liver diseases

Wilkens Knudsen, A., Naver, A., Bisgaard, K., Nordgaard-Lassen, I., Becker, U., Krag, A. & Slinde, F., 15. apr. 2015, I: *Scandinavian Journal of Gastroenterology*. 50, 10, s. 1191-1198

Expression of vasoactive proteins in gastric antral mucosa reflects vascular dysfunction in patients with cirrhosis and portal hypertension

Trebicka, J., Wix, C., von Heydebrand, M., Hittatiya, K., Reiberger, T., Klein, S., Schierwagen, R., Kristiansen, G., Peck-Radosavljevic, M., Fischer, H-P., Møller, S., Bendtsen, F., Krag, A. & Sauerbruch, T., 1. apr. 2015, I: *Liver International*. 35, 4, s. 1393-1402

Citrullinated and Matrix Metalloproteinase Degraded Vimentin (VICM) and Matrix Metalloproteinase Degraded Biglycan (BGM) have high diagnostic accuracy to differentiate Crohn's disease from ulcerative colitis

Mortensen, J. H., Godskesen, L. E., Jensen, M. D., Klinge, L., Kjeldsen, J., Karsdal, M. A., Bay-Jensen, A-C. & Krag, A., apr. 2015, I: *Gastroenterology*. 148, 4, Supplement 1, s. 430-431 Su1185.

Matrix Metalloproteinase Degraded Biglycan (BGM) and Citrullinated and MMP-degraded Vimentin (VICM) differentiates Crohn's disease from ulcerative colitis

Mortensen, J. H., Godskesen, L. E., Jensen, M. D., Klinge, L., Kjeldsen, J., Karsdal, M. A., Bay-Jensen, A-C. & Krag, A., 1. feb. 2015, I: Journal of Crohn's and Colitis. 9, suppl. 1., s. S118-S119 1 s.

Pro-C5, a marker of true type V collagen formation and fibrillation, correlates with portal hypertension in patients with alcoholic cirrhosis

Leeming, D. J., Veidal, S. S., Karsdal, M. A., Nielsen, M. J., Trebicka, J., Busk, T., Bendtsen, F., Krag, A. & Møller, S., 1. feb. 2015, I: Scandinavian Journal of Gastroenterology. Supplement. 50, 5, s. 584-592

Acute kidney injury and hepatorenal syndrome in cirrhosis

Egerod Israelsen, M., Gluud, L. L. & Krag, A., feb. 2015, I: Journal of Gastroenterology and Hepatology. 30, 2, s. 236-243

2D Shear Wave Elastography is not Superior to Transient Elastography in Difficult-to-Scan Patients: A Comparative Feasibility Study

Staugaard, B., Fuglsang Hansen, J., Mössner, B. K., Stæhr Madsen, B., Krag, A., Christensen, P. B. & Thiele, M., 2015, I: Hepatology. 62, S1, s. 604A 1 s., 792.

2D-shear wave elastography is equivalent or superior to transient elastography for liver fibrosis assessment: Results from an individual patient databased meta-analysis

Herrmann, E., de Lédinghen, V., Cassinotto, C., Chu, W. C. -W., Leung, VY-F., Ferraioli, G., Filice, C., Castera, L., Vilgrain, V., Ronot, M., Dumortier, J., Guibal, A., Pol, S., Trebicka, J., Jansen, C., Strassburg, C., Zheng, R., Zheng, J., Francque, S., Vanwolleghem, T. & 7 flere, Vonghia, L., Manesis, E. K., Zoumpoulis, P., Sporea, I., Thiele, M., Krag, A. & Friedrich-Rust, M., 2015, I: Journal of Hepatology. 62, 2. Supplement, s. S199-S200

Collagen maturation measured by true formation of Type III collagen (PRO-C3) provides high diagnostic accuracy in alcoholic liver fibrosis: a prospective biopsy controlled study with 196 patients

Krag, A., Stæhr Madsen, B., Leeming, D. J., Thiele, M., Nielsen, M. J., Dam Fialla, A., Detlefsen, S., Hansen, J., Møller, L. M. S., Schaffalitzky de Muckadell, O. B. & Karsdal, M. A., 2015, I: Hepatology. 62, Suppl. 1, s. 598A 1 s., 789.

Collagen proportionate area correlates accurately to Ishak score, transient and 2D shear wave elastography in assessment of fibrosis in alcoholic liver disease

Møller, L. M. S., Thiele, M., Detlefsen, S., Stæhr Madsen, B., Hansen, J., Dam Fialla, A. & Krag, A., 2015, I: Hepatology. 62, Suppl. 1, s. 912A 1 s., 1440.

Differences in Diagnostic Accuracy According to A-Priori Risk: A Biopsy-Controlled Study of Transient Elastography and 2D Shear Wave Elastography for Alcoholic Cirrhosis

Thiele, M., Stæhr Madsen, B., Fuglsang Hansen, J., Detlefsen, S., Møller, L. M. S., Dam Fialla, A. & Krag, A., 2015, I: Hepatology. 62, Suppl. 1, s. 602A-603A 1 s., 789.

Expanding consensus in portal hypertension: Report of the Baveno VI Consensus Workshop: Stratifying risk and individualizing care for portal hypertension

de Franchis, R., Baveno VI Faculty & Krag, A., 2015, I: Journal of Hepatology. 63, 3, s. 743-752

Fibrosis is not just fibrosis: Extracellular matrix turnover is markedly different in two types of viral hepatitis, suggesting different fibrotic representations

Nielsen, M. J., Karsdal, M. A., Kazankov, K., Krag, A., Leeming, D. J., George, J., Grønnebæk, H. & Schuppan, D., 2015, I: Hepatology. 62, Suppl. 1, s. 270A 1 s., 119.

High risk of misclassifying liver stiffness using 2D shearwave and transient elastography during a moderate or high calorie meal

Kjærgaard, M., Thiele, M., Stæhr Madsen, B., Jansen, C., Trebicka, J. & Krag, A., 2015, I: Hepatology. 62, Suppl. 1, s. 594A 1 s., 773.

Human microfibril-Associated protein 4 (MFAP4) in ascites fluid predicts survival and risk of complications in patients with advanced cirrhosis

Kjærsgaard, M., Stæhr Madsen, B., Thiele, M., Malchow-Møller, A., Schlosser, A., Sørensen, G. L., Krag, A. & Holmskov, U., 2015, I: Journal of Hepatology. 62, 2. Supplement, s. S384-S385 1 s., P0211.

Impact of number of measurements on diagnostic performance of real time shear-wave elastography: A biopsy-controlled study

Thiele, M., Stæhr Madsen, B. & Krag, A., 2015, I: Journal of Hepatology. 62, 2. Supplement, s. S511-S512 1 s., P0524.

Impaired 11 β -hydroxysteroid dehydrogenase type 2 activity contributes to renal sodium avidity in human cirrhosis

Dam Fialla, A., Thiesson, H., Bie, P., Hovind, P. H., Schaffalitzky de Muckadell, O. B. & Krag, A., 2015, I: Journal of Hepatology. 62, 2. Supplement, s. S335-S336 P0094.

Liver cirrhosis does not impair the short-term outcome in peptic ulcer bleeding

Petersen, J., Krag, A., Schaffalitzky de Muckadell, O. B. & Laursen, S. B., 2015, I: United European Gastroenterology Journal. 3, 5 Suppl., s. A338 1 s., P0661.

Liver cirrhosis does not impair the short-term outcome of peptic ulcer bleeding

Laursen, S. B., Petersen, J., Schaffalitzky de Muckadell, O. B. & Krag, A., 2015.

Non-selective beta-blockers and mortality in cirrhosis patients with or without refractory ascites: Post hoc analysis of three large RCT's with 1198 patients

Bossen, L., Krag, A., Vilstrup, H., Watson, H. & Jepsen, P., 2015, I: Journal of Hepatology. 62, 2. Supplement, s. S227 1 s., O073.

Nutritional therapy in cirrhosis or alcoholic hepatitis: a systematic review and meta-analysis

Dam Fialla, A., Israelsen, M., Hamberg, O., Krag, A. & Gluud, L. L., 2015, I: Liver International. 35, 9, s. 2072-2078 7 s.

Prospective real world outcomes study of the patients' experience on rifaximin- α (PROSPER): An observational study among 550 patients

Sodatonou, H., Krag, A., Jalan, R., Conway, P. & Radwan, A., 2015, I: Journal of Hepatology. 62, 2. Supplement, s. S860 1 s., P1342.

Randomized trial with rifaximin in liver cirrhosis. Effects on the haemodynamic and inflammatory state

Kimer, N., Pedersen, J. S., Møller, S., Krag, A. & Bendtsen, F., 2015, I: Journal of Hepatology. 62, 2. Supplement, s. S858 1 s., P1337.

Cardiac function in patients with early cirrhosis during maximal beta-adrenergic drive: a dobutamine stress study

Krag, A., Bendtsen, F., Dahl, E. K., Kjær, A., Petersen, C. L. & Møller, S., okt. 2014, I: PLOS ONE. 9, 10, e109179.

Letter: the effects of rifaximin in hepatic encephalopathy - authors' reply

Kimer, N., Krag, A. & Gluud, L. L., okt. 2014, I: Alimentary Pharmacology and Therapeutics. 40, 7, s. 858-859

Kidney injury in cirrhosis: pathophysiological and therapeutic aspects of hepatorenal syndromes

Møller, S., Krag, A. & Bendtsen, F., sep. 2014, I: Liver International. 34, 8, s. 1153-63

Review article: the efficacy of biomarkers in chronic fibroproliferative diseases - early diagnosis and prognosis, with liver fibrosis as an exemplar

Karsdal, M. A., Krarup, H., Sand, J. M. B., Christensen, P. B., Gerstoft, J., Leeming, D. J., Weis, N., Schaffalitzky de Muckadell, O. B. & Krag, A., aug. 2014, I: Alimentary Pharmacology and Therapeutics. 40, 3, s. 233-49 17 s.

Systematic review with meta-analysis: the effects of rifaximin in hepatic encephalopathy

Kimer, N., Krag, A., Møller, S., Gluud, L. L. & Bendtsen, F., jul. 2014, I: Alimentary Pharmacology and Therapeutics. 40, 2, s. 123-32 10 s.

En hepatologs drøm - nye metoder til at diagnosticere leverfibrose

Thiele, M. & Krag, A., 2. jun. 2014, I: Ugeskrift for Læger. 176, 11A, V66245.

Cross-talk between the liver, heart and kidney - another piece in the puzzle

Krag, A. & Gluud, L. L., jun. 2014, I: Journal of Gastrointestinal and Liver Diseases. 23, 2, s. 119-121 3 s.

Specific fragments of extracellular matrix proteins reflect disease activity in ulcerative colitis

Godskesen, L. E., Mortensen, J. H., Klinge, L., Jensen, M. D., Krag, A., Karsdal, M. A., Kjeldsen, J. & Jensen, A-C. B., maj 2014, I: Gastroenterology. 146, 5 (Supplement 1), s. S-237 1 s., Sa1230.

A rare cause of severe hepatomegaly with an improving outcome

Godskesen, L. E., Abildgaard, N., Kjeldsen, J. & Krag, A., 3. apr. 2014, I: BMJ Case Reports. 2014, 3 s.

Diastolic and autonomic dysfunction in early cirrhosis: a dobutamine stress study

Dahl, E. K., Møller, S., Kjaer, A., Petersen, C. L., Bendtsen, F. & Krag, A., mar. 2014, I: Scandinavian Journal of Gastroenterology. 49, 3, s. 362-372

Alkaline phosphatase, but not ongoing alcohol abuse, influence liver stiffness measurements in alcoholic liver disease

Thiele, M., Stæhr Madsen, B., Jansen, C., Strassburg, C. P., Trebicka, J. & Krag, A., 2014, I: Hepatology. 60, S1, s. 443A 1 s., 496.

Alkaline phosphatase, but not ongoing alcohol abuse, influence liver stiffness measurements in alcoholic liver disease

Thiele, M., Stæhr Madsen, B., Jansen, C., Strassburg, C. P., Trebicka, J. & Krag, A., 2014.

Combined antiretroviral therapy attenuates hepatic extracellular matrix remodeling in HIV patients assessed by novel protein fingerprint markers

Leeming, D. J., Anadol, E., Schierwagen, R., Karsdal, M. A., Byrjalsen, I., Nielsen, M. J., Schwarzer-Zander, C., Boesecke, C., Bendtsen, F., Møller, S., Strassburg, C. P., Spengler, U., Krag, A., Rockstroh, J. & Trebicka, J. K., 2014, I: AIDS. 28, 14, s. 2081-2090

Increased extracellular matrix proteins turn-over in patients with Crohn's disease

Godskesen, L. E., Jensen, M. D., Klinge, L., Mortensen, JH., Karsdal, M. A., Jensen, A-C. B., Krag, A. & Kjeldsen, J., 2014.

Kaffe kan være gavnlig ved leversygdom

Kjærgaard, M., Thiele, M. & Krag, A., 2014, I: Ugeskrift for Læger. 176, 43, s. 2-5

Large variations in risk of hepatocellular carcinoma and mortality in treatment naïve hepatitis B patients: systematic review with meta-analyses

Thiele, M., Gluud, L. L., Fiolla, A. D., Dahl, E. K. & Krag, A., 2014, I: PLOS ONE. 9, 9, e107177.

Non-selective beta-blockers may reduce incidence of hepatocellular carcinoma: a meta-analysis of randomised trials.

Thiele, M., Albillos, A., Abazi, R., Wiest, R., Gluud, L. L. & Krag, A., 2014.

Novel Biomarkers of Extracellular Matrix Remodeling in Inflammatory Bowel Disease: Different Patterns of Gut Injury in UC and CD

Mortensen, J. H., Godskesen, L. E., Jensen, M. D., Klinge, L. G., Kjeldsen, J., Krag, A., Karsdal, M. A. & Bay-Jensen, A. C., 2014, I: Arthritis & Rheumatology. 66, Suppl. 10, s. S962-S963 2209.

Pro-C3-levels in patients with HIV/HCV coinfection reflect fibrosis stage and degree of portal hypertension

Jansen, C., Leeming, D., Mandorfer, M., Byrjalsen, I., Schierwangen, R., Schwabl, P., Karsdal, MA., Krag, A., Reiberger, T. & Trebicka, J., 2014, I: Hepatology. 60, S1

PRO-C3-levels in patients with HIV/HCV-Co-infection reflect fibrosis stage and degree of portal hypertension

Jansen, C., Leeming, D. J., Mandorfer, M., Byrjalsen, I., Schierwagen, R., Schwabl, P., Karsdal, M. A., Anadol, E., Strassburg, C. P., Rockstroh, J., Peck-Radosavljevic, M., Møller, S., Bendtsen, F., Krag, A., Reiberger, T. & Trebicka, J., 2014, I: PLOS ONE. 9, 9, e108544.

Safety, efficacy, and patient acceptability of rifaximin for hepatic encephalopathy

Kimer, N., Krag, A. & Gluud, L. L., 2014, I: Patient Preference and Adherence. 8, s. 331-8 8 s.

Specific fragments of extracellular matrix proteins reflect disease activity in ulcerative colitis

Godskesen, L. E., Mortensen, J. H., Klinge, L., Jensen, M. D., Krag, A., Karsdal, M. A., Kjeldsen, J. & Jensen, A-C. B., 2014. 1 s.

Specific Fragments of Extracellular Matrix Proteins Reflect Disease Activity in Ulcerative Colitis

Godskesen, L., Mortensen, J. H., Klinge, L., Jensen, M. D., Krag, A., Karsdal, M. A., Kjeldsen, J. & Bay-Jensen, A-C., 2014, I: Gastroenterology. 146, 5 Suppl. 1, s. S-237 Sa1230.

Spleen stiffness correlates with spleen size but not liver fibrosis in patients with alcoholic liver disease

Thiele, M., Stæhr Madsen, B. & Krag, A., 2014, I: Hepatology. 60, S1, s. 440A 1 s., 490.

Supersonic shear wave elastography versus transient elastography for the diagnosis of alcoholic liver fibrosis: A biopsy controlled prospective study

Thiele, M., Stæhr Madsen, B., Dam Fialla, A., Trebicka, J. & Krag, A., 2014, I: Hepatology. 60, S1, s. 204A 1 s., 15.

Variceal Rebleeding: Drugs, Endoscopy or Both

Bendtsen, F., Møller, S. & Krag, A., 2014, *Variceal Hemorrhage*. de Franchis, R. & Dell'Era, A. (red.). Springer, s. 213-228

The effect of anti-tumor necrosis factor alpha agents on postoperative anastomotic complications in Crohn's disease: a systematic review

El-Hussuna, A. A-H. H., Krag, A., Olaison, P. O. G., Bendtsen, F. & Gluud, L. L., dec. 2013, I: Diseases of the Colon and Rectum. 56, 12, s. 1423-1433

Novel serological neo-epitope markers of extracellular matrix proteins for the detection of portal hypertension

Leeming, D. J., Karsdal, M. A., Byrjalsen, I., Bendtsen, F., Trebicka, J., Nielsen, M. J., Christiansen, C., Møller, S. & Krag, A., nov. 2013, I: Alimentary Pharmacology and Therapeutics. 38, 9, s. 1086-96 11 s.

Profermin is efficacious in patients with active ulcerative colitis—a randomized controlled trial

Krag, A., Munkholm, P., Israelsen, H., von Ryberg, B., Andersen, K. & Bendtsen, F., nov. 2013, I: Inflammatory Bowel Diseases. 19, 12, s. 2584-2592

Hepatorenalt syndrom: Diagnose, behandling og forebyggelse

Israelsen, M. E., Gluud, L. L., Bendtsen, F., Krag, A. A. & Møller, S., maj 2013, I: Ugeskrift for Laeger. 175, 22, s. 1562-1565

Antiviral therapy for prevention of hepatocellular carcinoma and mortality in chronic hepatitis B: systematic review and meta-analysis

Thiele, M., Gluud, L. L., Dahl, E. K. & Krag, A., 2013, I: B M J Open. 14/3, 8, e003265.

Can non-selective beta-blockers prevent hepatocellular carcinoma in patients with cirrhosis?

Thiele, M., Wiest, R., Gluud, L. L., Albillos, A. & Krag, A., 2013, I: Medical Hypotheses. 81, 5, s. 871-874

CXCL9 among other chemokines derive from portal blood and correlate with the outcome in patients with liver cirrhosis and portal hypertension

Trebicka, J., Berres, M. L., Asmacher, S., Krag, A., Strassburg, C. P., Trautwein, C., Sauerbruch, T. & Wasmuth, H., 2013.

Dynamics of renal function and the renin angiotensin aldosterone system in patients with stable liver cirrhosis: Effects of posture and volume- and sodiumloading

Dam Fialla, A., Thiesson, H., Bie, P., Schaffalitzky de Muckadell, O. B. & Krag, A., 2013.

High levels of soluble TNF-alpha-receptor-I are associated with poor outcome in cirrhosis with portal hypertension

Trebicka, J., Krag, A., Gansweid, S., Bendtsen, F., Strassburg, C. P., Möller, S., Sauerbruch, T. & Spengler, U., 2013.

Incidence of hepatocellular carcinoma in chronic hepatitis B according to risk factors: Metaanalysis with data from 55 trials and 19.550 patients.

Thiele, M., Glud, LL., Dam Fialla, A., Dahl, EK. & Krag, A., 2013.

Neopeptides derived from extracellular matrix degradation reflect liver function, fibrosis and HVPG in HIV-patients

Leeming, D. J., Anadol, E., Krag, A., Tack, K., Nielsen, M. J., Payer, B. A., Möller, S., Bendtsen, F. & Karsdal, M. A., 2013.

Pentoxifylline is superior to corticosteroids and n-acetylcysteine in alcoholic hepatitis: A multiple-treatment comparison meta-analysis

Thiele, M., Del Giovane, C., Askgaard, G., Krag, A. & Glud, L. L., 2013, I: Hepatology. 58, 1. Supplement, s. 353A 1 s., 294.

Rifaximin in the treatment and prophylaxis of hepatic encephalopathy in chronic liver disease: A meta-analysis

Kimer, N., Krag, A., Glud, L. L., Møller, S. & Bendtsen, F., 2013.

Serum markers of the extracellular matrix remodeling reflect antifibrotic therapy in bile-duct ligated rats

Schierwagen, R., Leeming, D. J., Klein, S., Granzow, M., Nielsen, M. J., Sauerbruch, T., Krag, A., Karsdal, M. A. & Trebicka, J., 2013, I: Frontiers in Physiology. 4, July, s. 195

Soluble TNF-Alpha-Receptors I Are Prognostic Markers in TIPS-Treated Patients with Cirrhosis and Portal Hypertension

Trebicka, J., Krag, A., Gansweid, S., Schiedermaier, P., Strunk, H. M., Fimmers, R., Strassburg, C. P., Bendtsen, F., Möller, S., Sauerbruch, T. & Spengler, U., 2013, I: PLOS ONE. 8, 12, 8 s., e83341.

Svær hyponatriæmi ved terlipressinbehandling

Poulsen, A. & Krag, A., 2013, I: Ugeskrift for Laeger. 175, 39, s. 2250-2251

Targeting the gut-liver axis in cirrhosis: antibiotics and non-selective β -blockers

Madsen, B. S., Havelund, T. & Krag, A., 2013, I: Advances in Therapy. 30, 7, s. 659-70

Terlipressin and hyponatraemia: the cause or the treatment?

Krag, A., 2013, I: Internal Medicine Journal (Print). 43, 5, s. 606-7

The protein fingerprint technology reflects liver function and detects clinically significant portal hypertension in patients with alcoholic liver cirrhosis

Nielsen, M. J., Leeming, D. J., Krag, A., Karsdal, M. A., Trebicka, J., Byrjalsen, I., Bendtsen, F. & Möller, S., 2013.

The role of intrarenal ANGII in latent sodium retention in patients with cirrhosis

Dam Fialla, A., Thiesson, H., Bie, P., Schaffalitzky de Muckadell, O. B. & Krag, A., 2013.

Meta-analysis: Banding ligation and medical interventions for the prevention of rebleeding from oesophageal varices

Thiele, M., Krag, A., Rohde, U. & Glud, L. L., 1. maj 2012, I: Alimentary Pharmacology and Therapeutics. 35, 10, s. 1155-1165

Reduced baroreflex sensitivity and pulmonary dysfunction in alcoholic cirrhosis: effect of hyperoxia

Møller, S., Iversen, J. S., Krag, A., Bie, P., Kjaer, A. & Bendtsen, F., 1. sep. 2010, I: American Journal of Physiology: Gastrointestinal and Liver Physiology. 299, 3, s. G784-90

Prescribing of acid suppressive therapy: interactions between hospital and primary care

Krag, A., Teglbjærg, L. S., Malchow-Møller, A., Hallas, J. & Bytzer, P., 2006, I: Alimentary Pharmacology and Therapeutics. 23, s. 1713-1718