

Laura Catalini  
Gynækologi og Obstetrik  
E-mail: lcatalini@health.sdu.dk



Orcid: 0000-0002-4194-4281

## Ansættelse

### Ph.d.-studerende

KI, Gynækologi og Obstetrik  
Syddansk Universitet  
1. maj 2019 → 31. jan. 2023

### Assistant Researcher

Fertility clinic Odense University Hospital

16 Aug 2018— 16 Dec /2018

## Visiting researcher

Fertility clinic Odense University Hospital  
15 Jan 2019—15 Apr 2019

Department of Biomedicine Aarhus University  
01 Feb 2017 — 31 Aug 2017

## Internships

Laboratory of medically assisted reproduction, University Hospital of Verona (IT)  
01 Nov 2016 — 31 Jan 2017

Two Erasums+ Traineeship at Aarhus University Department of Biomedicine  
(01 Apr 2015 — 31Aug 2015 and 01 Feb 2016 — 31Apr 2016)

## Qualifications

**Master's degree in Biological Sciences** University of Camerino (IT)  
01 Nov 2013 — 19 Nov 2015  
Final grade: 110/110 cum laude

**Bachelor's degree in Biosciences and Biotechnology**  
University of Camerino (IT)  
01 Nov 2013 — 24 Oct 2015  
Final grade: 110/110 cum laude

## Other information and competences

Member of the Nordic fertility Society

Mother tongue: Italian

English Fluent

Danish: >B1 level Prøve i Dansk 2

## Publikationer

**Characteristics of the endometrium in menstruating species: Lessons learned from the Animal Kingdom**  
Catalini, L. & Fedder, J., 26. maj 2020, I : Biology of Reproduction. 102, 6, s. 1160-1169

**Disturbances in the control of capillary flow in an aged APP<sup>swe</sup>/PS1 $\Delta$ E9 model of Alzheimer's disease**

Gutiérrez-Jiménez, E., Catalini, L., Angleys, H., Rasmussen, P. M., West, M. J., Iversen, N. K., Jensen, M. S., Frische, S. & Østergaard, L., feb. 2018, I : *Neurobiology of Aging*. 62, s. 82-94

**Measurement of total CO<sub>2</sub> in microliter samples of urine and other biological fluids using infrared detection of CO<sub>2</sub>**

Trepiccione, F., Iena, F. M., Catalini, L., Carpi, F. M., Koed, M. & Frische, S., 1. okt. 2017, I : *Pflügers Archiv - European Journal of Physiology*. 469, 10, s. 1267-1275