

Hanne Merete Lindegaard
Reumatologi
E-mail: hanne.m.lindegaard@rsyd.dk

Kvalifikationer

Biostatistical Methods in Health Research
2011
Project Management. University of Southern Denmark
2010
Board Certified in Internal Medicine:Rheumatology
2006
PhD
2002
MD, Aarhus University
1991

Ansættelse

Chief Physician, Department of Rheumatology, Internal Medicine C, Odense University Hospital
September 2007 -
Training responsible physician
April 2008 - August 2013
General manager of The Clinical Trial Unit, Department of Rheumatology, OUH
September 2012 -
Associate Professor Rheumatology, University of Southern Denmark - SDU
January 2008 -
Consultant / Research (50/50), Department of Rheumatology, Odense University Hospital / RSD Foundation
December 2008 - May 2010
Consultant / Research (50/50), Department of Rheumatology, Odense University Hospital / OUH Foundation
Visiting Researcher, SDU
January 1998 - December 2006

Administrative experience

The Danish College of Rheumatology representative in the Danish Medical Society
March 2007 - March 2009

YR representative of the central evaluation committee Internal Medicine: Rheumatology
2004 - 2006

Representative of junior doctors in the regional education committee rheumatology, southern part of Denmark
2003 - 2007

Board member of Young Rheumatologists
March 2003 - March 2007

Junior doctor council President, Gråsten Rheumatism Hospital.
September 2003 - August 2004

Teaching experience

University of Southern Denmark - SDU Odense. Medicine
2006 -
Censor, Faculty of Medicine - KU
2018 -
University of Southern Denmark - SDU Esbjerg. Pathology and Public Health
2007 - 2009
Human Pathophysiology, University of Southern Denmark - SDU. Musculoskeletal system
1999 - 2000
Physiotherapy School in Odense
1996 - 1997

Board memberships

Member of "Studienævnet for medicin" - SDU
2017 -

Member of research committee the Danish college of Rheumatology
2012 -
Member of "Medicinrådet" steering committee Danish Regions (appointed by the Counsel in the south region)
March 2018 -
Chairman of RADS steering committee Danish Regions (appointed by the Danish college of Rheumatology)
September 2016 - March 2017
Member om RADS steering committee Danish Regions (appointed by the Counsel in the south region)
2009 - August 2016
Chariman Board of Education Internal Medicine: Rheumatology
March 2011 - August 2013
Board member of DANBIO steering committee (appointed by the Counsel in the south region)
2010 - 2016
Expert Legal Council
June 2008 - August 2014

Research areas

Markers of connective tissue metabolism in inflammatory conditions.
Rheumatoid arthritis.
Eosinophilia in malignant and inflammatory conditions.

GCP experience

CIMESTRA, HUMAX-CD4 (Genmab), OPERA, ACTFast, DANACT, SYK study and Lilly JAK study, Novartis IL-1-I (Measure/Future), Abbvie JAK study (NEXT, Combine), Nordstar, Imagine, Online-Course GCP and clinical pharmaceutical research.

Publikationer

Response to 'To switch or not to switch': The missing piece in the puzzle of biosimilar literature?' by Scherlinger et al
Glintborg, B., Loft, A. G., Omerovic, E., Hendricks, O., Linauskas, A., Espesen, J., Danebod, K., Jensen, D. V., Nordin, H., Dalgaard, E. B., Chrysidis, S., Kristensen, S., Raun, J. L., Lindegaard, H., Manilo, N., Jakobsen, S. H., Hansen, I. M. J., Pedersen, D. D., Sørensen, I. J., Andersen, L. S. & 4 flere, Grydehøj, J., Mehnert, F., Krogh, N. S. & Lund Hetland, M., apr. 2020, I: *Annals of the Rheumatic Diseases*. 79, 4, e37.

Use and utility of serologic tests for rheumatoid arthritis in primary care

Broch Tenstad, H., Nilsson, A. C., Dellgren, C., Lindegaard, H. M., Rubin, K. H. & Lillevang, S. T., 1. feb. 2020, I: *Danish Medical Journal*. 67, 2, 6 s., A05190318.

Response to: 'Mandatory, cost-driven switching from originator etanercept to its biosimilar SB₄: Possible fallout on non-medical switching' by Cantini and Benucci

Glintborg, B., Loft, A. G., Omerovic, E., Hendricks, O., Linauskas, A., Espesen, J., Danebod, K., Jensen, D. V., Nordin, H., Dalgaard, E. B., Chrysidis, S., Kristensen, S., Raun, J. L., Lindegaard, H., Manilo, N., Jakobsen, S. H., Hansen, I. M. J., Dalsgaard Pedersen, D., Sørensen, I. J., Andersen, L. S. & 4 flere, Grydehøj, J., Mehnert, F., Krogh, N. S. & Hetland, M. L., feb. 2020, I: *Annals of the Rheumatic Diseases*. 79, 2, 2 s., e14.

Predictive values of anti-cyclic citrullinated peptide antibodies and rheumatoid factor in relation to serological aspects of the ACR/EULAR 2010 classification criteria for rheumatoid arthritis

Tenstad, H. B., Nilsson, A. C., Dellgren, C. D., Lindegaard, H. M., Rubin, K. H. & Lillevang, S. T., jan. 2020, I: *Scandinavian Journal of Rheumatology*. 49, 1, s. 18-20

Increased serum levels of microfibrillar-associated protein 4 (MFAP4) are not associated with clinical synovitis in rheumatoid arthritis but may reflect underlying cardiovascular comorbidity

Issa, S. F., Lindegaard, H. M., Lorenzen, T., Junker, K., Christensen, A. F., Hørslev-Petersen, K., Holmskov, U., Sorensen, G. L. & Junker, P., 10. sep. 2019, I: *Clinical and Experimental Rheumatology*. 38, 1, s. 122-128

Six-month prospective trial in early and long-standing rheumatoid arthritis: Evaluating disease activity in the wrist through sequential synovial histopathological analysis, RAMRIS magnetic resonance score and EULAR-OMERACT ultrasound score

Just, S. A., Nielsen, C., Werlinrud, J. C., Larsen, P. V., Klinkby, C. S., Daa Schrøder, H., Humby, F., Torfing, T. & Lindegaard, H., 1. jul. 2019, I: *RMD Open*. 5, 2, 13 s., e000951.

Effect of magnetic resonance imaging vs conventional treat-to-target strategies on disease activity remission and radiographic progression in rheumatoid arthritis the IMAGINE-RA randomized clinical trial

Møller-Bisgaard, S., Hørslev-Petersen, K., Ejbjerg, B., Hetland, M. L., Ørnbjerg, L. M., Glinatsi, D., Møller, J., Boesen, M., Christensen, R., Stengaard-Pedersen, K., Madsen, O. R., Jensen, B., Villadsen, J. A., Hauge, E. M., Bennett, P., Hendricks, O., Asmussen, K., Kowalski, M., Lindegaard, H., Nielsen, S. M. & 8 flere, Bliddal, H., Krogh, N. S., Ellingsen, T., Nielsen, A. H., Balding, L., Jurik, A. G., Thomsen, H. S. & Østergaard, M., 5. feb. 2019, I : JAMA - Journal of the American Medical Association. 321, 5, s. 461-472

To switch or not to switch: results of a nationwide guideline of mandatory switching from originator to biosimilar etanercept. One-year treatment outcomes in 2061 patients with inflammatory arthritis from the DANBIO registry

Glintborg, B., Loft, A. G., Omerovic, E., Hendricks, O., Linauskas, A., Espesen, J., Danebod, K., Jensen, D. V., Nordin, H., Dalgaard, E. B., Chrysidis, S., Kristensen, S., Raun, J. L., Lindegaard, H., Manilo, N., Jakobsen, S. H., Hansen, I. M. J., Dalsgaard Pedersen, D., Sørensen, I. J., Andersen, L. S. & 4 flere, Grydehøj, J., Mehnert, F., Krogh, N. S. & Hetland, M. L., 1. feb. 2019, I : Annals of the Rheumatic Diseases. 78, 2, s. 192-200

Predictive value of a multi-biomarker disease activity score for clinical remission and radiographic progression in patients with early rheumatoid arthritis: a post-hoc study of the OPERA trial

Brahe, C. H., Østergaard, M., Johansen, J. S., Defranoux, N., Wang, X., Bolce, R., Sasso, E., Ørnbjerg, L., Hørslev-Petersen, K., Stengaard-Pedersen, K., Junker, P., Ellingsen, T., Ahlquist, P., Lindegaard, H., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I., Lottenburger, T., Ammitzbøll, C. & 4 flere, Jørgensen, A., Krintel, S., Raun, J. & Hetland, M., 2. jan. 2019, I : Scandinavian Journal of Rheumatology. 48, 1, s. 9-16

Anti-cyclic citrullinated peptide antibodies, 28-joint Disease Activity Score, and magnetic resonance imaging bone oedema at baseline predict 11 years' functional and radiographic outcome in early rheumatoid arthritis

and The CIMESTRA Study Group*, jan. 2019, I : Scandinavian Journal of Rheumatology. 48, 1, s. 1-8

Information is a key prerequisite for perceived relevance of patient reported outcome data (PRO data): A multicenter questionnaire study

Kildemand, M., Lindegaard, H. M., Rothmann, M. J. & Nørgaard, B., 2019, I : Journal of Nursing Education and Practice. 9, 6, s. 107-112

Patient-reported outcomes and safety in patients undergoing synovial biopsy: comparison of ultrasound-guided needle biopsy, ultrasound-guided portal and forceps and arthroscopic-guided synovial biopsy techniques in five centres across Europe

Just, S. A., Humby, F., Lindegaard, H., Meric de Bellefon, L., Durez, P., Vieira-Sousa, E., Teixeira, R., Stoenoiu, M., Werlinrud, J., Rosmark, S., Larsen, P. V., Pratt, A., Choy, E., Gendi, N., Buch, M. H., Edwards, C. J., Taylor, P. C., McInnes, I. B., Fonseca, J. E., Pitzalis, C. & 1 flere, Filer, A., okt. 2018, I : RMD Open. 4, 2, 10 s., e000799.

Transmission of rheumatoid arthritis through blood transfusion: a retrospective cohort study

Just, S. A., Rostgaard, K., Titlestad, K., Edgren, G., Erikstrup, C., Ullum, H., Pedersen, O. B., Nielsen, K. R., Askling, J., Lindegaard, H. & Hjalgrim, H., okt. 2018, I : Annals of the Rheumatic Diseases. 77, 10, s. 1536-1537

Drug concentrations and anti-drug antibodies during treatment with biosimilar infliximab (CT-P13) in routine care

Glintborg, B., Kringelbach, T., Bolstad, N., Warren, D. J., Eng, G., Sørensen, I. J., Loft, A. G., Hendricks, O., Hansen, I., Linauskas, A., Nordin, H., Kristensen, S., Lindegaard, H., Jensen, D. V., Goll, G. L., Høgdall, E., Gehin, J., Enevold, C., Nielsen, C. H., Krogh, N. S. & 2 flere, Johansen, J. S. & Hetland, M. L., sep. 2018, I : Scandinavian Journal of Rheumatology. 47, 5, s. 418-421

Circulating serum interleukin-6, serum chitinase-3-like protein-1, and plasma vascular endothelial growth factor are not predictive for remission and radiographic progression in patients with early rheumatoid arthritis: post-hoc explorative and validation studies based on the CIMESTRA and OPERA trials

Brahe, C. H., Dehrendorff, C., Østergaard, M., Johansen, J. S., Ørnbjerg, L. M., Hørslev-Petersen, K., Stengaard-Pedersen, K., Junker, P., Ellingsen, T., Lindegaard, H., Hansen, I., Lottenburger, T., Jacobsen, S., Jurik, A. G. & Hetland, M. L., 4. jul. 2018, I : Scandinavian Journal of Rheumatology. 47, 4, s. 259-269

One-year treatment retention after a nationwide non-medical switch from originator to biosimilar etanercept in 2,061 patients with inflammatory arthritis followed in the DANBIO registry

Glintborg, B., Sørensen, I. J., Omerovic, E., Mehnert, F., Manilo, N., Danebod, K., Dorte Vendelbo, J., Nordin, H., Loft, A. G., Hendricks, O., Chrysidis, S., Andersen, B. L., Lillelund Raun, J., Lindegaard, H. M., Espesen, J., Jakobsen, S. H., Jensen Hansen, I. M., Dalsgaard, E. B., Krogh, N. & Hetland, M. L., 14. jun. 2018.

One-year follow-up of a nationwide cohort of patients with inflammatory arthritis, who switched from originator to biosimilar etanercept, focusing on patients who switched back to originator. an observational danbio study

Glintborg, B., Sørensen, I. J., Omerovic, E., Mehnert, F., Manilo, N., Danebod, K., Jensen, D. V., Nordin, H., Loft, A. G., Hendricks, O., Chrysidis, S., Andersen, B. L., Lillelund Raun, J., Lindegaard, H. M., Espesen, J., Højmark Jakobsen, S., Jensen Hansen, I. M., Dalsgaard, E. B., Pedersen, D. D., Kristensen, S. & 6 flere, Linauskas, A., Andersen, L. S., Grydehøj, J., Krogh, N. S., Hetland, M. L. & The Danbio registry and the Danish Departments of Rheumatology, Copenhagen, Denmark, jun. 2018, I : Annals of the Rheumatic Diseases. 77, Suppl. 2, s. 595-596 2 s., FRI0103.

The use of synthetic peptides for detection of anti-citrullinated protein antibodies in rheumatoid arthritis

Trier, N. H., Holm, B. E., Heiden, J., Slot, O., Loch, H., Jensen, B., Lindegaard, H., Svendsen, A., Nielsen, C. T., Jacobsen, S., Theander, E. & Houen, G., mar. 2018, I : Journal of Immunological Methods. 454, s. 6-14

Antibodies to a strain-specific citrullinated Epstein-Barr virus peptide diagnoses rheumatoid arthritis

Trier, N. H., Holm, B. E., Heiden, J., Slot, O., Loch, H., Lindegaard, H., Svendsen, A., Nielsen, C. T., Jacobsen, S., Theander, E. & Houen, G., 27. feb. 2018, I : Scientific Reports. 8, 11 s., 3684.

Identification of new biomarkers to promote personalised treatment of patients with inflammatory rheumatic disease: protocol for an open cohort study

Lindegaard, H. M., Bjørling-Poulsen, M., Ellingsen, T. J., Munk, H. L. & Biomarker Protocol Study Group, 1. feb. 2018, I : BMJ Open. 8, 2, s. e019325 e019325.

Predictors of revision, prosthetic joint infection and mortality following total hip or total knee arthroplasty in patients with rheumatoid arthritis: a nationwide cohort study using Danish healthcare registers

Cordtz, R. L., Zobbe, K., Højgaard, P., Kristensen, L. E., Overgaard, S., Odgaard, A., Lindegaard, H. & Dreyer, L., feb. 2018, I : Annals of the Rheumatic Diseases. 77, 2, s. 281-288

The Value of Adding MRI to a Clinical Treat-to-Target Strategy in Rheumatoid Arthritis Patients in Clinical Remission. Clinical and Radiographic Outcomes from the Imagine-RA Randomized Controlled Trial.

Møller-Bisgaard, S., Hørslev-Petersen, K., Ejbjerg, B. J., Lund Hetland, M., Glinatsi, D., Ørnberg, L. M., Møller, J. M., Boesen, M., Christensen, R., Stengaard-Pedersen, K., Madsen, O. R., Jensen, B., Villadsen, J. A., Hauge, E. M., Bennett, P., Hendricks, O., Asmussen, K., Kowalski, M. R., Lindegaard, H. M., Mai Nielsen, S. & 8 flere, Bliddal, H., Krogh, N. S., Ellingsen, T. J., Nielsen, A., Balding, L., Jurik, A. G., Thomsen, H. S. & Østergaard, M., 2018.

Initial Serological Response after Prime-boost Pneumococcal Vaccination in Rheumatoid Arthritis Patients: Results of a Randomized Controlled Trial

Nguyen, M. T. T., Lindegaard, H., Hendricks, O., Jørgensen, C. S., Kantsø, B. & Friis-Møller, N., 1. dec. 2017, I : Journal of Rheumatology. 44, 12, s. 1794-1803

Galectin-3 is Persistently Increased in Early Rheumatoid Arthritis (RA) and Associates with Anti-CCP Seropositivity and MRI Bone Lesions, While Early Fibrosis Markers Correlate with Disease Activity

Issa, S. F., Christensen, A. F., Lindegaard, H. M., Hetland, M. L., Hørslev-Petersen, K., Stengaard-Pedersen, K., Ejbjerg, B. J., Lottenburger, T., Ellingsen, T., Pedersen, J. K., Junker, K., Svendsen, A., Tarp, U., Østergaard, M. & Junker, P., dec. 2017, I : Scandinavian Journal of Immunology. 86, 6, s. 471-478

One-year clinical outcomes in 1621 patients with inflammatory arthritis who switched from originator to biosimilar etanercept. An observational study from the Danish DANBIO registry

Hendricks, O., Glintborg, B., Omerovic, E., Danebod, K., Dorte Vendelbo, J., Nordin, H., Loft, A. G., Chrysidis, S., Lillelund Raun, J., Lindegaard, H. M., Espesen, J., Jakobsen, S., Jensen Hansen, I. M., Grydehøj, J., Dalsgaard, E. B., Dalsgaard Pedersen, D., Manilo, N., Andersen, L. S., Kristensen, S., Linauskas, A. & 2 flere, Steen Krogh, N. & Hetland, M. L., 7. nov. 2017.

National Behandlingsvejledning (NBV): Reumatoid Arthritis

Schlemmer, A., Uhrenholt, L., Danielsen, M. A., Ellingsen, T. J., Hauge, E., Holland-Fischer, M., Keller, K., Lindegaard, H., Lorenzen, T., Masic, D., Rødgaard, A. & Terslev, L., 8. okt. 2017, 27 s..

One-year clinical outcomes in 1623 patients with inflammatory arthritis who switched from originator to biosimilar Etanercept - an observational study from the Danish Danbio Registry

Glintborg, B., Omerovic, E., Danebod, K., Dorte Vendelbo, J., Nordin, H., Loft, A. G., Chrysidis, S., Lillelund Raun, J., Hendricks, O., Lindegaard, H. M., Espesen, J., Jakobsen, S., Jensen Hansen, I. M., Grydehøj, J., Dalgaard, E. B., Dalsgaard Pedersen, D., Manilo, N., Andersen, L. S., Kristensen, S., Linauskas, A. & 2 flere, Steen Krogh, N. & Hetland, M. L., okt. 2017, I: *Arthritis & Rheumatology*. 69, Suppl. 10, 1 s., 1550.

Effect of a treat-to-target strategy based on methotrexate and intra-articular betamethasone with or without additional cyclosporin on MRI-assessed synovitis, osteitis, tenosynovitis, bone erosion, and joint space narrowing in early rheumatoid arthritis: results from a 2-year randomized double-blind placebo-controlled trial (CIMESTRA)

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Krogh, N. S., Lottenburger, T., Ellingsen, T., Andersen, L. S., Skjødt, H., Svendsen, A. J., Tarp, U., Hansen, I. T., Pødenphant, J., Pedersen, J. K. & 5 flere, Lindegaard, H., Hanson, L. G., Vestergaard, A., Glinatsi, D. & Østergaard, M., 3. sep. 2017, I: *Scandinavian Journal of Rheumatology*. 46, 5, s. 335-345

A nationwide non-medical switch from originator infliximab to biosimilar CT-P13 in 802 patients with inflammatory arthritis: 1-year clinical outcomes from the DANBIO registry

Glintborg, B., Sørensen, I. J., Loft, A. G., Lindegaard, H., Linauskas, A., Hendricks, O., Hansen, I. M. J., Jensen, D. V., Manilo, N., Espesen, J., Klarlund, M., Grydehøj, J., Dieperink, S. S., Kristensen, S., Olsen, J. S., Nordin, H., Chrysidis, S., Dalsgaard Pedersen, D., Sørensen, M. V., Andersen, L. S. & 5 flere, Grøn, K. L., Krogh, N. S., Pedersen, L., Hetland, M. L. & all departments of rheumatology in Denmark, aug. 2017, I: *Annals of the Rheumatic Diseases*. 76, 8, s. 1426-1431

Fibrocyte measurement in peripheral blood correlates with number of cultured mature fibrocytes in vitro and is a potential biomarker for interstitial lung disease in Rheumatoid Arthritis

Just, S. A., Lindegaard, H., Hejbøl, E. K., Davidsen, J. R., Bjerring, N., Hansen, S. W. K., Schrøder, H. D., Hansen, I. M. J., Barington, T. & Nielsen, C., 18. jul. 2017, I: *Respiratory Research*. 18, 13 s., 141.

Clinical outcomes of a nationwide non-medical switch from originator to biosimilar etanercept in patients with inflammatory arthritis after 5 months' follow-up. Results from the DANBIO registry.

Glintborg, B., Sørensen, I. J., Loft, A. G., Espesen, J., Jensen, D. V., Danebod, K., Dieperink, S. S., Hendricks, O., Jensen Hansen, I. M., Linauskas, A., Kristensen, S., Andersen, L. S., Hossein, M., Nordin, H., Andersen, B. L., Chrysidis, S., Raun, J. L., Lindegaard, H. M., Manilo, N., Grydehøj, J. & 4 flere, Dalgaard, E. B., Dalsgaard Pedersen, D., Niels Steen, K. & Hetland, M. L., 16. jun. 2017, I: *Annals of the Rheumatic Diseases*. 76, Suppl. 2

Wrist inflammation as assessed by magnetic resonance imaging is associated with patient-reported physical impairment, global disease activity and pain in early rheumatoid arthritis: Long-term results from two randomized controlled trials

Glinatsi, D., Baker, J. F., Hetland, M. L., Hørslev-Petersen, K., Ejbjerg, B. J., Stengaard-Pedersen, K., Junker, P., Ellingsen, T. J., Lindegaard, H. M., Hansen, I., Lottenburger, T., Møller, J. M., Ornbjerg, L. M., Vestergaard, A., Jurik, A. G., Thomsen, H. S., Torfing, T., Møller-Bisgaard, S., Axelsen, M. B. & Østergaard, M., 16. jun. 2017. 1 s.

Increased galectin-3 may serve as a serologic signature of pre-rheumatoid arthritis while markers of synovitis and cartilage do not differ between early undifferentiated arthritis subsets

Issa, S. F., Duer-Jensen, A., Østergaard, M., Hørslev-Petersen, K., Hetland, M. L., Hansen, M. S., Junker, K., Lindegaard, H. M., Møller, J. M. & Junker, P., 26. apr. 2017, I: *Arthritis Research & Therapy (Print)*. 19, 10 s., 80.

Hand bone loss in early rheumatoid arthritis during a methotrexate-based treat-to-target strategy with or without adalimumab: a substudy of the optimized treatment algorithm in early RA (OPERA) trial

Ornbjerg, L. M., Østergaard, M., Jensen, T., Hørslev-Petersen, K., Stengaard-Pedersen, K., Junker, P., Ellingsen, T., Ahlquist, P., Lindegaard, H., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I., Lottenburger, T., Ammitzbøll, C. G., Jørgensen, A., Krintel, S. B., Raun, J., Hetland, M. L., OPERA Study Group & 11 flere, Slot, O., Nielsen, L. K., Skjødt, H., Majgaard, O., Lorenzen, T., Horn, H. C., Kowalski, M., Johansen, I. L., Pedersen, P. M., Manilo, N. & Bliddal, H., 1. apr. 2017, I: *Clinical Rheumatology*. 36, 4, s. 781-789

11 years' follow-up of a danish 2-year treat-to-target randomized controlled trial in patients with early rheumatoid arthritis: baseline predictors of functional and radiographic outcomes

Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lindegaard, H. M., Ellingsen, T. J., Pødenphant, J., Skjødt, H., Vestergaard, A., Ejbjerg, B. J., Jacobsen, S., Steen Krogh, N., Østergaard, M. & Hørslev-Petersen, K., 2017, I : *Annals of the Rheumatic Diseases*. 76, suppl. 2, 1 s., SAT0045.

Factors associated with influenza and pneumococcal vaccine uptake among rheumatoid arthritis patients in Denmark invited to participate in a pneumococcal vaccine trial (Immunovax_RA)

Nguyen, MTT., Lindegaard, H., Hendricks, O. & Friis-Møller, N., 2017, I : *Scandinavian Journal of Rheumatology*. 46, 6, s. 446-453

Health anxiety by proxy in women with severe health anxiety: A case control study

Thorgaard, M. V., Frostholm, L., Walker, L., Jensen, J. S., Morina, B., Lindegaard, H., Salomonsen, L. & Rask, C. U., 2017, I : *Journal of Anxiety Disorders*. 52, s. 8-14

Magnetic resonance imaging assessed inflammation in the wrist is associated with patient-reported physical impairment, global assessment of disease activity and pain in early rheumatoid arthritis: longitudinal results from two randomised controlled trials

Glinatsi, D., Baker, J. F., Hetland, M. L., Hørslev-Petersen, K., Ejbjerg, B. J., Stengaard-Pedersen, K., Junker, P., Ellingsen, T., Lindegaard, H. M., Hansen, I., Lottenburger, T., Møller, J. M., Ørnberg, L. M., Vestergaard, A., Jurik, A. G., Thomsen, H. S., Torfing, T., Møller-Bisgaard, S., Axelsen, M. B. & Østergaard, M., 2017, I : *Annals of the Rheumatic Diseases*. 76, 10, s. 1707-1715

Obtaining synovial biopsies from the wrist in patients with newly diagnosed untreated and longstanding rheumatoid arthritis followed by intramuscular glucocorticoid and methotrexate initiation is safe and the glucocorticoid treatment significantly reduces disease activity.

Just, S. A., Nielsen, C., Hejbøl, E. K., Schrøder, H. D., Jensen Hansen, I. M., Barington, T. & Lindegaard, H. M., 2017.

Safety, feasibility and tolerability of performing consecutive minimal invasive ultrasound-guided synovial biopsy procedures on the same wrist in a prospective rheumatoid arthritis study

Just, S. A., Nielsen, C., Hejbøl, E. K., Schrøder, H. D., Jensen Hansen, I. M., Barington, T. & Lindegaard, H. M., 2017.

Safety, feasibility and tolerability of performing consecutive minimal invasive ultrasound-guided synovial biopsy procedures on the same wrist in a prospective Rheumatoid Arthritis study

Just, S. A., Nielsen, C., Hejbøl, E. K., Schrøder, H. D., Jensen Hansen, I. M., Barington, T. & Lindegaard, H. M., 2017.

The role of ultrasound in diagnosing rheumatoid arthritis, what do we know? An updated review

Rask Lage-Hansen, P., Lindegaard, H. M., Chrysidis, S. & Terslev, L., 2017, I : *Rheumatology International*. 37, 2, s. 179-187

Wrist inflammation as assessed by magnetic resonance imaging is associated with patient-reported physical impairment, global disease activity and pain in early rheumatoid arthritis: Long-term results from two randomized controlled trials

Glinatsi, D., Baker, J. F., Hetland, M. L., Hørslev-Petersen, K., Ejbjerg, B. J., Stengaard-Pedersen, K., Junker, P., Ellingsen, T. J., Lindegaard, H. M., Hansen, I., Lottenburger, T., Møller, J. M., Ørnberg, L. M., Vestergaard, A., Jurik, A. G., Thomsen, H. S., Torfing, T., Møller-Bisgaard, S., Axelsen, M. B. & Østergaard, M., 2017, I : *Annals of the Rheumatic Diseases*. 76, Suppl. 2, s. 732 1 s., FRI0641.

Physical characteristics of a citrullinated pro-flaggrin epitope recognized by anti-citrullinated protein antibodies in rheumatoid arthritis sera

Trier, N. H., Holm, B. E., Slot, O., Loch, H., Lindegaard, H., Svendsen, A. J. & Houen, G., dec. 2016, I : *PLOS ONE*. 11, 12, 16 s., e0168542.

Multi-Biomarker Disease Activity (MBDA) Score and Prediction of Radiographic Progression in a Randomized Study of Patients with Early RA Treated with Methotrexate Alone or with Adalimumab

Brahe, C. H., Østergaard, M., Johansen, J. S., Defranoux, N. A., Wang, X., Bolce, R. J., Sasso, E. H., Hørslev-Petersen, K., Stengaard-Pedersen, K., Ørnberg, L. M., Junker, P., Ellingsen, T. J., Ahlquist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Lottenburger, T., Ammitzbøll, C. G. & 4 flere, Jørgensen, A., Krintel, S. B., Lillelund Raun, J. & Hetland, M. L., 15. nov. 2016.

Hand Bone Loss in Early Rheumatoid Arthritis Is Independent of Adalimumab Treatment - Results from a Randomized Controlled Clinical Trial.

Ørnberg, L. M., Østergaard, M., Jensen, T. D., Hørslev-Petersen, K., Stengaard-Pedersen, K., Junker, P., Ellingsen, T. J., Ahlquist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Lottenburger, T., Ammitzbøll, C. G., Jørgensen, A., Krintel, S. B., Lillelund Raun, J. & Hetland, M. L., 14. nov. 2016.

Magnetic Resonance Imaging (MRI) Joint Space Narrowing Is an Independent Predictor of Radiographic and MRI Damage Progression in Patients with Early Rheumatoid Arthritis

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Thomsen, H. S., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T. J., Smedegaard-Andersen, L., skjødt, H., Svendsen, A. J., Tarp, U., Hansen, I. T., Pødenphant, J., Kristian Pedersen, J. & 4 flere, Lindegaard, H. M., Vestergaard, A., Glinatsi, D. & Østergaard, M., 13. nov. 2016.

10+ Years' Follow-up of a Danish 2-Year Treat-to-Target RCT in Patients with Early Rheumatoid Arthritis: Baseline Predictors of Functional and Radiographic Outcomes

Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lindegaard, H. M., Ellingsen, T. J., Pødenphant, J., skjødt, H., Vestergaard, A., Ejbjerg, B. J., Jacobsen, S., Steen Krogh, N., Østergaard, M. & Hørslev-Petersen, K., okt. 2016, I : *Arthritis & Rheumatology*, 68, S 10, 3 s., 3210.

HAND BONE LOSS IN EARLY RHEUMATOID ARTHRITIS IS INDEPENDENT OF ADALIMUMAB TREATMENT. A SUBSTUDY OF THE OPTIMIZED TREATMENT ALGORITHM IN EARLY RA (OPERA) TRIAL

Ørnberg, LM., Østergaard, M., Jensen, T., Hørslev-Petersen, K., Stengaard-Pedersen, K., Junker, P., Ellingsen, T. J., Ahlquist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I., Lottenburger, T., Ammitzbøll, C. G., Jørgensen, A., Krintel, S. B., Lillelund Raun, J. & Hetland, M., 10. jun. 2016.

HAND BONE LOSS IN EARLY RHEUMATOID ARTHRITIS IS INDEPENDENT OF ADALIMUMAB TREATMENT. A SUBSTUDY OF THE OPTIMIZED TREATMENT ALGORITHM IN EARLY RA (OPERA) TRIAL

Ørnberg, L. M., Østergaard, M., Jensen, T., Hørslev-Petersen, K., Stengaard-Pedersen, K., Junker, P., Ellingsen, T. J., Ahlquist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I., Lottenburger, T., Ammitzbøll, C. G., Jørgensen, A., Krintel, SB., Lillelund Raun, J. & Hetland, M., 10. jun. 2016.

MAGNETIC RESONANCE IMAGING JOINT SPACE NARROWING IS AN INDEPENDENT PREDICTOR OF RADIOGRAPHIC AND MRI DAMAGE PROGRESSION IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Lund Hetland, M., Jurik, A. G., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T. J., Smedegaard-Andersen, L., skjødt, H., Svendsen, A. J., Tarp, U., Hansen, I., Pødenphant, J., Pedersen, J. K. & 3 flere, Lindegaard, H. M., Vestergaard, A. & Glinatsi, D., 10. jun. 2016.

MAGNETIC RESONANCE IMAGING JOINT SPACE NARROWING IS AN INDEPENDENT PREDICTOR OF RADIOGRAPHIC AND MRI DAMAGE PROGRESSION IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M., Jurik, A. G., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T. J., Smedegaard-Andersen, L., skjødt, H., Svendsen, A. J., Tarp, U., Hansen, I., Pødenphant, J., Pedersen, J. K. & 4 flere, Lindegaard, H. M., Vestergaard, A., Glinatsi, D. & Østergaard, M., jun. 2016. 1 s.

Application of synthetic peptides for detection of anti-citrullinated peptide antibodies

Trier, N. H., Holm, B. E., Slot, O., Loch, H., Lindegaard, H., Svendsen, A. J., Nielsen, C. T., Jacobsen, S., Theander, E. & Houen, G., feb. 2016, I : *Peptides*, 76, s. 87-95

Doubling the single-dose infusion rate of tocilizumab in rheumatoid arthritis is safe and efficacious

Lindegaard, H. M., Johansen, P., Grøndal, G., Jensen, E. C., Juul, L., Schlemmer, A. M., Agular, B. & Jensen Hansen, I. M., 4. jan. 2016, I : *Scandinavian Journal of Rheumatology*, 45, 4, s. 262-266 5 s.

Are human endogenous retroviruses triggers of autoimmune diseases? Unveiling associations of three diseases and viral loci

Nexø, B. A., Villesen, P., Nissen, K. K., Lindegaard, H. M., Rossing, P., Petersen, T., Tarnow, L., Hansen, B., Lorenzen, T., Hørslev-Petersen, K., Jensen, S. B., Bahrami, S., Lajer, M., Schmidt, K. L. M., Parving, H-H., Junker, P. & Laska, M. J.,

Circulating CD45+ CD34+ CD11b+ cells are immature fibrocytes and the level correlates with the number of mononuclear cells that in vitro differentiate to mature fibrocytes: a potential new marker for interstitial lung disease in rheumatoid arthritis
Just, S. A., Nielsen, C., Rømhild Davidsen, J., Bjerring, N., Hejbøl, E. K., Hansen, S., Schrøder, H. D., Jensen Hansen, I. M., Barington, T. & Lindegaard, H. M., 2016.

Circulating CD45+ CD34+ CD11b+ cells are immature fibrocytes and the level correlates with the number of mononuclear cells that in vitro differentiate to mature fibrocytes: A potential new marker for interstitial lung disease in Rheumatoid Arthritis
Just, S. A., Nielsen, C., Rømhild Davidsen, J., Bjerring, N., Hejbøl, E. K., Hansen, S., Schrøder, H. D., Jensen Hansen, I. M., Barington, T. & Lindegaard, H. M., 2016.

Circulating CD45+CD34+CD11+ cells are immature fibrocytes and the level correlates with the number of mononuclear cells that in vitro differentiate to mature fibrocytes: A potential new marker for intestinal lung disease in rheumatoid arthritis
Just, S. A., Nielsen, C., Rømhild Davidsen, J., Bjerring, N., Hejbøl, E. K., Hansen, S., Schrøder, H. D., Jensen Hansen, I. M. & Lindegaard, H. M., 2016, I : Annals of the Rheumatic Diseases. 75, Suppl. 2, s. 681 1 s., SAT0049.

Clinical and radiographic outcome of a treat-to-target strategy using methotrexate and intra-articular glucocorticoids with or without adalimumab induction: a 2-year investigator-initiated, double-blinded, randomised, controlled trial (OPERA)
Hørslev-Petersen, K., Hetland, M. L., Ørnbjerg, L. M., Junker, P., Pødenphant, J., Ellingsen, T., Ahlquist, P., Lindegaard, H., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I., Lottenburger, T., Ammitzbøll, C. G., Jørgensen, A., Krintel, S. B., Raun, J., Johansen, J. S., Østergaard, M., Stengaard-Pedersen, K. & 1 flere, OPERA Study Group, 2016, I : Annals of the Rheumatic Diseases. 75, 9, s. 1645-1653

Establishment of age- and sex-adjusted reference data for hand bone mass and investigation of hand bone loss in patients with rheumatoid arthritis treated in clinical practice: an observational study from the DANBIO registry and the Copenhagen Osteoarthritis Study
Ørnbjerg, L. M., Østergaard, M., Jensen, T., Hyldstrup, L., Bach-Mortensen, P., Bøyesen, P., Thormann, A., Tarp, U., Bøhme, W. P., Lindegaard, H., Poulsen, U. E., Schlemmer, A., Graudal, N., Rødgaard, A., Espesen, J., Kollerup, G. B., Glinborg, B., Madsen, O. R., Jensen, D. V. & Hetland, M. L., 2016, I : Arthritis Research & Therapy (Print). 18, 12 s., 53.

Factors Associated with influenza and pneumococcal vaccine uptake among Danish rheumatoid arthritis patients invited to participate in a pneumococcal vaccine trial (Immunovax_RA)
Nguyen, A. M., Lindegaard, H. M., Hendricks, O. & Friis-Møller, N., 2016.

Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case-Control Study
Søltøft Larsen, K., Pottegård, A., Lindegaard, H. M. & Hallas, J., 2016, I : P L o S One. 11, 1, s. 1-13 e0146172.

Inflammatoriske ledsygdomme

Lindegaard, H. M. & Deleuran, B., 2016, *Medicin*. Baslund, B., Feldt-Rasmussen, U., Kastrup, J. & Soelberg Sørensen, P. (red.). 2. udg. København: FADL's Forlag, s. 820-836

Prediction of treatment response to adalimumab: a double-blind placebo-controlled study of circulating microRNA in patients with early rheumatoid arthritis
Krintel, S. B., Dehlendorff, C., Hetland, M. L., Hørslev-Petersen, K., Andersen, K. K., Junker, P., Pødenphant, J., Ellingsen, T., Ahlquist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I., Horn, H. C., Jørgensen, A., Raun, J., Ammitzbøll, C. G., Østergaard, M., Stengaard-Pedersen, K. & 1 flere, Johansen, J. S., 2016, I : The Pharmacogenomics Journal. 16, s. 141-146 6 s.

Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study
Larsen, K. S., Pottegård, A., Lindegaard, H. M. & Hallas, J., 14. nov. 2015, I : American Journal of Medicine. 129, 3, s. 299-306

Effect of a Non Biologic Treat-to-Target Strategy on MRI-Determined Inflammatory and Destructive Changes in Early Rheumatoid Arthritis – Results from a 2-Year Investigator-Initiated Double-Blind Randomized Controlled Clinical Trial

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Smedegaard-Andersen, L., Hansen, I. T., skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 flere, Pedersen, J. K., Lindegaard, H. M. & Østergaard, M., 9. nov. 2015.

Effect of a Non Biologic Treat-to-Target Strategy on MRI-Determined Inflammatory and Destructive Changes in Early Rheumatoid Arthritis – Results from a 2-Year Investigator-Initiated Double-Blind Randomized Controlled Clinical Trial

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Smedegaard-Andersen, L., Hansen, I., skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 flere, Pedersen, J. K., Lindegaard, H. M. & Østergaard, M., 9. nov. 2015.

MRI Erosions in Undifferentiated Arthritis. Different Associations with the Collagen IIA N-Terminal Propeptide (PIIANP) and Galectin-3 in Pre-RA and Other Arthritides

Issa, S. F., Duer-Jensen, A., Østergaard, M., Lindegaard, H. M., Hørslev-Petersen, K., Hetland, M. L., Møller, J. M., Christensen, A. F. & Junker, P., 9. nov. 2015.

Effectiveness and drug adherence of biologic monotherapy in routine care of patients with rheumatoid arthritis: a cohort study of patients registered in the Danish biologics registry

Jørgensen, T. S., Kristensen, L. E., Christensen, R., Bliddal, H., Lorenzen, T., Hansen, M. S., Østergaard, M., Jensen, J., Zanjani, L., Laursen, T., Butt, S., Dam, M. Y., Lindegaard, H. M., Espesen, J., Hendricks, O., Kumar, P., Kincses, A., Larsen, L. H., Andersen, M., Næser, E. K. & 10 flere, Jensen, D. V., Grydehøj, J., Unger, B., Dufour, N., Sørensen, V., Vildhøj, S., Jensen Hansen, I. M., Raun, J., Krogh, N. S. & Lund Hetland, M., 13. jul. 2015, I : *Rheumatology*. 54, 12, s. 2156-2165

Within-day variation and influence of physical exercise on circulating Galectin-3 in patients with rheumatoid arthritis and healthy individuals

Issa, S. F., Christensen, A. F., Lottenburger, T., Junker, K., Lindegaard, H., Hørslev-Petersen, K. & Junker, P., jul. 2015, I : *Scandinavian Journal of Immunology*. 82, 1, s. 70-75

Effect of Methotrexate and Intra-Articular Betamethasone with or Without Additional Cyclosporine on Magnetic Resonance Imaging (MRI)-Determined Inflammatory and Destructive Changes in Very Early Rheumatoid Arthritis – Results from a 24-Months' Randomised Double Blind Placebo Controlled Trial

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Hetland, M. L., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Smedegaard-Andersen, L., Hansen, I., Skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 flere, Pedersen, J. K., Lindegaard, H. M. & Østergaard, M., 12. jun. 2015.

Effect of Methotrexate and Intra-Articular Betamethasone with or Without Additional Cyclosporine on Magnetic Resonance Imaging (MRI)-Determined Inflammatory and Destructive Changes in Very Early Rheumatoid Arthritis – Results from a 24-Months' Randomised Double Blind Placebo Controlled Trial

Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Hetland, M. L., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Smedegaard-Andersen, L., Hansen, I., Skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 flere, Pedersen, J. K., Lindegaard, H. M. & Østergaard, M., 10. jun. 2015, I : *Annals of the Rheumatic Diseases*. 74, 2, Supplement, s. 648 1 s.

A treat-to-target strategy with methotrexate and intra-articular triamcinolone with or without adalimumab effectively reduces MRI synovitis, osteitis and tenosynovitis and halts structural damage progression in early rheumatoid arthritis: results from the OPERA randomised controlled trial

Axelsen, M. B., Eshed, I., Hørslev-Petersen, K., Stengaard-Pedersen, K., Hetland, M. L., Møller, J. R., Junker, P., Pødenphant, J., Schlemmer, A., Ellingsen, T., Ahlquist, P., Lindegaard, H., Linauskas, A., Dam, M. Y., Hansen, I. T., Horn, H. C., Ammitzbøll, C. G., Jørgensen, A. J., Krintel, S. B., Raun, J. & 4 flere, Krogh, N. S., Johansen, J. S., Østergaard, M. & OPERA Study Group, 2015, I : *Annals of the Rheumatic Diseases*. 74, 5, s. 867-875

Antibodies to infliximab and adalimumab in patients with rheumatoid arthritis in clinical remission: a cross-sectional study

Eng, G. P., Bendtzen, K., Bliddal, H., Stoltenberg, M., Szkudlarek, M., Fana, V., Lindegaard, H. M., Omerovic, E., Højgaard, P., Jensen, E. K. & Bouchelouche, P. N., 2015, I : *Arthritis Today*. 2015, 7 s., 784825.

Effect of a non biologic treat-to-target strategy on MRI-determined inflammatory and destructive changes in early rheumatoid arthritis. Results from a 2-year investigator-initiated double-blind randomized controlled clinical trial.
Møller-Bisgaard, S., Ejbjerg, B. J., Eshed, I., Hørslev-Petersen, K., Hetland, M. L., Jurik, A. G., Vallø, J., Thomsen, H., Torfing, T., Stengaard-Pedersen, K., Junker, P., Steen Krogh, N., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Svendsen, A. J., Tarp, U., Pødenphant, J. & 3 flere, Pedersen, J. K., Lindegaard, H. M. & Ostergaard, M., 2015.

Impact of urate level on cardiovascular risk in allopurinol treated patients. A nested case control study
Larsen, K. S., Pottegård, A., Lindegaard, H. M. & Hallas, J., 2015, I : Annals of the Rheumatic Diseases. 74, S2, s. 1208 1 s., AB0921.

Impact of urate level on cardiovascular risk in allopurinol-treated patients: A nested case-control study
Larsen, K. S., Pottegård, A., Lindegaard, H. M. & Hallas, J., 2015, I : Pharmacoepidemiology and Drug Safety. 24, S1, s. 351-352 2 s., 615.

Interactions between smoking, increased serum levels of anti-CCP antibodies, rheumatoid factors, and erosive joint disease in patients with early, untreated rheumatoid arthritis
Krol, A., Garred, P., Heegaard, NHH., Christensen, A. F., Hetland, ML., Stengaard-Pedersen, K., Junker, P., Madsen, H., Lottenburger, T., Ellingsen, T., Andersen, L., Hansen, I., Pedersen, J., Svendsen, A. J., Tarp, U., Pødenphant, J., Lindegaard, H., Østergaard, M., Hørslev-Petersen, K. & Jacobsen, S., 2015, I : Scandinavian Journal of Rheumatology. 44, 1, s. 8-12

Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study
Larsen, K. S., Pottegård, A., Lindegaard, H. M. & Hallas, J., 2015, I : Arthritis Research & Therapy. 17, 304, 7 s.

Impact of different infliximab dose regimens on treatment response and drug survival in 462 patients with psoriatic arthritis: results from the nationwide registries DANBIO and ICEBIO
Glintborg, B., Gudbjornsson, B., Steen Krogh, N., Omerovic, E., Manilo, N., Holland-Fischer, M., Lindegaard, H. M., Gitte Loft, A., Nordin, H., Johnsen, L., Flejsborg Oeftiger, S. M., Hansen, A., Rasmussen, C., Grondal, G., Jon Geirsson, A. & Lund Hetland, M., nov. 2014, I : Rheumatology. 53, 11, s. 2100-2109

Interleukin-6-receptor polymorphisms rs12083537, rs2228145, and rs4329505 as predictors of response to tocilizumab in rheumatoid arthritis
Enevold, C., Baslund, B., Linde, L., Josephsen, N. L., Tarp, U., Lindegaard, H., Jacobsen, S. & Nielsen, C. H., aug. 2014, I : Pharmacogenetics and Genomics. 24, 8, s. 401-5

Fast infusion of tocilizumab in rheumatoid arthritis is well tolerated
Lindegaard, H. M., Johansen, P., Gröndal, G., Jensen, E. C. N., Juul, L., Schlemmer, A., Agular, B. M. & Jensen Hansen, I. M., 11. jun. 2014, I : Annals of the Rheumatic Diseases. 73, 2. Supplement, s. 493 1 s., FRI0299.

Adalimumab added to a treat-to-target strategy with methotrexate and intra-articular triamcinolone in early rheumatoid arthritis increased remission rates, function and quality of life: The OPERA Study: an investigator-initiated, randomised, double-blind, parallel-group, placebo-controlled trial
OPERA Study Group, apr. 2014, I : Annals of the Rheumatic Diseases. 73, 4, s. 654-661 8 s.

A non-synonymous single-nucleotide polymorphism in the gene encoding Toll-like Receptor 3 (TLR3) is associated with sero-negative Rheumatoid Arthritis (RA) in a Danish population
Laska, M. J., Hansen, B., Troldborg, A., Lorenzen, T., Stengaard-Pedersen, K., Junker, P., Nexø, B. A. & Lindegaard, H. M., 2014, I : BMC Research Notes. 7, 5 s.

Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study
Larsen, K. S., Pottegård, A., Lindegaard, H. M. & Hallas, J., 2014, I : Pharmacoepidemiology and Drug Safety. 23, S1, s. 44-45 81.

Eosinophilia in routine blood samples as a biomarker for solid tumor development - A study based on the Copenhagen Primary Care Differential Count (CopDiff) Database

Andersen, C. L., Siersma, V. D., Hasselbalch, H. C., Lindegaard, H., Vestergaard, H., Felding, P., de Fine Olivarius, N. & Bjerrum, O. W., 2014, 1 : Acta Oncologica. 53, 9, s. 1245-1250

Fast infusion of tocilizumab in rheumatoid arthritis is well tolerated.

Lindegaard, H. M., Johansen, P., Gröndal, G., Jensen, E. C., Juul, L., Schlemmer, A. M., Agular, B. M. & Jensen Hansen, I. M., 2014.

Periarticular and generalised bone loss in patients with early rheumatoid arthritis: influence of alendronate and intra-articular glucocorticoid treatment. Post hoc analyses from the CIMESTRA trial

Jensen, T. W., Hansen, M. S., Hørslev-Petersen, K., Hyldstrup, L., Abrahamsen, B., Langdahl, B. L., Zerahn, B., Pødenphant, J., Stengaard-Petersen, K., Junker, P., Ostergaard, M., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U. & 5 flere, Lindegaard, H., Jurik, A. G., Vestergaard, A., Hetland, M. L. & the Cimestra study group, 2014, 1 : Annals of the Rheumatic Diseases. 73, 6, s. 1123-1129

Risk of lymphoma and solid cancer among patients with rheumatoid arthritis in a primary care setting

Andersen, C. L., Lindegaard, H., Vestergaard, H., Siersma, V. D., Hasselbalch, H. C., de Fine Olivarius, N., Bjerrum, O. W. & Junker, P., 2014, 1 : PLOS ONE. 9, 6, s. e99388

Upregulated baseline plasma CCL19 and CCR7 cell-surface expression on monocytes in early rheumatoid arthritis normalized during treatment and CCL19 correlated with radiographic progression

Ellingsen, T., Hansen, I., Thorsen, J., Møller, B. K., Tarp, U., Lottenburger, T., Andersen, L. S., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Lindegaard, H., Jacobsen, S., Østergaard, M., Vestergaard, A., Jurik, A. G., Junker, P., Christensen, A. F., Hetland, M. L., Hørslev-Petersen, K. & 1 flere, Stengaard-Pedersen, K., 2014, 1 : Scandinavian Journal of Rheumatology. 43, 2, s. 91-100 10 s.

Clinical response, drug survival and predictors thereof in 432 ankylosing spondylitis patients after switching tumour necrosis factor α inhibitor therapy: Results from the Danish nationwide DANBIO registry

Glintborg, B., Østergaard, M., Krogh, N. S., Tarp, U., Manilo, N., Loft, A. G. R., Hansen, A., Schlemmer, A., Fana, V., Lindegaard, H. M., Nordin, H., Rasmussen, C., Ejstrup, L., Jensen, D. V., Petersen, P. M. & Hetland, M. L., 17. sep. 2013, 1 : Annals of the Rheumatic Diseases. 72, 7, s. 1149-1155

Eosinophilia in routine blood samples and the subsequent risk of hematological malignancies and death.

Lindegaard, H. M., 15. jun. 2013.

Eosinophilia in Routine Blood Samples and the Subsequent Risk of Hemotological Malignancies and Death

Andersen, C. L., Siersma, V. D., Hasselbalch, H. C., Lindegaard, H. M., Vestergaard, H., Felding, P., Olivarius, N. D. F. & Bjerrum, O. W., 14. jun. 2013.

Eosinophilia in routine blood samples and the subsequent risk of hematological malignancies and death

Andersen, C. L., Siersma, V. D., Hasselbalch, H. C., Lindegaard, H., Vestergaard, H., Felding, P., de Fine Olivarius, N. & Bjerrum, O. W., 13. jun. 2013, 1 : American Journal of Hematology. 88, 10, s. 843-847

Improved remission rates acquired by adding Adalimumab to Methotrexate and intraarticular glucocorticoid cannot be maintained after withdrawal of Adalimumab. A 2-year investigator initiated randomised, controlled study on early rheumatoid arthritis

Hørslev-Petersen, K., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Lottenburger, T., Jørgensen, A., Krintel, S. B., Raun, J. L., Ammitzbøll, C. G., Johansen, J. S., Østergaard, M. & Stengaard-Pedersen, K., 13. jun. 2013.

Improved remission rates acquired by adding Adalimumab to Methotrexate and intraarticular glucocorticoid cannot be maintained after withdrawal of Adalimumab. A 2-year investigator initiated randomised, controlled study on early rheumatoid arthritis

Hørslev-Petersen, K., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Lottenburger, T., Jørgensen, A., Krintel, S. B., Raun, J. L., Ammitzbøll, C. G., Johansen, J. S., Østergaard, M. & Stengaard-Pedersen, K., jun. 2013.

MicroRNA expression profiles as biomarkers for prediction of treatment response to adalimumab in patients with early rheumatoid arthritis

Krintel, S. B., Dehlendorff, C., Hetland, M. L., Hørslev-Petersen, K., Andersen, K. K., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Horn, H. C., Jørgensen, A., Raun, J. L., Ammitzbøll, C. G., Østergaard, M., Stengaard-Pedersen, K. & 1 flere, Johansen, J. S., jun. 2013. 1 s.

A Treat-To-Target Strategy With Methotrexate And Intra-Articular Triamcinolone With Or Without Added Adalimumab Reduces Synovitis, Osteitis And Tenosynovitis And Halts Structural Damage Progression In Early Rheumatoid Arthritis: The OPERA Magnetic Resonance Imaging Sub-Study

Bjørndal Axelsen, M., Eshed, I., Hørslev-Petersen, K., Stengaard-Pedersen, K., Hetland, M. L., M. Møller, J., Junker, P., Pødenphant, J., Ellingsen, T., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Yde Dam, M., Hansen, I., Horn, H. C., Ammitzbøll, C. G., Jørgensen, A., Krintel, S. B., Raun, J. & 3 flere, Johansen, J. S., Steen Krogh, N. & Østergaard, M., 2013.

Circulating lung surfactant protein D (SP-D) differs between rheumatoid arthritis (RA) patients according to anti-citrullinated protein antibody (anti-CCP) and IgM-rheumafactor (IgM-RF) status

Lindegaard, H. M., Hørslev-Petersen, K., Lorenzen, T., Raun, J., Jensen, L.B., Sørensen, G., Christensen, A. F. & Junker, P., 2013.

Clinical response, drug survival, and predictors thereof among 548 patients with psoriatic arthritis who switched tumor necrosis factor α inhibitor therapy: results from the Danish Nationwide DANBIO Registry

Glintborg, B., Østergaard, M., Krogh, N. S., Andersen, M. D., Tarp, U., Loft, A. G., Lindegaard, H. M., Holland-Fischer, M., Nordin, H., Jensen, D. V., Olsen, C. H. & Hetland, M. L., 2013, I : Arthritis & Rheumatism. 65, 5, s. 1213-1223

Genotypic and Haplotypic Effects of 7 Single-Nucleotide Poly-morphisms In the CRP Gene On Levels Of C-Reactive Protein and DAS28 In a Cohort Of 180 Untreated Newly Diagnosed Rheumatoid Arthritis Patients (OPERA Study)

Ammitzbøll, C. G., Steffensen, R., Junker, P., Østergaard, M., Johansen, J. S., Pødenphant, J., Hetland, M. L., Lindegaard, H. M., Ellingsen, T. & Stengaard-Pedersen, K., 2013.

Impact Of Low Infliximab Dose Regimen On Treatment Response and Drug Survival In 462 Patients With Psoriatic Arthritis: Results From The Nationwide Registries Danbio and Icebio

Glintborg, B., Gudbjørnsson, B., Steen Krogh, N., Omerovic, E., Manilo, N., Holland-Fischer, M., Lindegaard, H. M., Loft, A. G., Nordin, H., Johnsen, L., Flejsborg Oeftiger, S. M., Hansen, A., Rasmussen, C., Grondal, G., Jon Geirsson, A. & Hetland, M. L., 2013.

Impact of tumour necrosis factor inhibitor treatment on radiographic progression in rheumatoid arthritis patients in clinical practice: results from the nationwide Danish DANBIO registry

Ornbjerg, L. M., Østergaard, M., Bøyesen, P., Krogh, N. S., Thormann, A., Tarp, U., Poulsen, U. E., Espesen, J., Ringsdal, V. S., Graudal, N. A., Kollerup, G. B., Jensen, D. V., Madsen, O. R., Glintborg, B., Christensen, T., Lindegaard, H., Dencker, D., Hansen, A., Andersen, A. R. & Hetland, M. L., 2013, I : Annals of the Rheumatic Diseases. 72, 1, s. 57-63 7 s.

Improved remission rates acquired by adding adalimumab to methotrexate and intraarticular glucocorticoid cannot be maintained after withdrawal of adalimumab: A 2-year investigator initiated randomised, controlled study on early rheumatoid arthritis

Hørslev-Petersen, K., Hetland, M.L., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M.Y., Hansen, I., Lottenburger, T., Jørgensen, A., Krintel, S.B., Raun, J., Ammitzbøll, C. G., Johansen, J.S., Østergaard, M. & Stengaard-Pedersen, K., 2013.

Incidences of overall and site specific cancers in TNF α inhibitor treated patients with rheumatoid arthritis and other arthritides - a follow-up study from the DANBIO Registry

Dreyer, L., Mellemkjær, L., Andersen, A. R., Bennett, P., Poulsen, U. E., Juulsgaard Ellingsen, T., Hansen, T. H., Jensen, D. V., Linde, L., Lindegaard, H. M., Loft, A. G. R., Nordin, H., Omerovic, E., Rasmussen, C., Schlemmer, A., Tarp, U. & Hetland, M. L., 2013, I : Annals of the Rheumatic Diseases. 72, 1, s. 79-82 4 s.

Independent Of Induction Therapy With Adalimumab; Year 2 Clinical Results Of An Investigator-Initiated Randomised, Controlled Clinical Trial Of Early, Rheumatoid Arthritis (OPERA)

Hørslev-Petersen, K., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Y. Dam, M., Hansen, I., Lottenburger, T., Jørgensen, A., Krintel, S. B., Raun, J., Ammitzbøll, C. G., Johansen, J., Østergaard, M. & Stengaard-Pedersen, K., 2013.

Induction Therapy With Adalimumab On Top Of An Aggressive Treat-To-Target Strategy With Methotrexate and Intraarticular Corticosteroid Reduces Radiographic Erosive Progression In Early Rheumatoid Arthritis, Even After Withdrawal Of Adalimumab: Results Of a 2-Year Trial (OPERA)

Hørslev-Petersen, K., Ørnbjerg, L. M., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Y. Dam, M., Hansen, I., Lottenburger, T., Jørgensen, A., Krintel, S. B., Raun, J., Ammitzbøll, C. G., Johansen, J., Østergaard, M. & Stengaard-Pedersen, K., 2013.

MicroRNA expression profiles as biomarkers for prediction of treatment response to adalimumab in patients with early rheumatoid arthritis

Krintel, SB., Dehlendorff, C., Hetland, ML., Hørslev-Petersen, K., Andersen, KK., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, MY., Hansen, I., Horn, H. C., Jørgensen, A., Raun, J., Ammitzbøll, CG., Østergaard, M., Stengaard-Pedersen, K. & 1 flere, Johansen, JS., 2013.

MicroRNA Expression Profiles Associated With Response To Adalimumab and Methotrexate: A Placebo-Controlled Clinical Trial

Krintel, S. B., Dehlendorff, C., Hetland, M. L., Hørslev-Petersen, K., Andersen, K., Junker, P., Pødenphant, J., Ellingsen, T., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Y. Dam, M., Hansen, I., Horn, H. C., Jørgensen, A., Raun, J., Ammitzbøll, C. G., Stengaard-Pedersen, K. & Johansen, J. S., 2013.

Presence of antibodies to adalimumab and infliximab in patients with rheumatoid arthritis in clinical remission

Eng, G., Fana, V., Omerovic, E., Højsgaard, P., Lindegaard, H. M., EK, J. & Bouchelouche, PN., 2013.

Rheumatoid arthritis and eosinophilia: The risk of lymphoproliferative malignancies and solid cancers: A study based on the Copenhagen primary care differential count (COPDIFF) database

Lykkegaard Andersen, C., Vestergaard, H., Bjerrum, OW., Siersma, VD., Felding, P., Hasselbalch, H. C., de Fine Olivarius, N. & Lindegaard, H. M., 2013.

Serious Adverse Events Associated With Using Biological Agents To Treat Rheumatoid Diseases: Network Meta-Analysis From a National Guideline Panel

Tarp, S., Tarp, U., S. Andersen, L., Lorenzen, T., Lindegaard, H. M., Stoltenberg, M. B., S. Jensen, H., Brock, B., M. Mikkelsen, C., V. Jensen, D., Asmussen, K., Herlin, T. & Christensen, R., 2013.

The Prevalence Of Biological Monotherapy Among Rheumatoid Arthritis Patients In Denmark: Results From The Danish Nationwide Danbio Registry

Jørgensen, T. S., Kristensen, L. E., Lorenzen, T., Jensen, J., Zanjani, L., Laursen, T., Butt, S., Dam, M. Y., Lindegaard, H. M., Espesen, J., Hendricks, O., Kumar, P., Kincses, A., Larsen, L. H., Næser, E. K., V. Jensen, D., Grydehøj, J., Unger, B., Dufour, N., Sørensen, V. N. & 4 flere, Vildhøj, S., Jensen Hansen, I. M., Raun, J. L. & Hetland, M. L., 2013, I : Arthritis & Rheumatism. 65, 1 s., 1478.

Use of TNF inhibitors is associated with a reduced risk of diabetes in RA patients

Lillegraven, S., Greenberg, JD. & Lindegaard, H. M., 2013.

Remission rates increase substantially by adding adalimumab to methotrexate and intra-articular glucocorticoid in patients with early rheumatoid arthritis: 1-year results of investigator-initiated, double-blinded randomized clinical trial

Hørslev-Petersen, K., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Horn, H. C., Jørgensen, A., Krintel, S. B., Raun, J. L., Ammitzbøll, C. G., Johansen, J. S., Østergaard, M. & Stengaard-Pedersen, K., sep. 2012.

The additive value of magnetic resonance imaging for bone edema in predicting rheumatoid arthritis development in early undifferentiated arthritis: comment on the article by Duer-Jensen et al Reply

Duer-Jensen, A., Hetland, M. L., Hørslev-Petersen, K., Bak, L., Ejbjerg, B. J., Hansen, M. S., Johansen, J. S., Møller, J. M., Lindegaard, H. M., Vinterberg, H. & Østergaard, M., 1. jan. 2012, I : Arthritis & Rheumatism. 64, 1, s. 322-323 2 s.

Clinical response, drug survival and predictors thereof in 432 patients with ankylosing spondylitis switching anti tumor necrosis factor alpha therapy: Results from The Danish Nationwide DANBIO Registry

Glintborg, B., Østergaard, M., Krogh, N., Tarp, U., Loft, A., Hansen, A., Schlemmer, A., Fana, V., Kristensen, M., Lindegaard, H. M., Nordin, H., Rasmussen, C., Ejstrup, L., Petersen, PM., Manilo, N., Jensen, DV. & Hetland, ML., 2012.

Feasibility of a standardized ultrasound examination in patients with rheumatoid arthritis: A quality improvement among rheumatologists cohort.

Ellegaard, K., Torp-Pedersen, S. T., Christensen, R., Stoltenberg, M., Hansen, A., Lorenzen, T., Jensen, DV., Lindegaard, H. M., Juul, L., Røgind, H., Bülow, P., Chrysidis, S., Kowalski, M. R., Danneskiold-Samsøe, B. & Bliddal, H., 2012, I : B M C Musculoskeletal Disorders. 13, s. 35

Impact of tumour necrosis factor inhibitor treatment on hand bone loss in rheumatoid arthritis patients treated in clinical practice. Results from the Nationwide Danish DANBIO Registry.

Ørnbjerg, L. M., Østergaard, M., Bøyesen, P., Jensen, TD., Thormann, A., Tarp, U., Böhme, W., Dencker, D., Lindegaard, H. M., Poulsen, UE., Hansen, A., Ringsdal, V. S., Schlemmer, A., Graudal, N., Andersen, AR., Espesen, J., Kollerup, G. B., Christensen, TG., Pelck, R., Glintborg, B. & 4 flere, Madsen, OR., Jensen, DV., Maigaard, O. & Hetland, M. L., 2012, I : Arthritis & Rheumatism. 72, 1, s. 57-63 7 s.

Incidence of cancer in TNF inhibitor treated patients with rheumatoid arthritis and other types of arthritides: A follow-up study from the DANBIO Registry

Dreyer, L., Mellekjær, L., Andersen, AR., Bennett, P., Engling, UP., Ellingsen, TJ., Hansen, TH., Jensen, DV., Linde, L., Lindegaard, H. M., Loft, AG., Nordin, H., Omerovic, E., Rasmussen, C., Slemmer, A., Tarp, U. & Hetland, ML., 2012.

Predictors of radiographic progression in 940 rheumatoid arthritis patients during TNF-inhibitor treatment in clinical practice

Ørnbjerg, LM., Østergaard, M., Bøyesen, P., Thormann, A., Tarp, U., Poulsen, UE., Graudal, N., Hansen, A., Espesen, J., Ringsdal, VS., Schlemmer, A., Andersen, AR., Kollerup, G., Glintborg, B., Pelck, R., Christensen, TG., Jensen, DV., Madsen, OR., Böhme, W., Dencker, D. & 2 flere, Lindegaard, H. M. & Hetland, ML., 2012.

REMISSION RATES INCREASE SUBSTANTIALLY BY ADDING ADALIMUMAB TO METHOTREXATE AND INTRA-ARTICULAR GLUCOCORTICOID IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS - 1-YEAR RESULTS OF INVESTIGATOR INITIATED, DOUBLE-BLINDED RANDOMIZED CLINICAL TRIAL

Hørslev-Petersen, K., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlquist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Horn, H. C., Jørgensen, A., Krintel, S. B., Raun, J. L., Ammitzbøll, C. G., Johansen, J. S., Østergaard, M. & Stengaard-Pedersen, K., 2012.

REMISSION RATES INCREASE SUBSTANTIALLY BY ADDING ADALIMUMAB TO METHOTREXATE AND INTRA-ARTICULAR GLUCOCORTICOID IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS - 1-YEAR RESULTS OF INVESTIGATOR-INITIATED DOUBLE BLINDED RANDOMIZED CLINICAL TRIAL (OPER<)

Hørslev-Petersen, K., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T. J., Ahlquist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I. T., Horn, H. C., Jørgensen, A., Krintel, S. B., Raun, J. L., Ammitzbøll, C. G., Johansen, J. S., Østergaard, M. & Stengaard-Pedersen, K., 2012, I : Annals of the Rheumatic Diseases. 71, suppl 3, s. 360 2 s.

Risk factors for radiographic progression during TNF-inhibitor treatment in 932 rheumatoid arthritis patients treated in clinical practice: Results from the Nationwide Danish DANBIO Registry

Ørnbjerg, L. M., Østergaard, M., Bøyesen, P., Jensen, TD., Tarp, U., Böhme, W., Dencker, D., Lindegaard, H. M., Poulsen, UE., Hansen, A., Ringsdal, V. S., Schlemmer, A., Graudal, N., Andersen, AR., Espesen, J., Kollerup, G. B., Christensen, TC., Pelck, R., Glintborg, B., Madsen, OR. & 3 flere, Jensen, DV., Maigaard, O. & Hetland, M. L., 2012, I : Arthritis & Rheumatism. 64 , Suppl, s. S157

Short- and long-term efficacy of intra-articular injections with betamethasone as part of a treat-to-target strategy in early rheumatoid arthritis: impact of joint area, repeated injections, MRI findings, anti-CCP, IgM-RF and CRP

Hetland, M. L., Østergaard, M., Ejbjerg, B., Jacobsen, S. K., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I. T., Andersen, L. S., Tarp, U., Svendsen, A. J., Pedersen, J. K., Skjødt, H., Ellingsen, T. J., Lindegaard, H., Pødenphant, J., Hørslev-Petersen, K. & CIMESTRA study group, 2012, I : Annals of the Rheumatic Diseases. 71, 6, s. 851-6 6 s.

Using MRI Synovitis to count involved Joints in the ACR/EULAR 2010 RA criteria increases their sensitivity and specificity
Anne, D.-J., Hørslev-Petersen, K., Bak, L., Johansen, J. S., Hansen, M. S., Hetland, M. L., Ejbjerg, B. J., Lindegaard, H. M., Vinterberg, H., Møller, J. & Østergaard, M., 2012.

Using MRI synovitis to count involved joints in the ACR/EULAR 2010 RA criteria increases their sensitivity and specificity
Duer-Jensen, A., Hørslev-Petersen, K., Bak, L., Johansen, JS., Hansen, MS., Hetland, ML., Ejbjerg, BJ., Lindegaard, H. M., Vinterberg, H., Møller, J. & Østergaard, M., 2012.

Using MRI Synovitis to count involved Joints in the ACR/EULAR 2010 RA criteria increases their Sensitivity and Specificity
Duer-Jensen, A., Hørslev-Petersen, K., Bak, L., Johansen, J. S., Hansen, M. S., Hetland, M. L., Ejbjerg, B. J., Lindegaard, H. M., Vinterberg, H., Møller, J. & Østergaard, M., 2012, I : *Annals of the Rheumatic Diseases*. 71, suppl 3, s. 601 1 s.

Short- and Long-Term Effect of Unguided, Intra-Articular Injections with Betamethasone In Early Rheumatoid Arthritis: Impact of Joint Area, Repeated Injections, MRI Findings, Anti-CCP, IgM-RF and CRP.

Hetland, M. L., Østergaard, M., Ejbjerg, B. J., Jacobsen, S., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Svendsen, A. J., Pedersen, J. K., Skjødt, H., Ellingsen, T., Lindegaard, H. M. & Hørslev-Petersen, K., 5. nov. 2011, *Arthritis & Rheumatism: Abstract Supplement, 2011 Annual Scientific Meeting*. s. 493-493

Adalimumab Added to Methotrexate an Intra-Articular Glucocorticoid Increases Remission Rates At One Year In Early, DMARD-Naïve Patients with Rheumatoid Arthritis - An Investigator-Initiated Randomized, Controlled, Double-Blinded Study.

Hørslev-Petersen, K., Hetland, M. L., Junker, P., Pødenphant, J., Ellingsen, T., Ahlqvist, P., Lindegaard, H. M., Linauskas, A., Schlemmer, A., Dam, M. Y., Hansen, I., Horn, H. C., Jørgensen, A., Krintel, S. B., Raun, J., Ammitzbøll, C. G., Johansen, J., Østergaard, M. & Stengaard-Pedersen, K., 4. nov. 2011, *Arthritis & Rheumatism: Abstract Supplement, 2011 Annual Scientific Meeting*. s. 147-147

Bone edema on magnetic resonance imaging is an independent predictor of rheumatoid arthritis development in patients with early undifferentiated arthritis

Duer-Jensen, A., Hørslev-Petersen, K., Hetland, M. L., Bak, L., Ejbjerg, B. J., Hansen, M. S., Johansen, J. S., Lindegaard, H. M., Vinterberg, H., Møller, J. M. & Østergaard, M., 1. aug. 2011, I : *Excerpta Medica. Section 31: Arthritis and Rheumatism*. 63, 8, s. 2192-202 11 s.

Tumour necrosis factor- α inhibitors are glucocorticoid-sparing in rheumatoid arthritis

Nilsson, A. C., Christensen, A. F., Junker, P. & Lindegaard, H. M., 2011, I : *Danish Medical Bulletin (Online)*. 58, 4, s. A4257

MRI Bone Edema Is an Independent Predictor of Development of Rheumatoid Arthritis in Patients with Early Undifferentiated Arthritis

Duer-Jensen, A., Hørslev-Petersen, K., Hetland, M. L., Bak, L., Ejbjerg, B., Hansen, M. S., Johansen, J. S., Lindegaard, H. M., Vinterberg, H., Møller, J. M. & Østergaard, M., nov. 2010.

Uncoupling of collagen II metabolism in newly diagnosed, untreated rheumatoid arthritis is linked to inflammation and antibodies against cyclic citrullinated peptides

Christensen, A. F., Hørslev-Petersen, K., Christgau, S., Lindegaard, H. M., Lottenburger, T., Junker, K., Hetland, M. L., Stengaard-Pedersen, K., Jacobsen, S., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Heegaard, N. H. H., Vestergaard, A. & 3 flere, Jurik, A. G., Ostergaard, M. & Junker, P., 1. jun. 2010, I : *Journal of Rheumatology*. 37, 6, s. 1113-20 7 s.

Circulating surfactant protein -D is low and correlates negatively with systemic inflammation in early, untreated rheumatoid arthritis

Christensen, A. F., Sørensen, G. L., Hørslev-Petersen, K., Holmskov, U., Lindegaard, H. M., Junker, K., Hetland, M. L., Stengaard-Pedersen, K., Jacobsen, S., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Vestergaard, A. & 3 flere, Jurik, A. G., Ostergaard, M. & Junker, P., 8. mar. 2010, I : *Arthritis Research & Therapy*. 12, 2, s. R39

Direct comparison of treatment responses, remission rates, and drug adherence in patients with rheumatoid arthritis treated with adalimumab, etanercept, or infliximab: Results from eight years of surveillance of clinical practice in the nationwide Danish DANBIO registry

Hetland, M. L., Christensen, I. J., Tarp, U., Dreyer, L., Hansen, A., Hansen, I. T., Kollerup, G., Linde, L., Lindegaard, H. M., Poulsen, U. E., Schlemmer, A., Jensen, D. V., Jensen, S., Hostenkamp, G. & Østergaard, M., 1. jan. 2010, I : *Arthritis & Rheumatism*. 62, 1, s. 22-32 10 s.

Circadian pattern and the effect of standardized physical exercise on procollagen IIA N-peptide (PIIANP) in rheumatoid arthritis at different stages and in healthy individuals

Christensen, A. F., Lottenburger, T., Lindegaard, H. M., Junker, K., Hørslev-Petersen, K. & Junker, P., 2010, I : *Biomarkers*. 15, 1, s. 80-85

Impact of drug discontinuation on radiographic progression 2 years after initiation of TNF-inhibitor treatment in clinical practice

Ørnbjerg, L., Østergaard, M., Bøyesen, P., Thormann, A., Tarp, U., Böhme, W., Dencker, D., Lindegaard, H. M., Poulsen, U. E., Hansen, A., Ringsdal, V., Schlemmer, A., Graudal, N., Andersen, A., Espesen, J., Kollerup, G., Christensen, T., Pelck, R., Glinborg, B., Madsen, O. & 3 flere, Jensen, D., Majgaard, O. & Hetland, M., 2010, I : *Annals of the Rheumatic Diseases*. 69, suppl 3, s. 459

Impact of TNF-inhibitor treatment on radiographic joint destruction in rheumatoid arthritis patients treated in clinical practice

Ørnbjerg, L., Østergaard, M., Thormann, A., Bøyesen, P., Tarp, U., Böhme, W., Dencker, D., Lindegaard, H. M., Poulsen, U. E., Hansen, A., Ringsdal, V., Schlemmer, A., Graudal, N., Andersen, A., Espesen, J., Kollerup, G., Christensen, T., Pelck, R., Glinborg, B., Madsen, O. & 3 flere, Jensen, D., Majgaard, O. & Hetland, M. L., 2010, I : *Annals of the Rheumatic Diseases*. 69, suppl 3, s. 142

Mannose-binding lectin gene polymorphisms are associated with disease activity and physical disability in untreated, anti-cyclic citrullinated peptide-positive patients with early rheumatoid arthritis

Jacobsen, S., Garred, P., Madsen, H. O., Heegaard, N. H. H., Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Smedegaard Andersen, L., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Lindegaard, H., Vestergaard, A., Østergaard, M. & 1 flere, Hørslev-Petersen, K., 1. apr. 2009, I : *Journal of Rheumatology*. 36, 4, s. 731-5 4 s.

Karotinaemi hos patient med excessivt betakarotinfødeindtag og dysreguleret diabetes mellitus.

Mikkelsen, C. S., Mikkelsen, D. B. & Lindegaard, H. M., 26. jan. 2009, I : *Ugeskrift for læger*. 171, 5, s. 315-6 1 s.

Månedens billede: Arm edema

Mikkelsen, C. S., Justesen, P. & Lindegaard, H. M., 12. jan. 2009, I : *Ugeskrift for læger*. 171, 3, s. 146

Different Cartilage Oligomeric Matrix Protein (COMP) Patterns in Untreated Anti-CCP Positive and Negative Rheumatoid Arthritis (RA).

Christensen, A. F., Junker, P., Lindegaard, H. M., Lottenburger, T., Ejbjerg, B., Hetland, M. L., Stengaard-Pedersen, K., Jacobsen, S., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Jurik, A. G., Østergaard, M. & Hørslev-Petersen, K., 2009.

Differential association of the N-propeptide of collagen IIA (PIIANP) and collagen II C-telopeptide (CTX-II) with synovitis and erosions in early and longstanding rheumatoid arthritis

Christensen, A. F., Lottenburger, T., Lindegaard, H., Christgau, S., Hørslev-Petersen, K. & Junker, P., 2009, I : *Clinical and Experimental Rheumatology*. 27, 2, s. 307-14 7 s.

Direct Comparison of 4 Years' Drug Survival of Adalimumab, Etanercept and Infliximab in Rheumatoid Arthritis Patients. An Observational Study From the DANBIO Registry.

Hetland, M. L., Christensen, I. J., Tarp, U., Dreyer, L., Hansen, A., Hansen, I. T., Kollerup, G., Linde, L., Lindegaard, H. M., Poulsen, U. E., Schlemmer, A., Jensen, D. V., Jensen, S. & Østergaard, M., 2009.

Predictors of Radiographic Joint Destruction in Rheumatoid Arthritis Patients During TNF-Inhibitor Treatment in Clinical Practice.

Ørnbjerg, L. M., Østergaard, M., Bøyesen, P., Thormann, A., Tarp, U., Røgind, H., Böhme, W., Lindegaard, H. M., Poulsen, U., Hansen, A., Ringsdal, V., Graudal, N., Andersen, A. R., Espesen, J., Kollerup, G., Christensen, T. G., Pelck, R., Madsen, O. R., Jensen, D. V., Majgård, O. & 1 flere, Hetland, M. L., 2009.

Standardized Ultrasound Examination of the Hand in Patients with Rheumatoid Arthritis - a Multicentre Learning Experience: Education in Ultrasound of rheumatoid Arthritis - EURA.

Ellegaard, K., Torp-Pedersen, S., Christensen, R., Stoltenberg, M., Hansen, A., Lorenzen, T., Jensen, D., Lindegaard, H. M., Juul, L., Røgind, H., Bülow, P., Chrysidis, S., Kowalski, M., Danneskiold-Samsøe, B. & Bliddal, H., 2009.

TNF-inhibitors reduce radiographic joint destruction by 65 % in rheumatoid arthritis patients treated in clinical practice: Results from the nationwide Danish DANBIO registry

Østergaard, M., Ørnbjerg, L., Bøyesen, P., Thorman, A., Tarp, U., Røgind, H., Böhme, W., Lindegaard, H. M., Poulsen, U., Hansen, A., Ringsdal, V., Graudal, N., Andersen, A., Espesen, J., Stoltenberg, M., Kollerup, G., Christensen, T., Pelck, R., Madsen, O., Jensen, D. & 2 flere, Majgaard, O. & Hetland, ML., 2009.

Uncoupling of collagen II Metabolism in Newly-diagnosed Rheumatoid Arthritis (RA) Is Linked to Inflammation and Antibodies against Cyclic Citrullinated Peptides.

Christensen, A. F., Junker, P., Lindegaard, H. M., Christgau, S., Lottenburger, T., Hetland, M. L., Stengaard-Pedersen, K., Jacobsen, S., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J., Lauridsen, UB., Svendsen, A., Tarp, U., Pødenphant, J., Jurik, AG., Østergaard, M. & Hørslev-Petersen, K., 2009.

Ryging—en risikofaktor for udvikling af reumatoid arthritis.

Christensen, A. F., Lindegaard, H. M. & Junker, P., 8. sep. 2008, I : Ugeskrift for læger. 170, 37, s. 2864-9 5 s.

Do changes in prescription practice in patients with rheumatoid arthritis treated with biological agents affect treatment response and adherence to therapy? Results from the nationwide Danish DANBIO Registry.

Hetland, ML., Lindegaard, H. M., Hansen, A., Pødenphant, J., Unkerskov, J., Ringsdal, VS., Østergaard, M. & Tarp, U., 1. jul. 2008, I : Annals of the Rheumatic Diseases. 67, 7, s. 1023-6 3 s.

MRI bone oedema is the strongest predictor of subsequent radiographic progression in early rheumatoid arthritis: Results from a 2 year randomized controlled trial (CIMESTRA).

Hetland, M. L., Ejbjerg, B. J., Hørslev-Petersen, K., Jacobsen, S., Vestergaard, A., Jurik, A. G., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Skjødt, H., Pedersen, J. K., Majgaard, O., Svendsen, A. J., Ellingsen, T., Lindegaard, H. M., Christensen, A. F., Valløe, J. & 4 flere, Torfing, T., Narvestad, E., Thomsen, H. S. & Østergaard, M., 3. apr. 2008, I : Annals of the Rheumatic Diseases. 68, 3, s. 384-390

Circulating surfactant protein D is decreased in early rheumatoid arthritis: A 1-year prospective study

Høgh, S. V., Lindegaard, H. M., Sørensen, G. L., Høj, A., Bendixen, C., Junker, P. & Holmskov, U., 1. jan. 2008, I : Scandinavian Journal of Immunology. 67, 1, s. 71-76 5 s.

Circulating type IIA procollagen N-propeptide (PIIANP) is decreased in early rheumatoid arthritis (RA)

Christensen, A. F., Junker, P., Lindegaard, H. M., Sørensen, G., Holmskov, U., Hetland, ML., Stengaard-Pedersen, K., Lottenburger, T., Ellingsen, T., Andersen, LS., Hansen, I., Skjødt, H., Pedersen, JK., Lauridsen, U., Svendsen, A. J., Tarp, U., Pødenphant, J., Vestergaard, A., Jurik, AG., Østergaard, M. & 1 flere, Hørslev-Petersen, K., 2008.

Aggressive combination therapy with intraarticular glucocorticoid injections and conventional DMARDs in early rheumatoid arthritis: Two Year Clinical and Radiographic Results From The CIMESTRA Study

Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Svendsen, A., Pedersen, J. K., Skjødt, H., Lauridsen, U. B., Ellingsen, T., van Overeem Hansen, G., Lindegaard, H., Vestergaard, A., Jurik, A. G., Østergaard, M. & Hørslev-Petersen, K., 18. sep. 2007, I : Annals of the Rheumatic Diseases.

Do rheumatoid arthritis patients in clinical practice benefit from switching from infliximab to a second tumor necrosis factor alpha inhibitor?

Hjardem, E., Østergaard, M., Pødenphant, J., Tarp, U., Andersen, L. S., Bing, J., Peen, E., Lindegaard, H. M., Ringsdal, V. S., Rødgaard, A., Skøt, J., Hansen, A., Mogensen, H. H., Unkerskov, J. & Hetland, M. L., 1. mar. 2007, I : Annals of the Rheumatic Diseases. 66, 9, s. 1184-1189

Associations between anti-CCP, shared epitope and erosive disease at onset of rheumatoid arthritis are dominant in smoking patients

Jacobsen, S., Garred, P., Madsen, H. O., Svejgaard, A., Heegaard, N., Christensen, A. F., Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Hansen, G. & 4 flere, Lindegaard, H. M., de Carvalho, A., Østergaard, M. & Hørslev-Petersen, K., 2007.

Is it possible to stop radiographic progression with conventional treatment in early rheumatoid arthritis? 2 years results from the CIMESTR study

Hetland, M.L., Østergaard, M., Vestergaard, A., Jurik, A., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L.S., Tarp, U., Skjødt, H., Pedersen, J., Majgaard, O., Svendsen, A. J., Ellingsen, T., Hansen, G., Lindegaard, H. M. & Hørslev-Petersen, K., 2007, I : Annals of the Rheumatic Diseases. suppl II, s. 91

Mannose binding lectin gene polymorphisms are associated with disease activity and functional disability in untreated, anti-CCP positiv early rheumatoid arthritis patients

Jacobsen, S., Garred, P., Madsen, H. O., Svejgaard, A., Heegaard, N., Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Hansem, G., Lindegaard, H. M. & 3 flere, de Carvalho, A., Østergaard, M. & Hørslev-Petersen, K., 2007.

Mannose binding lectin gene polymorphisms are associated with disease activity and functional disability in untreated, anti-CCP positive early rheumatoid arthritis patients

Jacobsen, S., Garred, P., Madsen, H. O., Svejgaard, A., Heegaard, N., Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Hansen, G., Lindegaard, H. M. & 3 flere, de Carvalho, A., Østergaard, M. & Hørslev-Petersen, K., 2007. 1 s.

MRI Bone Oedema is the Strongest Predictor of Subsequent Radiographic Progression in Early RA: Results from a 2 Year Randomized Controlled Trial (CIMESTR)

Hetland, M. L., Ejbjerg, B., Østergaard, M., Jacobsen, S., Vestergaard, A., Jurik, A. G., Stengaard Andersen, K., Junker, P., Lottenburger, T., Hansen, I., Andersen, L. S., Tarp, U., Skjødt, H., Pedersen, J. K., Majgaard, O., Svendsen, A. J., Ellingsen, T., Hansen, G., Lindegaard, H. M., Vallø, J. & 3 flere, Torfing, T., Thomsen, H. S. & Hørslev-Pedersen, K., 2007, I : Arthritis & Rheumatism. 56, 9, s. 831 1 s.

Patients with active, early rheumatoid arthritis had increased plasma-CXCL12 independent of disease activity and response to DMARD-treatment

Hansen, I. T., Ellingsen, T., Jørgensen, A., Lottenburger, T., Hetland, M. L., Junker, P., Andersen, L. S., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Hansen, G., Lindegaard, H. M., Carvalho, A. D., Østergaard, M., Hørslev-Petersen, K. & Stengaard-Pedersen, K., 2007.

Serum IL-6 and YKL-40 Levels in Early Rheumatoid Arthritis are Associated with Disease Activity: Treatment Response and Radiographic Outcome

Knudsen, L. S., Johansen, J. S., Christensen, I. J., Hetland, M. L., Jacobsen, S., Østergaard, M., Nielsen, H. J., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Hansen, G. & 2 flere, Lindegaard, H. M. & Hørslev-Pedersen, K., 2007, I : Arthritis & Rheumatism. 56, 9, s. 721 1 s.

Serum VEGF as a predictor of 2-year clinical outcome in early rheumatoid arthritis

Hetland, M., Johansen, J. S., Østergaard, M., Nielsen, H. J., Jacobsen, S., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Svendsen, A. J., Tarp, U., Hansen, G., Lindegaard, H. M. & Hørslev-Petersen, K., 2007.

Surfactant Protein-D (SP-D) is decreased in early, untreated rheumatoid arthritis

Christensen, A. F., Holmskov, U., Sørensen, G., Lindegaard, H. M., Junker, P., Hetland, M., Stengaard-Pedersen, K., Jacobsen, S., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J., Lauridsen, U. B., Svendsen, A. J., Tarp, U., Pødenphant, J., Hansen, G., Carvalho, A. & 2 flere, Østergaard, M. & Hørslev-Petersen, K., 2007.

Temporal decrease in circulation type IIA procollagen N-peptide (PIIANP) in rheumatoid arthritis

Christensen, A. F., Lottenburger, T., Lindegaard, H. M., Hørslev-Petersen, K. & Junker, P., 2007, I : *Arthritis & Rheumatism*. 56, s. 571-571

Combination treatment with methotrexate, cyclosporine, and intraarticular betamethasone compared with methotrexate and intraarticular betamethasone in early active rheumatoid arthritis: an investigator-initiated, multicenter, randomized, double-blind, parallel-group, placebo-controlled study

Hetland, M. L., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Hansen, G., Lindegaard, H., de Carvalho, A., Østergaard, M., Hørslev-Petersen, K. & Study Group, CIMESTRA., 1. maj 2006, I : *Arthritis & Rheumatism*. 54, 5, s. 1401-1409 8 s.

Behandling af reumatologiske patienter med biologiske præparater

Lindegaard, H. M., Hetland, M., Tarp, U. & Hansen, A., 2006, *Danbio årsrapport 2000-2005*. 1. udgave udg. København: Institut for Rationel Farmacoterapi

Low-cost, low-field dedicated extremity magnetic resonance imaging in early rheumatoid arthritis: A 1-year follow-up study

Lindegaard, H. M., Valloe, J., Hørslev-Petersen, K., Junker, P. & Østergaard, M., 2006, I : *Annals of the Rheumatic Diseases*. 65, 9, s. 1208-1212 4 s.

Plasma IL-6 in early rheumatoid arthritis is associated with disease activity, joint destruction, and treatment response

Knudsen, L. S., Johansen, J. S., Hetland, M. L., Jacobsen, S., Østergaard, M., Nielsen, H. J., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Hansen, G., Lindegaard, H. M. & 2 flere, Carvalho, A. & Hørslev-Petersen, K., 2006, *Ikke angivet*. EULAR Congress

(261/261) Do Early Changes in Serum and Plasma Vascular Endothelial Growth Factor (s-VEGF) Predict Long-Term Outcome in Newly Onset Rheumatoid Arthritis

Hetland, M. L., Johansen, J. S., Østergaard, M., Nielsen, H. J., Jacobsen, S., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Hansen, G., Lindegaard, H. M. & Hørslev-Petersen, K., 2005.

[OP0099] No additional effect of cyclosporine on MRI-determined synovitis and bone damage in early rheumatoid arthritis treated with methotrexate and intraarticular betamethasone - results from a 12-months randomized double-blind placebocontrolled trial

Ejbjerg, B. J., Østergaard, M., Jurik, A. G., Vallø, J., Thomsen, H. S., Torfing, T., Carvalho, A., Hetland, M. L., Steengaard-Petersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Lauridsen, U. B., Svendsen, A., Tarp, U., Pødenphant, J., Hansen, G. & 3 flere, Pedersen, J. K., Lindegaard, H. M. & Hørslev-Petersen, K., 2005.

[THU0222] Baseline plasma and serum VEGF in early RA: Relation to treatment response and radiographic status one year later

Hetland, M. L., Johansen, J. S., Østergaard, M., Nielsen, H., Stengaard-Pedersen, K., Junker, P., Lottenburger, T., Ellingsen, T., Andersen, L. S., Hansen, I., Skjødt, H., Pedersen, J. K., Jacobsen, S., Svendsen, A., Tarp, U., Pødenphant, J., Hansen, G., Lindegaard, H. M. & Hørslev-Petersen, K., 2005.

[THU0321] Circulating connective tissue metabolites in very early rheumatoid arthritis

Lottenburger, T., Junker, P., Junker, K., Hetland, M. L., Steengaard-Pedersen, K., Hansen, I., Andersen, L. S., Ellingsen, T., Tarp, U., Skjødt, H., Pedersen, J. K., Lauridsen, U. B., Svendsen, A., Pødenphant, J., Hansen, G., Lindegaard, H. M., Østergaard, M. & Hørslev-Petersen, K., 2005.

Hurtig henvisning og behandling af patienter med akut Arthritis. Erfaringer fra 2 synovitklinikker

Lindegaard, H. M., Hørslev-Petersen, K. & Junker, P., 2005, I : *Ugeskrift for læger*. 167, s. 4458-61

Early rheumatoid arthritis: Clinical aspects, skeletal imaging and studies on joint related extracellular matrix metabolism
Lindegaard, H. M., 2002

Low field dedicated magnetic resonance imaging in untreated rheumatoid arthritis of recent onset
Lindegaard, H., Vallø, J., Hørslev-Petersen, K., Junker, P. & Østergaard, M., 2001, 1 : Annals of the Rheumatic Diseases. 60, s. 770-776

Aktiviteter

Censor på Master Thesis: Association between body composition and course and rheumatoid arthritis. (Risk of developing rheumatoid arthritis, disease activity and radiographic progression).

Hanne Merete Lindegaard (Censor)

23. apr. 2013

DIRF: Hjertesygdomme hos patienter med reumatoid artrit set i et tværfagligt perspektiv

Hanne Merete Lindegaard (Oplægsholder)

11. apr. 2013

DANBIO Årsrapport for 2012

Hanne Merete Lindegaard (Arrangør)

8. mar. 2013

DANBIO kursus

Hanne Merete Lindegaard (Arrangør)

1. feb. 2013

FNUG: Den gode konsultation

Hanne Merete Lindegaard (Deltager)

1. feb. 2013

Retslægerådet (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)

2012 → ...

RADS Fagudvalg for Biologisk Behandling af Reumatologiske Lidelser (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)

2011 → ...

Videreuddannelsesudvalget i Region Syddanmark Intern medicin:reumatologi. (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)

2011 → ...

Bestået EULAR online eksamen

Hanne Merete Lindegaard (Deltager)

1. okt. 2010

RADS Fagudvalg for Biologisk Behandling af Reumatologiske Lidelser (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)

1. okt. 2010 → ...

H-blok kursus for reumatologer

Hanne Merete Lindegaard (Oplægsholder)

20. sep. 2010

H-blok kursus for reumatologer

Hanne Merete Lindegaard (Oplægsholder)
10. sep. 2010

H-blok kursus for Øjenlæger

Hanne Merete Lindegaard (Oplægsholder)
1. sep. 2010

Videreuddannelsesudvalget i Region Syddanmark (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)
1. jul. 2010 → ...

Staffmeeting.

Hanne Merete Lindegaard (Foredragsholder)
25. sep. 2009

Masteruddannelsen Folkesundhed og Sygdomslære

Hanne Merete Lindegaard (Andet)
1. sep. 2009 → ...

3e initiative in Rheumatology 2008-2009. How to investigate and follow-up undifferentiated peripheral inflammatory arthritis? (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)
1. sep. 2008 → ...

Retslægerådet (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)
1. aug. 2008 → ...

Dansk Meidicinsk Selskab (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)
1. apr. 2008 → ...

Dansk Reumatologisk Selskab, møde- og efteruddannelsesudvalget. (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)
1. apr. 2008 → ...

Advisory Board: BMS Abatacept behandling af patienter med reumatoid arthritis

Hanne Merete Lindegaard (Rådgiver)
1. jan. 2008 → ...

Advisory board: Roche Tocilizumab (IL-6 receptor antagonist) og Rituximab behandling af patienter med reumatoid arthritis.

Hanne Merete Lindegaard (Rådgiver)
1. jan. 2008 → ...

Amgros fagudvalg for TNF-alfa-hæmmer behandling i Danmark (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)
1. jan. 2008 → ...

Danbio Styregruppe (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)
1. jan. 2008 → ...

Dansk Reumatologisk Selskab (Ekstern organisation)

Hanne Merete Lindegaard (Medlem)

1. apr. 2007 → ...