

## Personale data

Henrik Bjarke Vægter

KI, Anaesthesiology and Intensive Care

Email: Henrik.Bjarke.Vaegter@rsyd.dk

## Research output

### **Impaired Exercise-induced Hypoalgesia in Individuals Reporting an Increase in Low Back Pain During Acute Exercise**

Vaegter, H. B., Petersen, K. K., Sjødsholm, L. V., Schou, P., Andersen, M. B. & Graven-Nielsen, T., 5. Jan 2021, In: European Journal of Pain.

### **Patterns of Approach to Activity in 851 Patients with Severe Chronic Pain: Translation and Preliminary Validation of the 9-item Avoidance-Endurance Fast-Screen (AEFS) into Danish**

Titze, C., Hasenbring, M. I., Kristensen, L., Bendix, L. & Vaegter, H. B., 4. Jan 2021, In: The Clinical Journal of Pain. Publish Ahead of Print

### **The predictive value of quantitative sensory testing: a systematic review on chronic postoperative pain and the analgesic effect of pharmacological therapies in patients with chronic pain**

Petersen, K. K., Vaegter, H. B., Stubhaug, A., Wolff, A., Scammell, B. E., Arendt-Nielsen, L. & Larsen, D. B., Jan 2021, In: Pain. 162, 1, p. 31-44

### **Validation of the Danish International Trauma Questionnaire for posttraumatic stress disorder in chronic pain patients using clinician-rated diagnostic interviews**

Hansen, M., Vægter, H. B., Cloitre, M. & Andersen, T. E., Jan 2021, (Accepted/In press) In: European Journal of Psychotraumatology.

### **Power of Words: Influence of Preexercise Information on Hypoalgesia after Exercise-Randomized Controlled Trial**

Vaegter, H. B., Thinggaard, P., Madsen, C. H., Hasenbring, M. & Thorlund, J. B., Nov 2020, In: Medicine and Science in Sports and Exercise. 52, 11, p. 2373-2379

### **Preliminary validity and test-retest reliability of two depression questionnaires compared with a diagnostic interview in 99 patients with chronic pain seeking specialist pain treatment**

Kha, T. V., Stenager, E., Hoang, H., Bruun-Plesner, K., Fuglsang, K. S., Søgaard la Cour, B., Handberg, G. & Vaegter, H. B., 25. Oct 2020, In: Scandinavian Journal of Pain. 20, 4, p. 717-726

### **Exercise-induced hypoalgesia after acute and regular exercise: experimental and clinical manifestations and possible mechanisms in individuals with and without pain**

Vaegter, H. B. & Jones, M. D., 17. Oct 2020, In: Pain Reports. 5, 5, 22 p., e823.

### **Low-Dose Naltrexone for the Treatment of Fibromyalgia: Investigation of Dose-Response Relationships**

Bruun-Plesner, K., Blichfeldt-Eckhardt, M. R., Vaegter, H. B., Lauridsen, J. T., Amris, K. & Toft, P., 1. Oct 2020, In: Pain Medicine. 21, 10, p. 2253-2261

### **Author Response to Cibulka**

Palsson, T. S., Gibson, W., Darlow, B., Bunzli, S., Lehman, G., Rabey, M., Moloney, N., Vaegter, H. B., Bagg, M. K. & Travers, M., 23. Jun 2020, In: Physical Therapy. 100, 6, p. 1044-1045

### **Testosterone replacement therapy of opioid-induced male hypogonadism improved body composition but not pain perception: a double-blind, randomized, and placebo-controlled trial**

Glintborg, D., Vægter, H. B., Christensen, L. L., Bendix, E., Graven-Nielsen, T., Andersen, P. G. & Andersen, M., Jun 2020, In: European Journal of Endocrinology. 182, 6, p. 539-548

### **Cognitive Inhibition Correlates with Exercise-Induced Hypoalgesia After Aerobic Bicycling in Pain-Free Participants**

Gajjar, H., Titze, C., Konietzny, K., Meyer, M., Vaegter, H. B. & Hasenbring, M. I., 29. Apr 2020, In: Journal of Pain Research. 13, p. 847-858

**Multiple physical symptoms and individual characteristics - A cross-sectional study of the general population**

Rasmussen, S., Jensen, C. T., Rosendal, M., Vægter, H. B., Søndergaard, J. & Jarbøl, D. E., Apr 2020, In: Journal of Psychosomatic Research. 131, 109941.

**Alterations in pro-nociceptive and anti-nociceptive mechanisms in patients with low back pain: a systematic review with meta-analysis**

McPhee, M. E., Vaegter, H. B. & Graven-Nielsen, T., Mar 2020, In: Pain. 161, 3, p. 464-475

**Endogenous Modulation of Pain: The Role of Exercise, Stress and Cognitions in Humans**

Vaegter, H. B., Fehrmann, E., Gajsar, H. & Kreddig, N., Mar 2020, In: The Clinical Journal of Pain. 36, 3, p. 150-161

**Improvements in clinical pain and experimental pain sensitivity after cognitive functional therapy in patients with severe persistent low back pain**

Vægter, H. B., Ussing, K., Johansen, J. V., Stegemejer, I., Palsson, T. S., O'Sullivan, P. & Kent, P., 20. Feb 2020, In: Pain Reports. 5, 1, p. e802

**Pre-treatment Exercise-induced Hypoalgesia is Associated with Change in Pain and Function after Standardized Exercise Therapy in Painful Knee Osteoarthritis**

Hansen, S., Vaegter, H. B. & Petersen, K. K., Jan 2020, In: The Clinical Journal of Pain. 36, 1, p. 16-24

**Changing the Narrative in Diagnosis and Management of Pain in the Sacroiliac Joint Area**

Palsson, T. S., Gibson, W., Darlow, B., Bunzli, S., Lehman, G., Rabey, M., Moloney, N., Vaegter, H. B., Bagg, M. K. & Travers, M., 25. Nov 2019, In: Physical Therapy. 99, 11, p. 1511-1519

**Assessing Endogenous Pain Inhibition: Test-Retest Reliability of Exercise-Induced Hypoalgesia in Local and Remote Body Parts After Aerobic Cycling**

Gomolka, S., Vaegter, H. B., Nijs, J., Meeus, M., Gajsar, H., Hasenbring, M. I. & Titze, C., Nov 2019, In: Pain Medicine. 20, 11, p. 2272-2282

**Walking increases pain tolerance in humans an experimental cross-over study**

Hviid, J-C. T., Thorlund, J. B. & Vaegter, H. B., 25. Oct 2019, In: Scandinavian Journal of Pain. 19, 4, p. 813-822

**Hypoalgesia after bicycling at lactate threshold is reliable between sessions**

Vaegter, H. B., Bjerregaard, L. K., Redin, M-M., Rasmussen, S. H. & Graven-Nielsen, T., 30. Jan 2019, In: European Journal of Applied Physiology. 119, 1, p. 91-102

**Systemic Exercise-Induced Hypoalgesia Following Isometric Exercise Reduces Conditioned Pain Modulation**

Alsouhibani, A., Vaegter, H. B. & Hoeger Bement, M., 1. Jan 2019, In: Pain Medicine. 20, 1, p. 180-190

**Cause-specific mortality of patients with severe chronic pain referred to a multidisciplinary pain clinic: a cohort register-linkage study**

Vaegter, H. B., Støten, M., Silseth, S. L., Erlangsen, A., Handberg, G., Søndergaard, S. & Stenager, E., Jan 2019, In: Scandinavian Journal of Pain. 19, 1, p. 93-99

**Exercise-Induced Hypoalgesia After Isometric Wall Squat Exercise: A Test-Retest Reliability Study**

Vaegter, H. B., Lyng, K. D., Yttereng, F. W., Christensen, M. H., Sørensen, M. B. & Graven-Nielsen, T., Jan 2019, In: Pain Medicine. 20, 1, p. 129-137

**Fysioterapi 1: Almene rehabiliteringsprincipper**

Rittig-Rasmussen, B. & Vægter, H. B., 2019, *Smarter: Baggrund, evidens og behandling*. Werner, M. U., Finnerup, N. B. & Arendt-Nielsen, L. (eds.). 4. ed. FADL's Forlag, p. 620-631

**There is inter-individual variability in which symptoms are relieved in patients with fibromyalgia treated with low dose naltrexone (LDN)**

Plesner, K. B., Amris, K., Toft, P., Vaegter, H. B. & Blichfeldt-Eckhardt, M. R., 2019, In: *Clinical and Experimental Rheumatology*. 37, Suppl. 116, p. S139-140.

**Test-Retest Reliability of Exercise-Induced Hypoalgesia After Aerobic Exercise**

Vaegter, H. B., Dørge, D. B., Schmidt, K. S., Jensen, A. H. & Graven-Nielsen, T., 1. Nov 2018, In: *Pain Medicine*. 19, 11, p. 2212-2222

**Assessment of CPM reliability: quantification of the within-subject reliability of 10 different protocols**

Vaegter, H. B., Petersen, K. K., Mørch, C. D., Imai, Y. & Arendt-Nielsen, L., 25. Oct 2018, In: *Scandinavian Journal of Pain*. 18, 4, p. 729-737

**Pain-Related Acceptance as a Mediator in the Fear Avoidance Model of Chronic Pain: A Preliminary Study**

Ravn, S. L., Vang, M. L., Vægter, H. B. & Andersen, T. E., 1. Sep 2018, In: *Pain Medicine*. 19, 9, p. 1764-1771

**Validation of the PTSD-8 scale in chronic pain patients**

Andersen, T. E., Hansen, M., Ravn, S. L., Seehus, R., Nielsen, M. & Vægter, H. B., 1. Jul 2018, In: *Pain Medicine*. 19, 7, p. 1365-1372

**Symptoms of Fibromyalgia According to the 2016 Revised Fibromyalgia Criteria in Chronic Pain Patients Referred to Multidisciplinary Pain Rehabilitation: Influence on Clinical and Experimental Pain Sensitivity**

Plesner, K. B. & Vaegter, H. B., Jul 2018, In: *Journal of Pain*. 19, 7, p. 777-786

**Kinesiophobia is associated with pain intensity but not pain sensitivity before and after exercise: an explorative analysis**

Vægter, H. B., Madsen, A. B., Handberg, G. & Graven-Nielsen, T., Jun 2018, In: *Physiotherapy*. 104, 2, p. 187-193

**Exercise does not produce hypoalgesia when performed immediately after a painful stimulus**

Gajsar, H., Nahrwold, K., Titze, C., Hasenbring, M. I. & Vaegter, H. B., 25. Apr 2018, In: *Scandinavian Journal of Pain*. 18, 2, p. 311-320

**Increased Pain Sensitivity in Accident-related Chronic Pain Patients with Comorbid Posttraumatic Stress**

Vaegter, H. B., Andersen, T. E., Harvold, M., Andersen, P. G. & Graven-Nielsen, T., Apr 2018, In: *Clinical Journal of Pain*. 34, 4, p. 313-321

**The role of posttraumatic stress symptoms on chronic pain outcomes in chronic pain patients referred to rehabilitation**

Ravn, S. L., Vægter, H. B., Cardel, T. & Andersen, T. E., 8. Mar 2018, In: *Journal of Pain Research*. 11, p. 527-536

**Brief Psychological Screening Questions Can be Useful for Ruling Out Psychological Conditions in Patients with Chronic Pain**

Vægter, H. B., Handberg, G. & Kent, P., Feb 2018, In: *Clinical Journal of Pain*. 34, 2, p. 113-121

**Ten-year prevalence of mental disorders in patients presenting with chronic pain in secondary care: A register linkage cohort study**

Søndergård, S., Vaegter, H. B., Erlangsen, A. & Stenager, E., Feb 2018, In: *European Journal of Pain*. 22, 2, p. 346-354

**Attentional Avoidance is Associated with Increased Pain Sensitivity in Patients with Chronic Posttraumatic Pain and Comorbid Posttraumatic Stress**

Harvold, M., MacLeod, C. & Vaegter, H. B., Jan 2018, In: *Clinical Journal of Pain*. 34, 1, p. 22-29

**Screening for Posttraumatic stress disorder in patients with chronic pain**

Hansen, M., Hyland, P., Vægter, H. B., Hørbye, M., Larsen, S. & Andersen, T. E., Sep 2017. 1 p.

**Facilitated Pronociceptive Pain Mechanisms in Radiating Back Pain Compared With Localized Back Pain**

Vaegter, H. B., Palsson, T. S. & Graven-Nielsen, T., Aug 2017, In: The Journal of Pain. 18, 8, p. 973-983

**Preoperative Hypoalgesia After Cold Pressor Test and Aerobic Exercise is Associated With Pain Relief 6 Months After Total Knee Replacement**

Vaegter, H. B., Handberg, G., Emmeluth, C. & Graven-Nielsen, T., Jun 2017, In: Clinical Journal of Pain. 33, 6, p. 475-484

**An updated view on the reliability of different protocols for the assessment of conditioned pain modulation**

Petersen, K. K., Vægter, H. B. & Arendt-Nielsen, L., 1. May 2017, In: Pain. 158, 5, p. 988 1 p.

**Brief psychological screening questions can be useful for ruling out psychological conditions in patients with chronic pain**

Vægter, H. B., Palsson, T. S. & Graven-Nielsen, T., May 2017.

**Facilitated pro-nociceptive pain mechanisms in cervicobrachialgia and sciatica compared with localized neck and low back pain patients**

Vægter, H. B., Palsson, T. S. & Graven-Nielsen, T., May 2017, In: Journal of Pain. 18, 4, suppl., p. S65-S66

**Exercising non-painful muscles can induce hypoalgesia in individuals with chronic pain: editorial comment**

Vaegter, H. B., Apr 2017, In: Scandinavian Journal of Pain. 15, p. 60-61 2 p.

**Are preoperative experimental pain assessments correlated with clinical pain outcomes after surgery? A systematic review**

Sangesland, A., Støren, C. & Vaegter, H. B., 2017, In: Scandinavian Journal of Pain. 15, p. 44-52

**Does size really matter? A multisite study assessing the latent structure of the proposed ICD-11 and DSM-5 diagnostic criteria for PTSD**

Hansen, M., Hyland, P., Karstoft, K-I., Vaegter, H. B., Bramsen, R. H., Nielsen, A. B. S., Armour, C., Andersen, S. B., Høybye, M. T., Larsen, S. K. & Andersen, T. E., 2017, In: European Journal of Psychotraumatology. 8, sup7, 12 p., 1398002.

**Does Size really matter? A multisite study of competing diagnostic criteria**

Hansen, M., Hyland, P., Karstoft, K-I., Bramsen, R. H., Vægter, H. B., Armour, C., Sternhagen, A., Andersen, S. B., Larsen, S., Hørbye, M. & Andersen, T. E., 2017. 1 p.

**Exercise increases pressure pain tolerance but not pressure and heat pain thresholds in healthy young men**

Vaegter, H. B., Hoeger Bement, M., Madsen, A. B., Fridriksson, J., Dasa, M. & Graven-Nielsen, T., 2017, In: European Journal of Pain. 21, 1, p. 73-81

**Ikkekirurgisk behandling af lumbal spinalstenose**

Bruun Plesner, K., Blichfeldt-Eckhardt, M. R., Bendix, L., Vægter, H. B. & Handberg, G., 2017, In: Ugeskrift for Laeger. 179, 1, p. 86-87

**Isometric Back Exercise Has Different Effect on Pressure Pain Thresholds in Healthy Men and Women**

Gajsar, H., Titze, C., Hasenbring, M. I. & Vaegter, H. B., 2017, In: Pain Medicine. 18, 5, p. 917-923

**PainData: A Clinical Pain Registry in Denmark**

Vægter, H. B. & Handberg, G., 2017. 1 p.

**PainData: A clinical pain registry in Denmark**

Vægter, H. B., Høybye, M. T., Larsen, S., Hansen, O. B., Pedersen, C. B., Jensen, P. F. & Handberg, G., 2017, In: Scandinavian Journal of Pain. 16, p. 185

**Prevalence of depression and anxiety in patients with chronic non-malignant pain - a Danish register-linkage cohort study**

Søndergaard, S., Vægter, H. B., Erlangsen, A. & Stenager, E., 2017.

## **Smerte**

Graven-Nielsen, T., Høgh, M. & Vægter, H. B., 2017, *Basisbog i Fysioterapi*. Bjørnlund, I. B., Sjöberg, N. E. & Lund, H. (eds.). 2. ed. København: Munksgaard , p. 71-85

## **Prevalence of mental disorders in patients with chronic pain: A register-based study**

Søndergaard, S., Vægter, H. B., Erlangsen, A. & Stenager, E., Dec 2016.

## **Pain modulatory phenotypes differentiate subgroups with different clinical and experimental pain sensitivity**

Vægter, H. B. & Graven-Nielsen, T., Jul 2016, In: *Pain*. 157, 7, p. 1480–1488

## **Acetaminophen for Chronic Pain: A Systematic Review on Efficacy**

Ennis, Z. N., Dideriksen, D., Vaegter, H. B., Handberg, G. & Pottgård, A., Mar 2016, In: *Basic & Clinical Pharmacology & Toxicology*. 118, 3, p. 184-189

## **Prognostic factors for disability and sick leave in patients with subacute non-malignant pain: a systematic review of cohort studies**

Valentin, G. H., Pilegaard, M. S., Vaegter, H. B., Rosendal, M., Ørtenblad, L., Væggemose, U. & Christensen, R., 1. Jan 2016, In: *B M J Open*. 6, 1, 13 p., e007616.

## **Hypoalgesia After Exercise and the Cold Pressor Test is Reduced in Chronic Musculoskeletal Pain Patients With High Pain Sensitivity**

Vægter, H. B., Handberg, G. & Graven-Nielsen, T., Jan 2016, In: *Clinical Journal of Pain*. 32, 1, p. 58-69

## **A 13-Weeks Mindfulness Based Pain Management Program Improves Psychological Distress in Patients with Chronic Pain Compared with Waiting List Controls**

Andersen, T. E. & Vægter, H. B., 2016, In: *Clinical Practice and Epidemiology in Mental Health*. 12, p. 49-58

## **Assessment of musculoskeletal pain sensitivity and temporal summation by cuff pressure algometry: A reliability study**

Graven-Nielsen, T., Vaegter, H. B., Finocchietti, S., Handberg, G. & Arendt-Nielsen, L., Nov 2015, In: *Pain*. 156, 11, p. 2193-2202

## **Lavdosisnaltrexon til smertebehandling**

Plesner, K. B., Vægter, H. B. & Handberg, G., 9. Oct 2015, In: *Ugeskrift for Laeger*. 177, 43, p. 2-5 4 p.

## **Isometric exercises reduce temporal summation of pressure pain in humans**

Vægter, H. B., Handberg, G. & Graven-Nielsen, T., Aug 2015, In: *European Journal of Pain*. 19, 7, p. 973-983

## **Aerobic exercise and cold pressor test induce hypoalgesia in active and inactive men and women**

Vægter, H. B., Handberg, G., Jørgensen, M. N., Kinly, A. & Graven-Nielsen, T., 1. May 2015, In: *Pain Medicine*. 16, 5, p. 923-933

## **Hypoalgesia Induced by Exercise and Cold Pressor Test in Patients with Chronic Musculoskeletal Pain**

Vægter, H. B., Oct 2014.

## **A 13-weeks mindfulness based cognitive pain management programme improves depression and pain catastrophizing in patients with chronic pain**

Vægter, H. B., 2014.

## **Prevalence of Neuropathic Pain According to the IASP Grading System in Patients with Chronic Non-Malignant Pain**

Vægter, H. B., Andersen, P. G., Madsen, M. F., Handberg, G. & Enggaard, T. P., 2014, In: *Pain Medicine*. 15, 1, p. 120-127

**Similarities between exercise-induced hypoalgesia and conditioned pain modulation in humans**

Vægter, H. B., Handberg, G. & Graven-Nielsen, T., 2014, In: *Pain*. 155, 1, p. 158–167

**Temporal and Spatial Manifestations of Exercise-Induced Hypoalgesia and Conditioned Pain Modulation**

Vægter, H. B., 2014, Aalborg: Aalborg Universitetsforlag. 71 p.

**Exercise-induced hypoalgesia and conditioned pain modulation is not related to status of physical activity in humans.**

Vægter, H. B., 2013.

**Fysioterapi til patienter med smerter**

Vægter, H. B., 2013, *Smerter – Baggrund, Evidens, Behandling*. Staehelin Jensen, T., Dahl, J. B. & Arendt-Nielsen, L. (eds.). 3. ed. København: FADL's Forlag, p. 85-95

**The interaction of musculoskeletal pain and physical activity: human studies**

Vægter, H. B., 2013, *Handbook of Physical Activity and Mental Health*. Ekkekakis, P. (ed.). Routledge, p. 359-371 (Routledge International Handbooks).

**Different Manifestations of Exercise-Induced Analgesia and Conditioned Pain Modulation in Humans**

Vægter, H. B., 2012.

**Exercise and conditioned pain modulation have different effects on cuff pressure pain tolerance in humans**

Vægter, H. B., 2012.

**Health care providers communicate less well with patients with chronic low back pain—a study of encounters at a back pain clinic in Denmark.**

Vægter, H. B., 2010, In: *Pain*. 150, 3, p. 458-461