

Hans Jørgen Aagaard Jensen

Lecturer

Department of Physics, Chemistry and Pharmacy
University of Southern Denmark
Campusvej 55
5230 Odense M
Denmark



E-mail : hjj@sdu.dk

Phone : +45 6550 2512

Fax : +45 6615 8780

My standard CV : https://minesider.sdu.dk/personal/hjj/hjaa_j_public/docs/HJAAJ-CV-dec2013.pdf

Google scholar profile : <http://scholar.google.com/citations?user=IjHToR8AAAAJ>

Publications

Pototschnig, J. V., Papadopoulos, A., Lyakh, D. I., Repisky, M., Halbert, L., Severo Pereira Gomes, A., Jensen, H. J. A., & Visscher, L. (2021). Implementation of Relativistic Coupled Cluster Theory for Massively Parallel GPU-Accelerated Computing Architectures. *Journal of Chemical theory and Computation*, 17(9), 5509-5529.
<https://doi.org/10.1021/acs.jctc.1c00260>

Kjellgren, E. R., & Jensen, H. J. A. (2021). Multi-configurational short-range density functional theory can describe spin-spin coupling constants of transition metal complexes. *The Journal of Chemical Physics*, 155(8), [084102].
<https://doi.org/10.1063/5.0059128>

Luo, L., Straatsma, T. P., Suarez, L. E. A., Broer, R., Bykov, D., D'Azevedo, E. F., Faraji, S. S., Gottiparthi, K. C., De Graaf, C., Harris, J. A., Havenith, R. W. A., Jensen, H. J. A., Joubert, W., Kathir, R. K., Larkin, J., Li, Y. W., Lyakh, D. I., Messer, O. E. B., Norman, M. R., ... Wibowo, M. (2020). Pre-exascale accelerated application development: The ORNL Summit experience. *IBM Journal of Research and Development*, 64(3-4), [8960361].
<https://doi.org/10.1147/JRD.2020.2965881>

Andersen, A. B. A., Pyykkönen, A., Jensen, H. J. A., McKee, V., Vaara, J., & Nielsen, U. G. (2020). Remarkable reversal of ^{13}C -NMR assignment in d^1 , d^2 compared to d^8 , d^9 acetylacetonate complexes: Analysis and explanation based on solid-state MAS NMR and computations. *Physical Chemistry Chemical Physics*, 22(15), 8048-8059.
<https://doi.org/10.1039/d0cp00980f>

Olsen, J. M. H., Reine, S., Vahtras, O., Kjellgren, E., Reinholdt, P., Hjorth Dundas, K. O., Li, X., Cukras, J., Ringholm, M., Hedegård, E. D., Di Remigio, R., List, N. H., Faber, R., Cabral Tenorio, B. N., Bast, R., Pedersen, T. B., Rinkevicius, Z., Sauer, S. P. A., Mikkelsen, K. V., ... Norman, P. (2020). Dalton Project: A Python platform for molecular- and electronic-structure simulations of complex systems. *The Journal of Chemical Physics*, 152(21), [214115].
<https://doi.org/10.1063/1.5144298>

Saue, T., Bast, R., Gomes, A. S. P., Jensen, H. J. A., Visscher, L., Aucar, I. A., Di Remigio, R., Dylla, K. G., Eliav, E., Fasshauer, E., Fleig, T., Halbert, L., Hedegård, E. D., Helmich-Paris, B., Iliaš, M., Jacob, C. R., Knecht, S., Laerdahl, J. K., Vidal, M. L., ... van Stralen, J. N. P. (2020). The DIRAC code for relativistic molecular calculations: The Journal of Chemical Physics. *The Journal of Chemical Physics*, 152(20), [152]. <https://doi.org/10.1063/5.0004844>

Schnack-Petersen, A. K., Simmermacher, M., Fasshauer, E., Jensen, H. J. A., & Sauer, S. P. A. (2020). The Second-Order-Polarization-Propagator-Approximation (SOPPA) in a four-component spinor basis. *Journal of Chemical Physics*, 152(13), [134113]. <https://doi.org/10.1063/5.0002389>

Pastorczyk, E., Jensen, H. J. A., Kowalski, P. H., & Pernal, K. (2019). Generalized Valence Bond Perfect-Pairing Made Versatile Through Electron-Pairs Embedding. *Journal of Chemical Theory and Computation*, 15(8), 4430-4439.
<https://doi.org/10.1021/acs.jctc.9b00384>

- Knecht, S., Jensen, H. J. A., & Saue, T. (2019). Relativistic quantum chemical calculations show that the uranium molecule U_2 has a quadruple bond. *Nature Chemistry*, *11*, 40-44. <https://doi.org/10.1038/s41557-018-0158-9>
- Kjellgren, E. R., Hedegård, E. D., & Jensen, H. J. A. (2019). Triplet excitation energies from multiconfigurational short-range density-functional theory response calculations. *Journal of Chemical Physics*, *151*(12), [124113]. <https://doi.org/10.1063/1.5119312>
- Jensen, H. J. A. (2018). Going from work station computing to exascale computing with the Dirac and Dalton programs. *ABSTRACTS OF PAPERS OF THE AMERICAN CHEMICAL SOCIETY*, *255*.
- Dong, G., Ryde, U., Aa Jensen, H. J., & Hedegård, E. D. (2018). Exploration of H₂ binding to the [NiFe]-hydrogenase active site with multiconfigurational density functional theory. *Physical chemistry chemical physics : PCCP*, *20*(2), 794-801. <https://doi.org/10.1039/c7cp06767d>
- Hedegård, E. D., Toulouse, J., & Jensen, H. J. A. (2018). Multiconfigurational short-range density-functional theory for open-shell systems. *Journal of Chemical Physics*, *148*(21), [214103]. <https://doi.org/10.1063/1.5013306>
- List, N. H., Norman, P., Kongsted, J., & Jensen, H. J. A. (2017). A quantum-mechanical perspective on linear response theory within polarizable embedding. *Journal of Chemical Physics*, *146*(23), [234101]. <https://doi.org/10.1063/1.4985565>
- Hedegård, E. D., Bast, R., Kongsted, J., Olsen, J. M. H., & Jensen, H. J. A. (2017). Relativistic Polarizable Embedding. *Journal of Chemical Theory and Computation*, *13*(6), 2870-2880. <https://doi.org/10.1021/acs.jctc.7b00162>
- Nørby, M. S., Olsen, J. M. H., Kongsted, J., & Jensen, H. J. A. (2016). Multipole moments for embedding potentials: Exploring different atomic allocation algorithms. *Journal of Computational Chemistry*, *37*(20), 1887-1896. <https://doi.org/10.1002/jcc.24403>
- Almoukhalalati, A., Knecht, S., Jensen, H. J. A., Dyllal, K. G., & Saue, T. (2016). Electron correlation within the relativistic no-pair approximation. *The Journal of Chemical Physics*, *145*(7), 074104-1-074104-15. [074104]. <https://doi.org/10.1063/1.4959452>
- Hubert, M., Jensen, H. J. A., & Hedegård, E. D. (2016). Excitation Spectra of Nucleobases with Multiconfigurational Density Functional Theory. *The Journal of Physical Chemistry Part A*, *120*(1), 36-43. <https://doi.org/10.1021/acs.jpca.5b09662>
- Hubert, M., Hedegård, E. D., & Jensen, H. J. A. (2016). Investigation of Multiconfigurational Short-Range Density Functional Theory for Electronic Excitations in Organic Molecules. *Journal of Chemical Theory and Computation*, *12*(5), 2203-2213. <https://doi.org/10.1021/acs.jctc.5b01141>
- List, N. H., Jensen, H. J. A., & Kongsted, J. (2016). Local electric fields and molecular properties in heterogeneous environments through polarizable embedding. *Physical Chemistry Chemical Physics*, *18*(15), 10070-10080. <https://doi.org/10.1039/c6cp00669h>
- Senjean, B., Knecht, S., Jensen, H. J. A., & Fromager, E. (2015). Linear interpolation method in ensemble Kohn-Sham and range-separated density-functional approximations for excited states. *Physical Review A*, *92*(1), [012518]. <https://doi.org/10.1103/PhysRevA.92.012518>
- Sauer, S. P. A., Pitzner-Frydendahl, H. F., Buse, M., Jensen, H. J. A., & Thiel, W. (2015). Performance of SOPPA-based methods in the calculation of vertical excitation energies and oscillator strengths. *Molecular Physics*, *113*(13-14), 2026-2045. <https://doi.org/10.1080/00268976.2015.1048320>
- Denis, M., Norby, M. S., Jensen, H. J. A., Gomes, A. S. P., Nayak, M. K., Knecht, S., & Fleig, T. (2015). Theoretical study on ThF^+ , a prospective system in search of time-reversal violation. *New Journal of Physics*, *17*, [043005]. <https://doi.org/10.1088/1367-2630/17/4/043005>

- Hedegård, E. D., Olsen, J. M. H., Knecht, S., Kongsted, J., & Jensen, H. J. A. (2015). Polarizable embedding with a multiconfiguration short-range density functional theory linear response method. *Journal of Chemical Physics*, *142*, [114113]. <https://doi.org/10.1063/1.4914922>
- List, N. H., Beerepoot, M., Olsen, J. M. H., Gao, B., Ruud, K., Jensen, H. J. A., & Kongsted, J. (2015). Molecular quantum mechanical gradients within the polarizable embedding approach—Application to the internal vibrational Stark shift of acetophenone. *Journal of Chemical Physics*, *142*, [034119]. <https://doi.org/10.1063/1.4905909>
- List, N. H., Kauzcor, J., Saue, T., Jensen, H. J. A., & Norman, P. (2015). Beyond the electric-dipole approximation: A formulation and implementation of molecular response theory for the description of absorption of electromagnetic field radiation. *The Journal of Chemical Physics*, *142*, [244111]. <https://doi.org/10.1063/1.4922697>
- Hedegård, E. D., Knecht, S., Kielberg, J. S., Jensen, H. J. A., & Reiher, M. (2015). Density matrix renormalization group with efficient dynamical electron correlation through range separation. *The Journal of Chemical Physics*, *142*(22), 224108. [224108]. <https://doi.org/10.1063/1.4922295>
- Hedegård, E. D., Jensen, H. J. A., & Kongsted, J. (2014). Polarizable Embedding Based on Multiconfigurational Methods: Current Developments and the Road Ahead. *International Journal of Quantum Chemistry*, *114*(17), 1102-1107. <https://doi.org/10.1002/qua.24632>
- Aidas, K., Angeli, C., Bak, K. L., Bakken, V., Bast, R., Boman, L., Christiansen, O., Cimraglia, R., Coriani, S., Dahle, P., Dalskov, E. K., Ekström, U., Enevoldsen, T., Eriksen, J. J., Ettenhuber, P., Fernández, B., Ferrighi, L., Fliegl, H., Frediani, L., ... Ågren, H. (2014). The Dalton quantum chemistry program system. *Wiley Interdisciplinary Reviews: Computational Molecular Science*, *4*(3), 269–284. <https://doi.org/10.1002/wcms.1172>
- List, N. H., Jensen, H. J. A., Kongsted, J., & Hedegård, E. D. (2013). A Unified Framework for the Polarizable Embedding and Continuum Methods within Multiconfigurational Self-Consistent-Field Theory. *Advances in Quantum Chemistry*, *66*, 195-238. <https://doi.org/10.1016/B978-0-12-408099-7.00004-0>
- Cornaton, Y., Stoyanova, A., Jensen, H. J. A., & Fromager, E. (2013). Alternative separation of exchange and correlation energies in range-separated density-functional perturbation theory. *Physical Review A*, *88*(2), [022516]. <https://doi.org/10.1103/PhysRevA.88.022516>
- Hedegård, E. D., Jensen, H. J. A., Knecht, S., & Fromager, E. (2013). Assessment of charge-transfer excitations with time-dependent, range-separated density functional theory based on long-range MP2 and multiconfigurational self-consistent field wave functions. *Journal of Chemical Physics*, *139*(18), [184308]. <https://doi.org/10.1063/1.4826533>
- Vad, M. S., Pedersen, M. N., Nørager, A., & Jensen, H. J. A. (2013). Correlated four-component EPR g-tensors for doublet molecules. *Journal of Chemical Physics*, *138*(21), [214106]. <https://doi.org/10.1063/1.4804352>
- Eriksen, J. J., Sauer, S. P. A., Mikkelsen, K. V., Christiansen, O., Jensen, H. J. A., & Kongsted, J. (2013). Failures of TDDFT in describing the lowest intramolecular charge-transfer excitation in para-nitroaniline. *Molecular Physics*, *111*(9-11), 1235-1248. <https://doi.org/10.1080/00268976.2013.793841>
- Iliáš, M., Jensen, H. J. A., Bast, R., & Saue, T. (2013). Gauge origin independent calculations of molecular magnetisabilities in relativistic four-component theory. *Molecular Physics*, *111*(9-11), 1373-1381. <https://doi.org/10.1080/00268976.2013.798436>
- Fromager, E., Knecht, S., & Jensen, H. J. A. (2013). Multi-configuration time-dependent density-functional theory based on range separation. *Journal of Chemical Physics*, *138*, [084101]. <https://doi.org/10.1063/1.4792199>
- Hedegård, E. D., List, N. H., Jensen, H. J. A., & Kongsted, J. (2013). The Multi-Configuration Self-Consistent Field Method Within a Polarizable Embedded Framework. *Journal of Chemical Physics*, *139*(4), 044101. [044101]. <https://doi.org/10.1063/1.4811835>

Sharkas, K., Savin, A., Jensen, H. J. A., & Toulouse, J. (2012). A multiconfigurational hybrid density-functional theory. *Journal of Chemical Physics*, *137*, 044104. <https://doi.org/10.1063/1.4733672>

List, N. H., Olsen, J. M. H., Jensen, H. J. A., Steindal, A. H., & Kongsted, J. (2012). Molecular-level Insight into the Spectral Tuning Mechanism of the DsRed Chromophore. *The Journal of Physical Chemistry Letters*, *3*, 3513-3521. <https://doi.org/10.1021/jz3014858>

Eriksen, J. J., Sauer, S. P. A., Mikkelsen, K. V., Jensen, H. J. A., & Kongsted, J. (2012). On the importance of excited state dynamic response electron correlation in polarizable embedding methods. *Journal of Computational Chemistry*, *33* (25), 2012-2022. <https://doi.org/10.1002/jcc.23032>. Epub 2012 Jun 8.

Norman, P., & Jensen, H. J. A. (2012). Phosphorescence parameters for platinum (II) organometallic chromophores: A study at the non-collinear four-component Kohn–Sham level of theory. *Chemical Physics Letters*, *531*, 229-235. <https://doi.org/10.1016/j.cplett.2012.02.012>

Bagus, P. S., Ilton, E. S., Martin, R. L., Jensen, H. J. A., & Knecht, S. (2012). Spin–orbit coupling in actinide cations. *Chemical Physics Letters*, *546*, 58-62. <https://doi.org/10.1016/j.cplett.2012.07.035>

Fromager, E., & Jensen, H. J. A. (2011). Analysis of self-consistency effects in range-separated density-functional theory with Møller-Plesset perturbation theory. *Journal of Chemical Physics*, *135*(034116). <https://doi.org/10.1063/1.3611053>

Knecht, S., Sørensen, L. K., Jensen, H. J. A., Fleig, T., & Marian, C. M. (2010). Accurate calculations of the ground state and low-lying excited states of the (RbBa)⁺ molecular ion: a proposed system for ultracold reactive collisions. *Journal of Physics B: Atomic, Molecular and Optical Physics*, *43*(055101). <https://doi.org/10.1088/0953-4075/43/5/055101>

Knecht, S., Jensen, H. J. A., & Fleig, T. (2010). Large-scale parallel configuration interaction. II. Two- and four-component double-group general active space implementation with application to BiH. *Journal of Chemical Physics*, *132*(014108). <https://doi.org/10.1063/1.3276157>

Fromager, E., Cimiraglia, R., & Jensen, H. J. A. (2010). Merging multireference perturbation and density-functional theories by means of range separation: Potential curves for Be₂, Mg₂, and Ca₂. *Physical Review A*, *81*(024502). <https://doi.org/10.1103/PhysRevA.81.024502>

Ilias, M., Saue, T., Enevoldsen, T., & Jensen, H. J. A. (2009). Gauge origin independent calculations of nuclear magnetic shieldings in relativistic four-component theory. *Journal of Chemical Physics*, *131*(124119), 1-13. <https://doi.org/10.1063/1.3240198>

Hansen, M. B., Jensen, H. J. A., & Jensen, F. (2009). Modeling Enzymatic Transition States by Force Field Methods. *International Journal of Quantum Chemistry*, *109*, 373-383. <https://doi.org/10.1002/qua.21782>

Fromager, E., Réal, F., Wählin, P., Wahlgren, U., & Jensen, H. J. A. (2009). On the universality of the long-/short-range separation in multiconfigurational density-functional theory. II. Investigating f⁰ actinide species. *Journal of Chemical Physics*, *131*(054107), 1-11. <https://doi.org/10.1063/1.3187032>

Bast, R., Jensen, H. J. A., & Saue, T. (2009). Relativistic Adiabatic Time-Dependent Density Functional Theory Using Hybrid Functionals and Noncollinear Spin Magnetization. *International Journal of Quantum Chemistry*, *109*, 2091-2112. <https://doi.org/10.1002/qua.22065>

Fromager, E., & Jensen, H. J. A. (2008). **Self-consistent many-body perturbation theory in range-separated density-functional theory: A one-electron reduced-density-matrix-based formulation.** *Physical Review A. Atomic, Molecular, and Optical Physics*, *78*(2), 022504-1:14.

Thyssen, J., Fleig, T., & Jensen, H. J. A. (2008). A direct relativistic four-component multiconfiguration self-consistent-field method for molecules. *Journal of Chemical Physics*, 129(3), [034109]. <https://doi.org/10.1063/1.2943670>

Jensen, H. J. A. (2008). Can Electron Propagator Methods Be Used To Improve Polarization Propagator Methods? In T. E. Simos, & G. Maroulis (Eds.), *COMPUTATION IN MODERN SCIENCE AND ENGINEERING: Proceedings of the International Conference on Computational Methods in Science and Engineering (ICCMSE 2007) Corfu, Greece, 25-30 September 2007 Volume 2, Part A* (pp. 191-192). American Institute of Physics. AIP CONFERENCE PROCEEDINGS No. 963

Knecht, S., Jensen, H. J. A., & Fleig, T. (2008). Large-scale parallel configuration interaction. I. Nonrelativistic and scalar-relativistic general active space implementation with application to $(\text{Rb-Ba})^+$. *Journal of Chemical Physics*, 129(1), 014108-1-14.

Fromager, E., Toulouse, J., & Jensen, H. J. A. (2007). On the universality of the long-/short-range separation in multiconfigurational density-functional theory. *Journal of Chemical Physics*, 126(7), 074111-074119. <https://doi.org/10.1063/1.2566459>

Hanni, M., Lantto, P., Ilias, M., Jensen, H. J. A., & Vaara, J. (2007). Relativistic effects in the intermolecular interaction-induced nuclear magnetic resonance parameters of xenon dimer. *Journal of Chemical Physics*, 127(16), 164313-1-13. <https://doi.org/10.1063/1.2777143>

Rubensson, E. H., & Jensen, H. J. A. (2006). Determination of the Chemical Potential and HOMO/LUMO Orbitals in Density Purification Methods. *Chemical Physics Letters*, 432(4-6), 591-594. <https://doi.org/10.1016/j.cplett.2006.10.090>

Jensen, H. J. A., Oddershede, J., & Ogilvie, J. F. (2006). Rotational Q Factors Calculated for Diatomic Molecular Cations H_2^+ , HeH^+ and NeH^+ . *Journal of Physics B: Atomic, Molecular and Optical Physics*, 39(24), 5215-5223. <https://doi.org/10.1088/0953-4075/39/24/017>

Fleig, T., Jensen, H. J. A., Olsen, J., & Visscher, L. (2006). The Generalized Active Space Concept for the Relativistic Treatment of Electron Correlation. III. Large-scale Configuration Interaction and Multiconfiguration Self-consistent-field Four-component Methods with Application to UO_2 . *Journal of Chemical Physics*, 124(10), 104106-1 - 104106-11. <https://doi.org/10.1063/1.2176609>

Olsen, J., & Jensen, H. J. A. (2005). Preface. In *Advances in Quantum Chemistry 50 Response Theory and Molecular Properties* Academic Press. *Advances in Quantum Chemistry* Vol. 50 [https://doi.org/10.1016/S0065-3276\(05\)50017-0](https://doi.org/10.1016/S0065-3276(05)50017-0)

Ogilvie, J. F., Jensen, H. J. A., & Sauer, S. P. A. (2005). Analysis of pure rotational and vibration-rotational spectra of $\text{NaCl } X^1\Sigma^+$ and quantum-chemical calculation of related molecular properties. *Journal of the Chinese Chemical Society*, (52), 631-639.

van Stralen, J., Visscher, L., Larsen, C. V., & Jensen, H. J. A. (2005). First-order MP2 molecular properties in a relativistic framework. *Chemical Physics*, (311), 81-95. <https://doi.org/10.1016/j.chemphys.2004.10.018>

Norman, P., Bishop, D. M., Jensen, H. J. A., & Oddershede, J. (2005). Nonlinear response theory with relaxation: The first hyperpolarizability. *Journal of Chemical Physics*, 123, 194103-194121. <https://doi.org/10.1063/1.2107627>

Sauer, S. P. A., Jensen, H. J. A., & Ogilvie, J. F. (2005). Quantum-chemical Calculations of Radial Functions for Rotational and Vibrational g Factors, Electric Dipolar Moment and Adiabatic Corrections to the Potential Energy for Analysis of Spectra of HeH^+ . *Advances in Quantum Chemistry*, (48), 319-334. [https://doi.org/10.1016/S0065-3276\(05\)48017-X](https://doi.org/10.1016/S0065-3276(05)48017-X)

Jensen, H. J. A., Sabin, J. R., & Brandäs, E. (Eds.) (2005). *Response Theory and Molecular Properties: (A Tribute to Jan Linderberg and Poul Jørgensen)*. *Advances in Quantum Chemistry* No. 50

- Ilias, M., Jensen, H. J. A., Kellö, V., Roos, B. O., & Urban, M. (2005). Theoretical study of PbO and the PbO anion. *Chemical Physics Letters*, (408), 210-215. <https://doi.org/10.1016/j.cplett.2005.04.027>
- Henriksson, J., Norman, P., & Jensen, H. J. A. (2005). Two-photon absorption in the relativistic fourcomponent Hartree-Fock approximation. *Journal of Chemical Physics*, (122), 114106/1-114106/9.
- Norman, P., & Jensen, H. J. A. (2004). Quadratic response functions in the time-dependent four-component Hartree-Fock approximation. *Journal of Chemical Physics*, 121, 6145-6154. <https://doi.org/10.1063/1.1785774>
- Saue, T., & Jensen, H. J. A. (2003). Linear response at the 4-component relativistic level: Application to the frequency-dependent dipole polarizabilities of the coinage metal dimers. *Journal of Chemical Physics*, 118(2), 522-536. <https://doi.org/10.1063/1.1522407>
- Nielsen, S. B., Nielsen, M. B., & Jensen, H. J. A. (2003). The tetrathiafulvalene dication in the gas phase: its formation and stability. *Physical Chemistry Chemical Physics*, 5, 1376-80. <https://doi.org/10.1039/B300537B>
- Norman, P., Schimmelpfennig, B., Ruud, K., Jensen, H. J. A., & Ågren, H. (2002). Relativistic effects on linear and nonlinear polarizabilities studied by effective-core potential, Douglas-Kroll, and Dirac-Hartree-Fock response theory. *Journal of Chemical Physics*, 116(16), 6914-6923. <https://doi.org/10.1063/1.1463437>
- Norman, P., Bishop, D. M., Jensen, H. J. A., & Oddershede, J. (2001). Near-resonant absorption in the time-dependent self-consistent field and multiconfigurational self-consistent field approximations. *Journal of Chemical Physics*, 115(22), 10323-10334. <https://doi.org/10.1063/1.1415081>
- Carravetta, V., Ågren, H., Vahtras, O., & Jensen, H. J. A. (2000). *Ab initio* calculations of molecular resonant photoemission spectra. *Journal of Chemical Physics*, 113(18), 7790-98. <https://doi.org/10.1063/1.1316046>
- Keszthelyi, T., Grage, M. M. L., Offersgaard, J. F., Wilbrandt, R., Svendsen, C., Mortensen, O. S., Pedersen, J. K., & Jensen, H. J. A. (2000). 2,2'-Bithiophene Radical Cation: An Experimental and Computational Study. *Journal of Physical Chemistry A*, 104, 2808-2823. <https://doi.org/10.1021/jp993913s>
- Venkatnathan, A., Mishra, M. K., & Jensen, H. J. A. (2000). An investigation of basis set effects in the characterization of electron: atom scattering resonances using the dilated electron propagator method. *Theoretical Chemistry Accounts*, 104(6), 445-5. <https://doi.org/10.1007/s002140000164>
- Shigemitsu, Y., Jensen, H. J. A., Koch, H., & Oddershede, J. (2000). Propagator calculations of electronic spectra of photochromic spirooxazines. *Molecular Crystals and Liquid Crystals*, 345, 89-9. <https://doi.org/10.1080/10587250008023900>
- Saue, T., & Jensen, H. J. A. (2000). Quaternion symmetry of the Dirac equation. In M. Defranceschi, & C. Le Bris (Eds.), *Mathematical Models and Methods for Ab Initio Quantum Chemistry* (Vol. 3, pp. 227-246). Springer Science+Business Media. Lecture Notes in Chemistry Vol. 74 https://doi.org/10.1007/978-3-642-57237-1_11
- Enevoldsen, T., Visscher, L., Saue, T., Jensen, H. J. A., & Oddershede, J. (2000). Relativistic four-component calculations of indirect nuclear spin-spin couplings in MH_4 (M=C, Si, Ge, Sn, Pb) and $Pb(CH_3)_3H$. *Journal of Chemical Physics*, 112(8), 3493-98. <https://doi.org/10.1063/1.480504>
- Visscher, L., Enevoldsen, T., Saue, T., Jensen, H. J. A., & Oddershede, J. (1999). Full four-component relativistic calculations of the NMR shielding and indirect spin-spin coupling tensors in the hydrogen halides. *Journal of Computational Chemistry*, 20, 1262-73. [https://doi.org/10.1016/S0040-4039\(03\)01584-3](https://doi.org/10.1016/S0040-4039(03)01584-3)

- Aucar, G. A., Saue, T., Visscher, L., & Jensen, H. J. A. (1999). On the origin and contribution of the diamagnetic term in four-component relativistic calculations of magnetic properties. *Journal of Chemical Physics*, *110*(13), 6208-18. <https://doi.org/10.1063/1.479181>
- Saue, T., & Jensen, H. J. A. (1999). Quaternion symmetry in relativistic molecular calculations: The Dirac-Hartree-Fock method. *Journal of Chemical Physics*, *111*, 6211-22. <https://doi.org/10.1063/1.479958>
- Ruud, K., Jonsson, D., Norman, P., Ågren, H., Saue, T., Jensen, H. J. A., Dahle, P., & Helgaker, T. (1998). Generalized integral-screening for efficient calculations of nonlinear optical properties of large molecules. *Journal of Chemical Physics*, *108*(19), 7973-7979.
- Dalskov, E. K., Jensen, H. J. A., & Oddershede, J. (1997). Does scaling or addition provide the correct frequency dependence of $\beta_{\parallel}(-\omega_{\sigma}; \omega_1, \omega_2)$ at the correlated level? An investigation for six molecules. *Molecular Physics*, *90*(1), 3-14.
- Kirpekar, S., Jensen, H. J. A., & Oddershede, J. (1997). Spin-orbit corrections to the indirect nuclear spin-spin coupling constants in XH_4 ($X=C, Si, Ge, \text{ and } Sn$). *Theoretical Chemistry Accounts*, *95*(1-2), 35-47. <https://doi.org/10.1007/BF02329240>
- Ågren, H., Luo, Y., Gelmukhanov, F., & Jensen, H. J. A. (1996). Screening in resonant X-ray emission of molecules. *Journal of Electron Spectroscopy and Related Phenomena*, *82*(1-2), 125-134.
- Packer, M. J., Dalskov, E. K., Enevoldsen, T., Jensen, H. J. A., & Oddershede, J. (1996). A new implementation of the second-order polarization propagator approximation (SOPPA): The excitation spectra of benzene and naphthalene. *Journal of Chemical Physics*, *105*(14), 5886-5900.
- Jensen, H. J. A., Dylla, K. G., Saue, T., & Fægri, K. (1996). Relativistic four-component multiconfigurational self-consistent-field theory for molecules: Formalism. *Journal of Chemical Physics*, *104*(11), 4083-4097.
- Aucar, G. A., Jensen, H. J. A., & Oddershede, J. (1995). Operator representations in Kramers bases. *Chemical Physics Letters*, *232*(1-2), 47-53. [https://doi.org/10.1016/0009-2614\(94\)01332-P](https://doi.org/10.1016/0009-2614(94)01332-P)
- Mikkelsen, K. V., Cesar, A., Ågren, H., & Jensen, H. J. A. (1995). Multiconfigurational self-consistent reaction field theory for nonequilibrium solvation. *The Journal of Chemical Physics*, *103*(20), 9010-9023.
- Kirpekar, S., Oddershede, J., & Jensen, H. J. A. (1995). Relativistic corrections to molecular dynamic dipole polarizabilities. *The Journal of Chemical Physics*, *103*(8), 2983-2990.
- Olsen, J., Minaev, B., Vahtras, O., Ågren, H., Jørgensen, P., Jensen, H. J. A., & Helgaker, T. (1994). The Vegard-Kaplan band and the phosphorescent decay of N_2 . *Chemical Physics Letters*, *231*(4-6), 387-394. [https://doi.org/10.1016/0009-2614\(94\)01300-4](https://doi.org/10.1016/0009-2614(94)01300-4)
- Kirpekar, S., Jensen, H. J. A., & Oddershede, J. (1994). Correlated calculations of indirect nuclear spin-spin coupling constants for XH_4 ($X = Si, Ge, \text{ and } Sn$). *Chemical Physics*, *188*(2-3), 171-181. [https://doi.org/10.1016/0301-0104\(94\)00260-6](https://doi.org/10.1016/0301-0104(94)00260-6)
- Ischtwan, J., Schwerdtfeger, P., Peyerimhoff, S. D., Collins, M. A., Helgaker, T., Jørgensen, P., & Jensen, H. J. A. (1994). MCSCF reaction-path energetics and thermal rate-constants for the reaction of 3NH with H_2 . *Theoretica Chimica Acta*, *89*(2-3), 157-168. <https://doi.org/10.1007/BF01132799>
- Bak, K. L., Jørgensen, P., Helgaker, T., Ruud, K., & Jensen, H. J. A. (1994). Basis set convergence of atomic axial tensors obtained from self-consistent field calculations using London atomic orbitals. *The Journal of Chemical Physics*, *100*(9), 6620-6627. <https://doi.org/10.1063/1.467019>

Vahtras, O., Ågren, H., & Jensen, H. J. A. (1994). Direct one-index transformations in multiconfiguration response calculations. *Journal of Computational Chemistry*, *15*(6), 573-579. <https://doi.org/10.1002/jcc.540150602>

Hettrema, H., Wormer, P. E. S., Jørgensen, P., Jensen, H. J. A., & Helgaker, T. (1994). Frequency-dependent polarizabilities of O₂ and van der Waals coefficients of dimers containing O₂. *The Journal of Chemical Physics*, *100*(2), 1297-1302. <https://doi.org/10.1063/1.467256>

Ruud, K., Helgaker, T., Kobayashi, R., Jørgensen, P., Bak, K. L., & Jensen, H. J. A. (1994). Multiconfigurational self-consistent field calculations of nuclear shieldings using London atomic orbitals. *The Journal of Chemical Physics*, *100*(11), 8178-8185.

Vahtras, O., Ågren, H., Jørgensen, P., Helgaker, T., & Jensen, H. J. A. (1993). The nuclear spin-spin coupling in N₂ and CO. *Chemical Physics Letters*, *209*(3), 201-206. [https://doi.org/10.1016/0009-2614\(93\)80093-5](https://doi.org/10.1016/0009-2614(93)80093-5)

Koch, H., Ågren, H., Jørgensen, P., Helgaker, T., & Jensen, H. J. A. (1993). Large scale random phase calculations for direct self-consistent field wavefunctions. *Chemical Physics*, *172*(1), 13-20. [https://doi.org/10.1016/0301-0104\(93\)80102-F](https://doi.org/10.1016/0301-0104(93)80102-F)

Ågren, H., & Jensen, H. J. A. (1993). Relaxation and correlation contributions to molecular double core ionization energies. *Chemical Physics*, *172*(1), 45-57. [https://doi.org/10.1016/0301-0104\(93\)80105-I](https://doi.org/10.1016/0301-0104(93)80105-I)

Bak, K. L., Jørgensen, P., Helgaker, T., Ruud, K., & Jensen, H. J. A. (1993). Gauge-origin independent multiconfigurational self-consistent-field theory for vibrational circular dichroism. *The Journal of Chemical Physics*, *98*(11), 8873-8887. <https://doi.org/10.1063/1.464445>

Ruud, K., Helgaker, T., Bak, K. L., Jørgensen, P., & Jensen, H. J. A. (1993). Hartree-Fock limit magnetizabilities from London orbitals. *The Journal of Chemical Physics*, *99*(5), 3847-3859. <https://doi.org/10.1063/1.466131>

Ågren, H., Carravetta, V., Jensen, H. J. A., Jørgensen, P., & Olsen, J. (1993). Multiconfiguration linear-response approaches to the calculation of absolute photoionization cross sections: HF, H₂O, and Ne. *Physical Review A*, *47*(5), 3810-3823. <https://doi.org/10.1103/PhysRevA.47.3810>

Jaszuński, M., Jensen, H. J. A., Jørgensen, P., Rizzo, A., Helgaker, T., & Ruud, K. (1992). The magnetic hyperpolarizability anisotropy of the neon atom. *Chemical Physics Letters*, *191*(6), 599-602. [https://doi.org/10.1016/0009-2614\(92\)85595-2](https://doi.org/10.1016/0009-2614(92)85595-2)

Ågren, H., Knuts, S., Mikkelsen, K. V., & Jensen, H. J. A. (1992). Solvatochromatic shifts studied by multi-configuration self-consistent reaction field theory. Application to azabenzenes. *Chemical Physics*, *159*(2), 211-225. [https://doi.org/10.1016/0301-0104\(92\)80071-3](https://doi.org/10.1016/0301-0104(92)80071-3)

Špirko, V., Jørgensen, P., & Jensen, H. J. A. (1992). Ab initio potential energy function and geometry of the A⁻ state of ammonia. *Journal of Molecular Spectroscopy*, *152*(1), 199-204. [https://doi.org/10.1016/0022-2852\(92\)90131-7](https://doi.org/10.1016/0022-2852(92)90131-7)

Bak, K. L., Jørgensen, P., Jensen, H. J. A., Olsen, J., & Helgaker, T. (1992). First-order nonadiabatic coupling matrix elements from multiconfigurational self-consistent-field response theory. *The Journal of Chemical Physics*, *97*(10), 7573-7584. <https://doi.org/10.1063/1.463477>

Vahtras, O., Ågren, H., Jørgensen, P., Jensen, H. J. A., Padkjær, S. B., & Helgaker, T. (1992). Indirect nuclear spin-spin coupling constants from multiconfiguration linear response theory. *The Journal of Chemical Physics*, *96*(8), 6120-6125. <https://doi.org/10.1063/1.462654>

Stanton, J. F., Gauss, J., Bartlett, R. J., Helgaker, T., Jørgensen, P., Jensen, H. J. A., & Taylor, P. R. (1992). Interconversion of diborane (4) isomers. *The Journal of Chemical Physics*, *97*(2), 1211-1216. <https://doi.org/10.1063/1.463247>

- Nordfors, D., Ågren, H., & Jensen, H. J. A. (1992). MCSCF/MCLR Studies of potential energy surfaces, spectra, and properties of the X^1A_1 and a^3B_2 states of ozone. *International Journal of Quantum Chemistry*, 44(3), 413. <https://doi.org/10.1002/qua.560440309>
- Vahtras, O., Ågren, H., Jørgensen, P., Jensen, H. J. A., Helgaker, T., & Olsen, J. (1992). Multiconfigurational quadratic response functions for singlet and triplet perturbations: The phosphorescence lifetime of formaldehyde. *The Journal of Chemical Physics*, 97(12), 9178-9187. <https://doi.org/10.1063/1.463344>
- Hettema, H., Jensen, H. J. A., Jørgensen, P., & Olsen, J. (1992). Quadratic response functions for a multiconfigurational self-consistent field wave function. *The Journal of Chemical Physics*, 97(2), 1174-1190. <https://doi.org/10.1063/1.463245>
- Fernandez, B., Jørgensen, P., Byberg, J., Olsen, J., Helgaker, T., & Jensen, H. J. A. (1992). Spin polarization in restricted electronic structure theory: Multiconfiguration self-consistent-field calculations of hyperfine coupling constants. *The Journal of Chemical Physics*, 97(5), 3412-3419. <https://doi.org/10.1063/1.462977>
- Jensen, H. J. A., Jørgensen, P., Hettema, H., & Olsen, J. (1991). The hyperpolarizability dispersion of neon is not anomalous. *Chemical Physics Letters*, 187(4), 387-390. [https://doi.org/10.1016/0009-2614\(91\)80269-4](https://doi.org/10.1016/0009-2614(91)80269-4)
- Sanchez de Merás, A. M., Jensen, H. J. A., Jørgensen, P., & Olsen, J. (1991). Restricted and complete-active-space multiconfiguration linear response calculations of the polarizability of formamide and urea. *Chemical Physics Letters*, 186(4-5), 379-385. [https://doi.org/10.1016/0009-2614\(91\)90195-F](https://doi.org/10.1016/0009-2614(91)90195-F)
- Špirko, V., Daadoch, N. M., Jensen, H. J. A., Jørgensen, P., & Helgaker, T. (1991). An ab initio investigation of the potential energy function and rotation-vibration energies of $H_2O \cdot Na^+$. *Chemical Physics Letters*, 185(3-4), 265-269. [https://doi.org/10.1016/S0009-2614\(91\)85058-5](https://doi.org/10.1016/S0009-2614(91)85058-5)
- Cesar, A., Ågren, H., Helgaker, T., Jørgensen, P., & Jensen, H. J. A. (1991). Excited state structures and vibronic spectra of H_2CO^+ , $HDCO^+$, and D_2CO^+ using molecular gradient and Hessian techniques. *Journal of Chemical Physics*, 95(8), 5906-5917. <https://doi.org/10.1063/1.461612>
- Nordfors, D., Ågren, H., & Jensen, H. J. A. (1991). MCSCF/MCLR Studies of potential energy surfaces, spectra, and properties of the X^1A_1 and a^3B_2 states of ozone. *International Journal of Quantum Chemistry*, 40(4), 475-490. <https://doi.org/10.1002/qua.560400404>
- Helgaker, T., Uggerud, E., & Jensen, H. J. A. (1990). Integration of the classical equations of motion on ab initio molecular potential energy surfaces using gradients and Hessians: application to translational energy release upon fragmentation. *Chemical Physics Letters*, 173(2-3), 145-150. [https://doi.org/10.1016/0009-2614\(90\)80068-O](https://doi.org/10.1016/0009-2614(90)80068-O)
- Špirko, V., Hans, H. J., & Jørgensen, P. (1990). Dipole polarizability surfaces of ammonia. *Chemical Physics*, 144(3), 343-351. [https://doi.org/10.1016/0301-0104\(90\)80099-J](https://doi.org/10.1016/0301-0104(90)80099-J)
- Koch, H., Jensen, H. J. A., Jørgensen, P., Helgaker, T., Scuseria, G. E., & Schaefer, H. F. (1990). Coupled cluster energy derivatives. Analytic Hessian for the closed-shell coupled cluster singles and doubles wave function: Theory and applications. *The Journal of Chemical Physics*, 92(8), 4924-4940. <https://doi.org/10.1063/1.457710>
- Koch, H., Jensen, H. J. A., Jørgensen, P., & Helgaker, T. (1990). Excitation energies from the coupled cluster singles and doubles linear response function (CCSDLR). Applications to Be, CH^+ , CO, and H_2O . *The Journal of Chemical Physics*, 93(5), 3345-3350. <https://doi.org/10.1063/1.458815>
- Carravetta, V., Ågren, H., Jensen, H. J. A., Jørgensen, P., & Olsen, J. (1989). Accurate photodetachment cross sections for Li^- . *Journal of Physics B: Atomic, Molecular and Optical Physics*, 22(13), 2133-2140. [017]. <https://doi.org/10.1088/0953-4075/22/13/017>

Jensen, H. J. A., Jørgensen, P., Helgaker, T., & Olsen, J. (1989). Accurate calculations of the dynamic dipole polarizability of N_2 . A multiconfigurational linear response study using restricted active space (RAS) wavefunctions. *Chemical Physics Letters*, 162(4-5), 355-360. [https://doi.org/10.1016/0009-2614\(89\)87058-7](https://doi.org/10.1016/0009-2614(89)87058-7)

Olsen, J., De Meñas, A. M. S., Jensen, H. J. A., & Jørgensen, P. (1989). Excitation energies, transition moments and dynamic polarizabilities for CH^+ . A comparison of multiconfigurational linear response and full configuration interaction calculations. *Chemical Physics Letters*, 154(4), 380-386. [https://doi.org/10.1016/0009-2614\(89\)85373-4](https://doi.org/10.1016/0009-2614(89)85373-4)

Ågren, H., Olsen, J., Jensen, H. J. A., & Jørgensen, P. (1989). Accurate static and dynamic polarizabilities of Li-. *Physical Review A*, 40(5), 2265-2269. <https://doi.org/10.1103/PhysRevA.40.2265>

Medina-Llanos, C., Ågren, H., Mikkelsen, K. V., & Jensen, H. J. A. (1989). Self-consistent reaction field calculations of photoelectron binding energies for solvated molecules. *The Journal of Chemical Physics*, 90(11), 6422-6435. <https://doi.org/10.1063/1.456308>

Ågren, H., Medina-Llanos, C., Mikkelsen, K. V., & Jensen, H. J. A. (1988). On the validity of the equivalent core approximation in Born-Haber analyses of liquids and solutions. *Chemical Physics Letters*, 153(4), 322-327. [https://doi.org/10.1016/0009-2614\(88\)80149-0](https://doi.org/10.1016/0009-2614(88)80149-0)

Jørgensen, P., Jensen, H. J. A., & Helgaker, T. (1988). A gradient extremal walking algorithm. *Theoretica Chimica Acta*, 73(1), 55-65. <https://doi.org/10.1007/BF00526650>

Mikkelsen, K. V., Ågren, H., Jensen, H. J. A., & Helgaker, T. (1988). A multiconfigurational self-consistent reaction-field method. *The Journal of Chemical Physics*, 89(5), 3086-3095. <https://doi.org/10.1063/1.454965>

Olsen, J., Roos, B. O., Jørgensen, P., & Jensen, H. J. A. (1988). Determinant based configuration interaction algorithms for complete and restricted configuration interaction spaces. *The Journal of Chemical Physics*, 89(4), 2185-2192. <https://doi.org/10.1063/1.455063>

Jensen, H. J. A., Jørgensen, P., Ågren, H., & Olsen, J. (1988). Erratum: Second-order Møller-Plesset perturbation theory as a configuration and orbital generator in multiconfiguration self-consistent-field calculations (Journal of Chemical Physics (1988) 88 (3834)). *The Journal of Chemical Physics*, 89(8). <https://doi.org/10.1063/1.455749>

Jørgensen, P., Jensen, H. J. A., & Olsen, J. (1988). Linear response calculations for large scale multiconfiguration self-consistent field wave functions. *The Journal of Chemical Physics*, 89(6), 3654-3661. <https://doi.org/10.1063/1.454885>

Olsen, J., Jensen, H. J. A., & Jørgensen, P. (1988). Solution of the large matrix equations which occur in response theory. *Journal of Computational Physics*, 74(2), 265-282. [https://doi.org/10.1016/0021-9991\(88\)90081-2](https://doi.org/10.1016/0021-9991(88)90081-2)

Ågren, H., & Jensen, H. J. A. (1987). An efficient method for the calculation of generalized overlap amplitudes for core photoelectron shake-up spectra. *Chemical Physics Letters*, 137(5), 431-436. [https://doi.org/10.1016/0009-2614\(87\)80228-2](https://doi.org/10.1016/0009-2614(87)80228-2)

Jensen, H. J. A., Jørgensen, P., & Ågren, H. (1987). Efficient optimization of large scale MCSCF wave functions with a restricted step algorithm. *The Journal of Chemical Physics*, 87(1), 451-466. <https://doi.org/10.1063/1.453590>

Jensen, H. J. A., & Ågren, H. (1986). A direct, restricted-step, second-order MC SCF program for large scale ab initio calculations. *Chemical Physics*, 104(2), 229-250. [https://doi.org/10.1016/0301-0104\(86\)80169-0](https://doi.org/10.1016/0301-0104(86)80169-0)

Flores-Riveros, A., Ågren, H., Brammer, R., & Jensen, H. J. A. (1986). A diabatic model for photoionization. Application to the inner valence x-ray photoelectron spectrum of acetylene. *The Journal of Chemical Physics*, 85(11), 6270-6275. <https://doi.org/10.1063/1.451456>

Helgaker, T. U., Jensen, H. J. A., & Jørgensen, P. (1986). Analytical calculation of MCSCF dipole-moment derivatives. *The Journal of Chemical Physics*, *84*(11), 6280-6284. <https://doi.org/10.1063/1.450772>

Ågren, H., Flores-Riveros, A., & Jensen, H. J. A. (1986). Evaluation of first- and second-order nonadiabatic coupling elements from large multiconfigurational self-consistent-field wave functions. *Physical Review A*, *34*(6), 4606-4614. <https://doi.org/10.1103/PhysRevA.34.4606>

Helgaker, T. U., Almlöf, J., Jensen, H. J. A., & Jørgensen, P. (1986). Molecular Hessians for large-scale MCSCF wave functions. *The Journal of Chemical Physics*, *84*(11), 6266-6279. <https://doi.org/10.1063/1.450771>

Jensen, H. J. A., Jørgensen, P., & Helgaker, T. (1986). Systematic determination of MCSCF equilibrium and transition structures and reaction paths. *The Journal of Chemical Physics*, *85*(7), 3917-3929. <https://doi.org/10.1063/1.450914>

Ågren, H., Correia, N., Flores-Riveros, A., & Jensen, H. J. AA. (1985). Direct restricted-step MCSCF calculations on the structure and spectrum of cyclobutadiene. *International Journal of Quantum Chemistry*, *28*(19 S), 237-246. <https://doi.org/10.1002/qua.560280823>

Hans, H. J., & Agren, H. (1984). MC SCF optimization using the direct, restricted step, second-order norm-extended optimization method. *Chemical Physics Letters*, *110*(2), 140-144. [https://doi.org/10.1016/0009-2614\(84\)80163-3](https://doi.org/10.1016/0009-2614(84)80163-3)

Davis, C. L., Jensen, H. J. A., & Monkhorst, H. J. (1984). Accurate Hartree-Fock wave functions without exponent optimization. *The Journal of Chemical Physics*, *80*(2), 840-855. <https://doi.org/10.1063/1.446738>

Weiner, B., Jensen, H. J. A., & Öhrn, Y. (1984). Erratum: Polarization propagator calculations with AGP reference state (The Journal of Chemical Physics (1984) 80 (2009)). *The Journal of Chemical Physics*, *81*(1). <https://doi.org/10.1063/1.448190>

Jensen, H. J. A., & Jørgensen, P. (1983). A direct approach to second-order MCSCF calculations using a norm extended optimization scheme. *The Journal of Chemical Physics*, *80*(3), 1204-1214.

Weiner, B., Jensen, H. J. A., & Öhrn, Y. (1983). Polarization propagator calculations with an AGP reference state. *The Journal of Chemical Physics*, *80*(5), 2009-2021.

Hans, H. J., Weiner, B., & Öhrn, Y. (1983). AGP Propagator calculations. *International Journal of Quantum Chemistry*, *23* (1), 65-70. <https://doi.org/10.1002/qua.560230107>

Kurtz, H. A., Weiner, B., & Jensen, H. J. A. (1983). The polarization propagator based on an AGP state: Theory and application to the helium atom. *International Journal of Quantum Chemistry*, *24*(17 S), 415-423. <https://doi.org/10.1002/qua.560240846>

Jensen, H. J. A., Weiner, B., Ortiz, J. V., & Öhrn, Y. (1982). A powerful procedure for optimizing AGP states. *International Journal of Quantum Chemistry*, *22*(16 S), 615-631. <https://doi.org/10.1002/qua.560220853>